County: Walthaw
Permit #:
Driller: Fitzerald well server
Date drilling completed: 5-14-13.

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309

Jackson, MS 39225-2309 (601)961-5210 (601)360-0535 (fax)

For Office Use Only:			
Well #: 4156			
Aquifer:			
E-Log #:			

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of co	mpletion of drilling of the well or borehole.		
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location		
Owner Name: FIANC Holmes	Latitude: 31°1′38.4" Longitude: 90° /2′ 49.6'		
Mailing Address: Stuling Bdy A	Method of Lat/Long (check one): Conventional Survey,		
Mailing Address:	USGS quad, Hand-held GPS, Survey-grade GPS		
TIL	NW 14 NE 14, Sec 29 TIN RIGE		
Tylenson MS City State Zip Code			
Telephone No. ()	Miles of (Distance) (Direction) (Nearest Town)		
W-11 / 1	Possibal Pro-		
	Borehole Data $1: \frac{S-14-14}{1}$ Hole depth: $\frac{130}{1}$ Hole diameter: $\frac{8}{1}$		
Location of the source of any surface water used for drilli	•		
	3		
Method of dosing and volume of Chlorine used in drilling and development: Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s):			
Purpose of borehole (circle one): Water Well Geotechn			
	(describe)		
Purpose of Well (circle all applicable): (Home) Industrial	construction, skip the remainder of this block		
Other (describe):	Public Supply Irrigation Fish Culture		
	Others (() II)		
If a flowing well, method of flow regulation: Valve			
Static Water Level:feet [above_or_below (circle one)	/j land surface Date measured: 3-14-14/		
Method of measurement (circle one): Steel tape Electric	tape Air line Other (describe):		
Well depth: 137 Well grouted to a depth of: 16 f	eet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 127 feet Casing diameter:			
Screen length: 16 feet Screen diameter: 1	inches Type of screen: Ac		
Screen slot size: . O(0 inches Setting depth:			
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Development		
Other (describe):	Tractal de Develophiess		
Top of lap pipe or reduction in casing: feet	Section 1		

The sketch below only required for water wells

If well telescopes, show depths on sketch.	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
Ground Level	Description of Formations Encountered	From (depth)	To (depth)
		Ground Level	<u> </u>
	Clay	<u> </u>	20
	(Just	20	100
	Sand	60	120
	Carte Sand	120	137
		1 ~~	107
		 	
		•	
			ļ
		<u> </u>	
If more than one screen, show location of each on sketch			
Stalling Boye Ro	all: Contract A		
Landowner Name: Frank Holmes,			• •
certify that the well/borehole was drilled, constructed, and		: OLWR-SWR-1, requirements of	•
lississippi Department of Environmental Quality and the M	lississippi Department of Health regulations	, if applicable, an	d state
1W8.	- up as R l that		
BIAS Formula 029 3	-14-14 TE NOW		

STATE WELL REPORT

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601)961-5210

For Office Use Only:			
Well #: _	H156		
Aquifer:			

	601)961-5210			
(601) 360-0535 (fax)			
This part of the report must be completed by a licensed water	well contractor or a licensed pump installer. A copy of Part 1			
Well Owner Information	Department at the above address within 30 days of well completion. Well Location			
Owner Name: Fifn & Holmes	Latitude: 3/0/38.4" Longitude: 90° 12′ 49.6 "			
Mailing Address: Stully Body Rob	Method of Lat/Long (check one): Conventional Survey,			
,	USGS quad, Hand-held GPS, Survey-grade GPS			
Tylefung MJ, City State Zip Code	NW 14 NE 14, Sec 29 T IN R 10E			
City State Zip Code	Miles of (Distance) (Direction) (Nearest Town)			
Telephone No. ()	(Distance) (Direction) (Nearest Town)			
Pump Ty	pe (circle one)			
	Jet Piston Rotary Other (describe):			
	Rated Pump Capacity: 12, Gallons Per Minute			
Is This Pump (circle one): (New) Repaired Replacement	pe (circle one)			
Electric Diesel Gasoline Natural Gas Tractor PTO Win	·			
Horse Power Rating of Motor: Setting Dept				
Horse Power Rating of Motor: Setting Dept	n: 150 reet Number of Stages: 12			
Pump Test Data	for Non Flowing Well			
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours			
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface				
Drawdown [(B) - (A)]:Feet Below Land Surf	face Test Pumping Rate: Gallons Per Minute			
Method of measurement (circle one): Steel tape Electric ta	pe Air line Other (<i>describe</i>):			
Pump Test Da	ta for Flowing Well			
Measured shut in head:feet.				
Well yieldedGPM with a drawdown of	feet afterhours of pumping			
Meter	Installation			
Meter Manufacturer:				
Meter Model Number/Name:				
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc):				
Installation Date: Meter installed by:				
Is This Meter (circle one): New Repaired Replacement				
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				
Rolebull 2014/				
Print Name of Pump Installer and License No. (if applicable)	Date Signature of Pump Installer			
and the or rainp instance and electise no. (i) applicable)	oignature of rump instatter			

Form: OLWR-SWR-1B (4/13)