	State w	ен керогт	For Office Use Only:		
County: Walthan	Part 1 - Driller's Log				
Permit #:	Mississippi Department of Environmental Quality		Aquifer: <u>579</u>		
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well #:		
Driller: Frizzevald Well Sever	Jackson	, MS 39225	L. S. Elevation:		
Date drilling completed: 10:35-11		961- 5210 I- 5228 (fax)			
	, .		E-log #:		
State Law requires that this repor	rt be prepared by the lice	ense holder responsible for i	the work and filed with the		
Department at the above address			or borenote.		
Information on Well Owner (Landowner if borehole is not for a water well)					
Owner Name Nachan Miler		Latitudes 10 · 3 · S/2	3. "Longitude: 908 3 . 27. 5"		
Mailing Address: Ar line Rd		Method of Lat/Long (circle or	ne): Conventional Survey,		
Walling Address. 7711 11142 - 547	Mailing Address: #17 [[Like / N/		USGS quad, Hand-held GPS, Survey-grade GPS		
Tlad m	C.	NE 1/2 Sec 11 Twn /N Rng 11 E			
Tylertoun M. City Sta	te Zip Code	Distance Direction			
Telephone No. ()		Miles	or		
	Weli / Bore	hole Dete			
4. 5-4			011		
Date drilling started: 10 25-11 Date dr	illing completed: 10 35-	// Hole depth: 160	Hole diameter:		
Location of the source of any surface wate Method of dosing and volume of Chlorin	er used for drilling:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump					
Seismic SurveyOther (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home l	ndustrial Public Supply	Irrigation Fish Culture	_Other: Chroken House		
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:feet above or below (circle one) land surface Date measured: 10-25 - 1/-					
Method of Measurement (circle one) Steel Dipe electric tape air line other:					
Well depth: 160 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 140 feet Casing diameter: 4" inches Type of casing: Puz					
Screen length: 20 feet Screen diameter: 4" inches Type of screen: Pvc					
Screen slot size: Oloo inches Setting depth: From 140 feet to 160 feet					
Type of completion (circle all applicable): Gravel packet Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lon nine or reduction in cosing: feet If telescoped or more than one screen describe an next name					

REJEVED

Form: OLWR-SWR-1A (04/08)

TUV 2 1 **2011**

NOV 2 1 2011

The sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations			
Ground Level K	Description of Formations Encountered	From (depth) Ground Level	To (depth)	
	Claye	20	20	
	Staret Sand	60	100	
	Chy Suhde.	100	120	
	Couse Sand	140	160	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any aid in locating the well; 3) any roads, power lines, or other items the state of the state	permanent structures on the property at may aid in locating the property at	d the well,
Landowner Name: Nathan Miller	Form: OLV	/R-SWR-1A (04/08)
I certify that the well/borehole was drilled, constructed, and completed in ac Mississippi Department of Environmental Quality and the Mississippi Department.	cordance with all applicable requi	rements of the
Print Name of Responsible Licensee and License No. Date	Signature of Licensee	PECFUE

	STATE WE	LI REPORT			
County: Walthaw	STATE WELL REPORT Part 2		For Office Use Only:		
Permit #:	Pump Installer's	Completion Report of Environmental Quality	Aquifer:		
Driller Fitzerald Well Gruen	Office of Land ar	nd Water Resources	Well#:		
Date completed: 10 - 25-/1.		ox 2309 MS 39225	Elevation:		
Copy information from block on Part I		61-5210 -5228 (fax)			
	• •		nstaller. A copy of Part 1 of the		
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information					
Well Owner Informat	į.	Latitude: 3103 57,3 Longitude: 9003 27,9"			
Owner Name: Nathan M. Her.			l l		
Mailing Address: Awline Rd.			ne): Conventional Survey,		
			GPS, Survey-grade GPS		
Tylerkun MS City State	Zin Coda	¼ ½ Sec	11 T/NR11E		
,	-	Distance Direction	Nearest Town		
Telephone No. ()		Milesc			
Pump Type			wer Type		
Circle one	Submersible		Circle one ne Engine Natural Gas		
Air Lift Jet		Sectric Motor Hand	Tractor PTO		
Bucket Piston	Turbine		(specify):		
Centrifugal Rotary	Flowing Well		· · · · · · · · · · · · · · · · · · ·		
Other (specify):			r. <u>5</u>		
Date Pump Installed: 10 25-1		Setting Depth:	feet		
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:	336\$50 Gailds,		
		1 1 2 2 2 2	easuring Water Level		
Pump Test Data Date Well Tested:			Circle one		
Static Water Level (A):Fee		1			
<u> </u>		Other (specify):			
Pumping Water Level (B):Fee		For flowing well, measured	shut in head:feet		
Drawdown [(B) – (A)]:Fee		i	GPM with a drawdown of		
Test Pumping Rate:		4	hours of pumping		
Duration of Pump Test (minimum 4 hours	s):hours	teet after	Tromo or brank		
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump					
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.					
Brad Flane H	094,	Bal Hill	Tag a same		
Print Name of Pump Installer and Licens		Signature of Pump	Form: OLWR-SWR-10 (07-09)		