	State Well Report		For Office Use Only:	
County: (ATTA)	Part 1 – Driller's Log		For Office Ose Omy.	
County:	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources		Well #: <u>K 93</u>	
Driller: T.C. Sumvall	P.O. Box 2307		Weil#.	
		n, MS 39225 961- 5210	L. S. Elevation:	
Date drilling completed: 6/3/09		1- 5228 (fax)	- · ·	
//	` '		E-log #:	
State Law requires that this repor	t be prepared by the lice	ense holder responsible for t	the work and filed with the	
Department at the above address Information on Well C		Well or Bo	orehole Location	
(Landowner if borehole is not fo				
		Latitude: 31 ° 1 ' 23	" Longitude: 89° 59', 59"	
Owner Name IMMU DI		Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 442 Paga	ortar led			
Mailing Address: 442 CopperFord Rd		USGS quad, Hand-held GPS, Survey-grade GPS		
141 EV 10 W	7	5E 1/4 NW 1/4 Sec 28 Twn /N Rng 12E		
City State Zip Code  Telephone No. (60) 222 - 1802		Distance Direction Nearest Town  Miles JE of Tyler found, Ms		
Date drilling started: 6/3/09 Date drilling completed: 6/3/09 Hole depth: 155% Hole diameter: 7/2				
Location of the source of any surface water	er used for drilling:	TABle WATE	<i>F</i>	
Method of dosing and volume of Chlorine	e used in drilling and devel	lopment:		
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other:  Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 80 feet above of below (circle one) land surface Date measured: 6/3/09				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 145 feet Casing diameter: 4 inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: PC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				

Other (describe): \_

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (04/08)

RECEIVED

feet. If telescoped or more than one screen, describe on next page

JUN 2 4 2009

BY: OLWR

The	sketch	below	only	<u>required</u>	for	water	wells

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes,	show dept	hs on sketch.	
Ground Level.			

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Topsoil	0	
SANG CLAY		80
		<del>                                     </del>
SAND	80	1/5
	110	150
Clay	110	122
	<del>                                     </del>	1200
JAno	125	125
	_	<del> </del>
	<del></del>	<del> </del>
	+	<del> </del>
	<u> </u>	-
		-

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
Aylartown
Darter Darter
well well
Dexter Centerville Ro
Landowner Name: Jimy Oillow  Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Tordan Well Ser. 0-508 6/3/09
Print Name of Responsible Licensee and License No. Date

Signature of Licensee

RECEIVED

JUN 2 4 2009

RV- CHMD

## STATE WELL REPORT

## Part 2 County: WAHHAII For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 2309 Well#: Jackson, MS 39225 Date completed: L/3/(601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location **Well Owner Information** Longitude: 89° 59 ' 59" Owner Name: IMMG DILLOW Mailing Address: 442 Method of Lat/Long (check one): Conventional Survey\_ USGS quad , Hand-held GPS , Survey-grade GPS SE 1/ NW 1/ Sec 28 T /N R /2F Zip Code City State Direction Nearest Town Distance 6 Miles S/E of tyler town Telephone No. (60) 222-1802 Power Type Pump Type Circle one Circle one Air Lift Gasoline Engine Natural Gas Diesel Engine let Submersible Tractor PTO Hand Bucket Piston **Turbine** Electric Motor > Windmill Other (specify): \_\_\_ Flowing Well Centrifugal Rotary Horse Power Rating of Motor: Other (specify): Date Pump Installed: 6/3/09 Setting Depth: \_Gallons Per Minute Number of Stages: Rated Pump Capacity: \_\_\_\_\_ Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 6/3/09 Steel Tape Electric Measuring Line Air Line Static Water Level (A): \_\_\_\_\_\_Feet Below Land Surface Other (specify): \_ Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_feet Test Pumping Rate: 25 Gallons Per Minute GPM with a drawdown of Well yielded Duration of Pump Test (minimum 4 hours): \_\_\_\_\_\_hours hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge

Tordan Well Ser. 0-508
Print Name of Pump Installer and License No. (if applicable)

Form: OLWR-SWR-1B (04/08)

JUN 2 4 2009

BY: OLWR