
<u> </u>	State W	ell Report					
County: Walthall		Oriller's Log	For Office Use Only:				
• • •	Mississippi Department of Environmental Quality		Aquifer:				
Permit #: 0 - 586		nd Water Resources	Well #: 1 - 51				
Driller: JAMES WELLS	P.O. Box 2309 Jackson, MS 39225		L. S. Elevation:				
Date drilling completed: 3-24-09	(· · · · /	961- 5210 4 5229 (fors)	L. S. Elevation:				
	(601)96	1- 5228 (fax)	E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.							
Information on Well O	wner	Well or Bo	rehole Location				
(Landowner if borehole is not fo		Latitude: ° '	" Longitude: ° "				
Owner Name Randy S.	Looner	1					
Mailing Address: 208 LCT 1			ne): Conventional Survey,				
Sandy Nor	J IIGG mad Hand-held		GPS, Survey-grade GPS				
39478 - 4 Sec_ 2 S			Twn 1 Rng 3E				
City Stat		Distance Direction	Nearest Town				
Telephone No. (60) 87621	of Sandy Hook						
Well / Borehole Data							
Date drilling started: 3.24-6 Date drilling completed: 3-24-6 Hole depth: 220 Hole diameter: 7							
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 3							
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:							
Purpose of borehole (check one): Water WellGeotechnical/Geological Investigation Ground Source Heat Pump							
Seismic Survey Other (describe)							
If drilling is not related to water well construction, skip the remainder of this block							
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:							
If a flowing well, method of flow regulation: Valve Other (describe)							
Static Water Level: 110feet above of below (circle one) land surface Date measured: 3-24-09							
Method of Measurement (circle one) steel tape electric tape air line other:							
Well depth: 220 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix							
Casing length: 200 feet Casing diameter: 4 inches Type of casing: 500							
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC							
Screen slot size: .008 inches Setting depth: From Z00 feet to Z20 feet							
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development							
1	04 (1 7.3						

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing:



Form: OLWR-SWR-1A (04/08)

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch. Ground Level		Description of Formations Encountered	d From (depth)	To (depth)
		et	Ground Level	20
		50		50
			200	1/00
		50-0	100	150
		Pea mon.	150	220
į				
				┿╌
				+
	-			
	٠			_
				
				
				
	•			+
If more than one screen, show location of	f each on sketch			
]
				1
				-
				l
				1
				1
,				1
				1
	_			
Landowner Name: Randy 5	Dem on an	, •		
Landowner Name: Randy 3	200			1
			Form: OLWR-SWR-	1A (04/08)
certify that the well/borehole was drilled, o	onetrnoted and	completed in accordance with all applic	able requirements o	f the
ississippi Department of Environmental C	rumine weeks and the H	discissioni Department of Health reculat	ions, if applicable, s	
	Smarria sug (ne v	reseasibly techet tittem of treatm toline.	rand or otherwoods,	ind state
JAMES WELLS O		₫		ind state
		James L	laus	and state
rint Name of Responsible Licensee and Lic	286	Date Signature of L	leenson	and state
rint Name of Responsible Licensee and Lic	286			and state
rint Name of Responsible Licensee and Lic	286			and state
rint Name of Responsible Licensee and Lic	286			and state
rint Name of Responsible Licensee and Lic	286			R 10 20

The sketch below only required for water wells

STATE WELL REPORT						
County: Nallyall	_	art 2 s Completion Report	For Office Use Only:			
Permit #:	Mississippi Departmen	t of Environmental Quality	Aquifer:			
Driller: JAMES WEUS		and Water Resources Box 2309				
Date completed: 3-24-09		i, MS 39225	Well #: 1-51			
, ,		961-5210 1-5228 (fax)	Elevation:			
Copy information from block on Part 1	` ′	` ′				
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.						
Well Owner Informat			Location			
Owner Name: Kandy 51	~ 1	Latitude:	Longitude:			
Mailing Address: 208 Lot 10	Method of Lat/Long (check		e): Conventional Survey,			
Sandy H			GPS, Survey-grade GPS			
City State	39478		8 T (N K 13E			
į	Zip Code	Distance Direction	Nearest Town			
Telephone No. (66) 87 621	96		Sandy Hook			
Pump Type Circle one		Power Type Circle one				
Air Lift Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas			
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO			
Centrifugal Rotary	Flowing Well	·	specify):			
Other (specify):		Horse Power Rating of Motor:				
Date Pump Installed: 3-24-09		Setting Depth: 140 feet				
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	4			
Power Test Date		Mathod of Moo	suring Water Level			
Pump Test Data			cle one			
Date Well Tested: 3 -24-09		Air Line Electric Meas	uring Line Steel Tape			
Static Water Level (A): Feet Below Land Surface			, and control of the Company			
Pumping Water Level (B): YU Feet Below Land Surface		Other (specify):	<u> </u>			
Drawdown [(B) – (A)]: 120 Feet Below Land Surface		For flowing well, measured shu				
Test Pumping Rate:		Well yieldedGPM with a drawdown of				
Duration of Pump Test (minimum 4 hours):	hours		hours of pumping			
THERESE OFFICE A.	4 41 1 4.	S 1 d d				

TAMES VELLS 0-586

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer
Form: OLWR-SWR-1B (04/08)

