Warren	
GW-16946	
Irrigation Eq	uipment Inc.
ing completed:	10-22-2015
	GW-16946

STATE WELL REPORT

Part 1

Part 1
Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u> </u>
Aquifer:	
E-Log #:	

Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Karstan Simrall	Latitude: 32 32 50.5" Longitude: 90 44 59.4"
Mailing Address: 5040 Highway 3	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☐ Hand-held GPS, ☐ Survey-grade GPS
Redwood MS 39156 City State Zip code	NE ¼ NW ¼, Sec 18 T 18N R 5E
Telephone No(Miles of Ballground (Nearest Town)
Well / B	orehole Data
Date drilling started: 10-22-2015 Date drilling completed:	10-22-2015 Hole depth: 127 Hole diameter: 24
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and de	velopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gal	mma Ray 🗌 Density 🔲 Sonic 🔲 Neutron 🔲 Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotec	chnical/Geological Investigation
☐ Seismic Survey	Other (describe)
If drilling is not related to water well co	nstruction, skip the remainder of this block
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐	Public Supply ⊠ Irrigation IJ Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 33 feet [□ above or ☒ bel (check one)	
Method of Measurement (check one) ☑ Steel tape ☐ Electric ta	pe Air line Other: (describe)
	ape
	et Type of grout (check one): Neat Cement Bentonite Mix
Well depth: 127 Well grouted to a depth of: 10 fee	et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC
Well depth: 127 Well grouted to a depth of: 10 feet Casing length: 87 feet Casing diameter: 16	et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC
Well depth: 127 Well grouted to a depth of: 10 feet Casing length: 87 feet Casing diameter: 16 Screen length: 40 feet Screen diameter: 16 Screen slot size: .050 inches Setting depth	et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 88 feet to 127 feet
Well depth: 127 Well grouted to a depth of: 10 feet Casing lameter: 16 Screen length: 40 feet Screen diameter: 16	et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC : From 88 feet to 127 feet
Well depth: 127 Well grouted to a depth of: 10 feet Casing length: 87 feet Casing diameter: 16 Screen length: 40 feet Screen diameter: 16 Screen slot size: .050 inches Setting depth Type of completion (check all applicable): ☑ Gravel packed ☐ t	et Type of grout (check one): Neat Cement Bentonite Mix inches Type of casing: PVC inches Type of screen: PVC From 88 feet to 127 feet

Form: OLWR-SWR-1A (4/13)

County: Warren Permit #: GW-16946	_		For Well #:	Office Use (Only:
The sketch below only required for water wells If well telescopes, show depths on sketch.	<u>:</u>	<u>Description of formations en</u> and boreholes, unless specifi			ll wells
		Description of Formations E	Encountered	From (depth)	To (depth)
Ground level		Clay		Ground level	45
		Fine Sand		46	60
		Fine Sand & Gravel	-	61	87
		Med. Sand & Gravel		88	127
					
				_	
					-
					
				 	
					-
If more than one screen, show location of	each on sketch				
Sketch the property layout and include 1) the well location 2) any permanent structures on the 3) any roads, power lines, or othe 4) a north arrow	ne property that may		e well		
Landowner Name: I HEREBY CERTIFY that the well/borel requirements of the Mississippi Departi	hole was drilled, con	structed, and completed in aca		Form: OLWR-SV	NR-1A (04/08)
of applicable, and state laws.		11-20-2015			
Print Name of Responsible Licensee a	ind License No.	Date	Signature	of Licensee	

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County:	Warren	
Permit #:	GW-16946	
Driller:	Irrigation Eq	uipment Inc.
D-4- 4-30		10-22-2015

Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u>C37</u>
Aquifer:	

1M/a	of the report must be attached and both parts fued with the Depa Well Owner Information			partment at the above address within 30 days of well completion. Well Location				
***					vicin	Location		
Owner Name: Karsta	an Simrall		Latitude:	32 32	50.5"	Longitude:	90 44' 59.	<u>4"</u>
Mailing Address: 504	40 Highway 3		Method of L	.at/Long	ı (check one	e): 🔲 Con	ventional Sur	vey,
			☐ USGS q	uad, 🗌	Hand-held	GPS, 🗌 Su	rvey-grade G	PS
Redwood	MS	39156	NE 1/4 NW 1/4, Sec 18 T 18N R 5E					
City	State	Zip code						
Telephone No.) -		ļ	Miles		of _	Baligrou	
			(Distance)	(Directio	n)	(Nearest Tow	n)
		Pump Tyr	e (check one)	<u> </u>				
			• •					
☐ Submersible ☐ Turl	bine 🗌 Air Lift 🔲 Centr	rifugal 🗌 Flowing V	Vell 🗌 Jet 🔲 F	Piston [Rotary 🗆	Other (desc	ribe):	
Date Pump Installed	10-23-2015		Rated Pump C	apacity	900+/-		Gallons Per	Minute
ls This Pump (check of	ne): 🖾 New 🗌 Repaire						_	
			pe (check one)	1				
☐ Electric ☑ Diesel ☐] Gasoline Natural G	Sas Tractor PTO	☐ Windmill □] Other	(describe):			
	Motor: 60					nher of Stac	10c· 2	
	thotor:	_ ceang bepin			_ 1001 1101	ibei oi otag	jes. <u>-</u>	
		Pump Test Data f	for Non Flowir	ng Well				
Date Well Tested:			Duration of	Pump T	est (minimu	m 4 hours):		Hours
Static Water Level (A):	Feet B	elow Land Surface	Pumping W	ater Lev	/el (B):	Fe	et Below Land	- Surface
Orawdown [(B) - (A)]:	Fee	et Below Land Surfa	ace Test Pur	mping R	ate:		Gallons Pe	er Minute
Method of measuremen	nt (check one): Stee	el tape Electric ta	pe 🗌 Air line	☐ Othe	r (describe):			
		Pump Test Dat	a for Flowing	Well				
Measured shut in head	l: Fe	et						
Mall violated								~
Vell yielded	GPM with a dra	wdown of	1	feet afte	r	ho	urs of pumpin	9
Well yielded	GPM with a dra		nstallation	feet afte	·r	ho	ours of pumpin	9
			nstallation			ho		9
Meter Manufacturer:		Meter i	nstallation Meter Se		mber:			<u> </u>
Meter Manufacturer:		Meter li	nstallation Meter Se	erial Nur f Meter:	mber:			9
Meter Manufacturer: Meter Model Number/N Fotalizer Register Unit	lame: and Multiplier Factor (A	Meter li	nstallation Meter Se	erial Nur f Meter:	mber:			9
Meter Manufacturer: Meter Model Number/N Totalizer Register Unit	lame: and Multiplier Factor (A	Meter li AF x .001, gal x 100 er installed by:	nstallation Meter Se Type o	erial Nur f Meter:	mber:			9
Meter Manufacturer: Meter Model Number/N Totalizer Register Unit	lame: and Multiplier Factor (A Metericle): New Repaire bimitting the above infor	Meter li AF x .001, gal x 100 er installed by:ed ☐ Replacement	nstallation Meter Se Type o O, etc): Hifying that thi	erial Nur f Meter:	mber:	d to manufa		
Meter Manufacturer: Meter Model Number/N Totalizer Register Unit installation Date: Is This Meter (check on Important: By sub	lame: and Multiplier Factor (A Meteric): New Repaire bmitting the above infor	Meter lands Meter	nstallation Meter Se Type o O, etc): difying that this	erial Nur f Meter: s meter s on the	mber:	d to manufa		
Installation Date: Is This Meter (check on Important: By sub	lame: and Multiplier Factor (A Metericle): New Repaire bimitting the above infor	Meter lands Meter	nstallation Meter Se Type o O, etc): difying that this	erial Nur f Meter: s meter s on the	mber:	d to manufa		
Meter Manufacturer: Meter Model Number/N Totalizer Register Unit installation Date: Is This Meter (check on Important: By sub	lame: and Multiplier Factor (A Meteric): New Repaire bmitting the above infor	Meter lands Meter	nstallation Meter Se Type o O, etc): difying that this roved meters is	erial Nur f Meter: s meter s on the	mber:	d to manufa		