county: Warren	STATE WELL REPORT Part 1	For Office Use Only:
		Well #:5C
Permit #: Driller: <u>Gary Rayborn</u>	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
Date drilling completed: 83013	P.O. Box 2309 Jackson, MS 39225-2309	E-Log #:
	(601)961-5210	

•

(601)360-0535 (fax)

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Well Owner Information	Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude: 32°21' 53.67 Longitude: 90° 42' 06.26" W				
Owner Name: Mike Williams					
Mailing Address: 201 Pear Orchard	Method of Lat/Long (check one): Conventional Survey,				
Drive	USGS quad, Hand-held GPS, Survey-grade GPS				
Vicksburg MS 39180	<u>SE 14 NW 14, Sec 15 TILON R5EV</u>				
City State Zip Code	27 Miles E of Bovina				
Telephone No. (601) 383-3331	(Distance) (Direction) (Nearest Town)				
Date drilling started: 83013 Date drilling completed:	BISOUS Hole depth: 100 Hole diameter: 4"				
Location of the source of any surface water used for drilling	ng:				
Method of dosing and volume of Chlorine used in drilling a	nd development:				
Logs run (circle all applicable); No log run Electric Gamma Ray Density Sonic Neutron Other:					
Name of organization running log(s):					
Purpose of borehole (circle one): Water Well Geotechni	cal/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other	(describe)				
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (circle all applicable); Home Industrial Public Supply Irrigation Fish Culture					
Other (describe):					
If a flowing well, method of flow regulation: Valve Other (<i>describe</i>)					
Static Water Level:feet [above or below] land surface Date measured:					
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):					
Well depth: 100 Well grouted to a depth of: 10 feet Type of grout (circle one): Neat Cement) Bentonite Mix					
Casing length: 80 feet Casing diameter: 4 inches Type of casing: PVC					
Screen length: <u>20</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>PVC</u>					
Screen slot size: <u>IO(O</u> inches Setting depth:	From 80 feet to 100REOPENVEN				
Type of completion (circle all applicable): Gravel packed	Underreamed Open hole Natural Development				
Other (describe):					
Top of lap pipe or reduction in casing:feet	BY OLWA				
If telescoped or more than one screen, describe on next page					
	Form: OLWR-SWR-1A (4/13)				

County: <u>Warren</u> Permit #:		For Office Use Only: #:
<u>The sketch below only required for water wells</u>	Description of formations encounter and boreholes, unless specifically ex	red must be provided for all wells cempted by regulations
<u>If well telescopes, show depths on sketch.</u> Ground Level	Description of Formations Encountered	From (depth) To (depth)
	Chalk	Ground level 90
If more than one screen, show location of each on sketch		
 Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow 	aid in locating the well in locating the property and the well	******
Paul	1.7 1 Orive ward	
	<u> </u>	
Bovina	I-7	20
Landowner Name:	, constructed, and completed in accorda nmental Quality and the Mississippi Depa	nce with all applicable Irtment of Health regulations,
if applicable, and state laws. RAYBORN DRILLING, INC.	9/2/1/12	
Print Name of Responsible Licensee and License No.	Date Signat	ure of Licensee

Signature of Licensee Form: OLWR-SWR-1A (4/13)

•

•

	STATE W	ELL REPORT	
County: Warren] ·	Part 2	For Office Use Only:
Permit #	Pump Installe	r's Completion Report	Well #:50
Driller: Gary Rayboln		nent of Environmental Quality and and Water Resources	Well #:
Date completed: 0830413	Ρ.	.O. Box 2309	Aquifer:
Copy information from block on Part 1		n, MS 39225-2309 601)961-5210	Aquilei
) 360-0535 (fax)	
This part of the report must be complete of the report must be attached and both	ed by a licensed water parts filed with the D	well contractor or a licensed pur enartment at the above address w	np installer. A copy of Part 1 vithin 30 days of well completio
Well Owner Informat	ion	Well L 32° 21' 53،67" M Latitude:Lon	pcation
Owner Name: Mike Wil	liams	Latitude:Lon	gitude: <u>42' 06,26</u>
Mailing Address: 201 Pear (Ircharden	Method of Lat/Long (check one)): Conventional Survey
		USGS quad, Hand-held GI	PS, Survey-grade GPS
Vichsburg Ms City State	<u>39180</u> Zip Code	¼¼, Sec	15 TUNRDE
City C_{-0} State	Zip Lode	Distance) (Direction)	Bouha
Telephone No. (601) 383-33	<u> </u>	(Distance) (Direction)	(Nearest Town)
\sim	Pump Typ	e (circle one)	
Submersible Turbine Air Lift Centri			
Date Pump Installed: 913	11 <u>3</u> R	Rated Pump Capacity:	Gallons Per Mine
Is This Pump (circle one): New Re	paired Replacemen	nt	
$\langle \rangle$	Power Typ	pe (circle one)	
Electric Diesel Gasoline Natural Gas	s Tractor PTO Wind	dmill Other (describe):	
Horse Power Rating of Motor:	Setting Dept	h: <u>800</u> feet Number	of Stages: <u>5</u>
ماعدا به	Pump Test Data f	for Non Flowing Well	<u> </u>
Date Well Tested: 83013		Duration of Pump Test (minim	um 4 hours): hou
Static Water Level (A): 40 Fee			Feet Below Land Surfac
Drawdown [(B) - (A)]:			
Method of measurement (circle one): S			
	-	a for Flowing Well	
Measured shut in head:feet			
Well yieldedGPM with a c	drawdown of	feet after	hours of pumping
		nstallation	
Meter Manufacturer:		Meter Serial Number:	RECE
Meter Model Number/Name:		Type of Meter:	
Totalizer Register Unit and Multiplier Fa			
Installation Date:	Meter installed by: _		
	paired Replaceme	nt	tent in the second
is this meter (circle one): New Re			
Important: By submitting the above in	nformation you are ce iral wells, a list of app	rtifying that this meter was instal proved meters is on the MDEQ we	led to manufacturer standards. ebsite.

Form:	OLWR-SWR-1B (4/13)	