

# State Well Report

## Part 1

Mississippi Department of Environmental Quality  
Office of Land and Water Resources  
P.O. Box 10631  
Jackson, MS 39289-0631  
(601)961-5210  
(601)354-6938 (fax)

County: Warren  
Permit #: \_\_\_\_\_  
Driller: GREENN WATER WELL & SUPPLY, INC.  
Date drilling completed: 2-22-12

For Office Use Only:  
Aquifer: S 24  
Well #: \_\_\_\_\_  
L. S. Elevation: \_\_\_\_\_  
E-log #: \_\_\_\_\_

State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.

Well Owner Information	Well Location
Owner Name: <u>Jeremy Stokes</u>	Latitude: <u>32° 13' 08"</u> Longitude: <u>90° 48' 54"</u>
Mailing Address: <u>4813 Nailor Rd.</u>	Method of Lat/Long (circle one): <u>Conventional Survey</u>
<u>Lot # 14</u>	USGS quad, <u>Hand-held GPS</u> , Survey-grade GPS
<u>Vicksburg, Ms. 39180</u>	<u>NE 1/4 NE 1/4 Sec 04 Twn 14N Rng 4E</u>
City State Zip Code	SE
Telephone No. <u>(601) 218-0851</u>	Distance Direction Nearest Town
	<u>10 Miles SE of Vicksburg</u>

Well Data

Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: \_\_\_\_\_

Date well drilling started: 2-22-12 Date well drilling completed: 2-22-12

If flowing, method of flow regulation: Valve \_\_\_\_\_ Other (describe) \_\_\_\_\_

Static Water Level: 138 feet above or below (circle one) land surface Date measured: 2-22-12

Method of Measurement (circle one) steel tape electric tape air line other: \_\_\_\_\_

Hole depth: 187 Well depth: 184 Well grouted to a depth of 10 feet

Type of grout (circle one): Cement Bentonite Mix

Casing length: 174 feet Casing diameter: 4 inches Type of casing: PVC

Screen length: 10 feet Screen diameter: 4 inches Type of screen: PVC

Screen slot size: .010 inches Setting depth: From 174 feet to 184 feet

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Other (describe): \_\_\_\_\_

Top of lap pipe or reduction in casing: \_\_\_\_\_ feet. If telescoped or more than one screen, describe on back of page

Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: \_\_\_\_\_

Name of organization running log(s): \_\_\_\_\_

I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

GREENN WATER WELL & SUPPLY, INC.  
BRIAN D. McCLENDON, UNR-00000664

Brian McCleendon

Print Name of Water Well Contractor and License No.

Signature of Water Well Contractor

RECEIVED  
MAR 07 2012  
BY: OLWR



# STATE WELL REPORT

## Part 2

**Pump Installer's Completion Report**  
 Mississippi Department of Environmental Quality  
 Office of Land and Water Resources  
 P.O. Box 10631  
 Jackson, MS 39289-0631  
 (601)961-5210  
 (601)354-6938 (fax)

**For Office Use Only:**

Aquifer: \_\_\_\_\_  
 Well #:   S24    
 Elevation: \_\_\_\_\_

County:   Warren    
 Permit #: \_\_\_\_\_  
 Driller:   GRENN WATER WELL & SUPPLY, INC    
 Date completed: ~~3/15/12~~  
  3/5/12  

**This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.**

Well Owner Information	Well Location
Owner Name: <u>  Jeremy Stokes  </u>	Latitude: <u>  32°13'08.4"  </u> Longitude: <u>  90°48'54.8"  </u>
Mailing Address: <u>  4813 Nailor Rd  </u> <u>  Lot #14  </u>	Method of Lat/Long (circle one): Conventional Survey, USGS quad, <u>  Hand-held GPS  </u> , Survey-grade GPS
<u>  Vicksburg MS 39180  </u> City State Zip Code	<u>  NE 1/4 NE 1/4 Sec 4 Twn 14 N Rng 4E  </u> SE Distance Direction Nearest Town
Telephone No. <u>  (601) 218-0851  </u>	<u>  10 Miles SE of Vicksburg  </u>

Pump Type Circle one	Power Type Circle one
Air Lift            Jet <u>  Submersible  </u>	Diesel Engine      Gasoline Engine      Natural Gas
Bucket             Piston             Turbine	<u>  Electric Motor  </u> Hand                  Tractor PTO
Centrifugal        Rotary             Flowing Well	Windmill            Other (specify): _____
Other (specify): _____	Horse Power Rating of Motor: <u>  1  </u>
Date Pump Installed: <u>  3/5/12  </u>	Setting Depth: <u>  170  </u> feet
Rated Pump Capacity: <u>  10  </u> Gallons Per Minute	Number of Stages: <u>  15  </u>

Pump Test Data	Method of Measuring Water Level Circle one
Date Well Tested: <u>  3/5/12  </u>	Air Line <u>  Electric Measuring Line  </u> Steel Tape
Static Water Level (A): <u>  138  </u> Feet Below Land Surface	Other (specify): _____
Pumping Water Level (B): <u>  149  </u> Feet Below Land Surface	For flowing well, measured shut in head: _____ feet
Drawdown [(B) - (A)]: <u>  11  </u> Feet Below Land Surface	Well yielded <u>  11  </u> GPM with a drawdown of
Test Pumping Rate: <u>  11  </u> Gallons Per Minute	<u>  11  </u> feet after <u>  4  </u> hours of pumping
Duration of Pump Test (minimum 4 hours): <u>  4  </u> hours	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

WILLIAM L. HARDIN, V, UNR-00000802

Print Name of Pump Installer and License No. (if applicable)

*Chris Hardin*  
 Signature of Pump Installer

**RECEIVED**

MAR 07 2012

BY: OLWR