
	SKELTON		
,		ell Rèport	
County: WASHINGTON		art 1	For Office Use Only:
		t of Environmental Quality	Aquifer:
Permit #: <u>6W42153</u>	1	nd Water Resources	Well #: A-202
Driller: J. NEWCOME		lox 10631 IS 39289-0631	L. S. Elevation:
Date drilling completed: 9-12-07		961-5210	L. S. Elevadon:
		4-6938 (fax)	E-log #:
State Law requires that this rep 30 days of completion of drilling Wall Owner Inform	g of the well.		with the Department within
Well Owner Information		Latitude: 33 . 29 . 122 " Longitude: 091 . 05 . 118 "	
Owner Name UNTINGTON PLANTATION		Latitude:	_ Longitude
Mailing Address: To Box 217		Method of Lat/Long (circle one): Conventional Survey,	
•		DESGS quad, Hand-held GPS, Survey-grade GPS	
111 - ANNIE MC 20787		SX WE 4 Sec 17 Twn 19H Rng 9W	
Winterville, MS, 38782 City State Zip Code		2X4 1/4 MT 1/4 Sec_1	Twn Twn Rng W
City State Zip Code Telephone Nodo2 - 335-4290		Distance Direction	Nearest Town
Telephone NbQO2-375-42	90	S.S Miles N	of GREENVILLE
	Well	L Data	
Purpose of Well (circle one) Home In	dustrial Public Supply (Irrigation) Fish Culture	Other:
9-12	- ^ `	<u> </u>	17.07
Date well drilling started:	Date Date	well drilling completed:	Dran
If flowing, method of flow regulation: V	alve Other (describe)	neceivi
Static Water Level:feet	above or below (circle one)	land surface Date measured	
Statuc Water Level:feet / Method of Measurement (circle one)	above or below (circle one) steel tape electric tape	land surface Date measured	SEP 2 1 200
Method of Measurement (circle one)	steel tape electric tape	e air line other:	BY
Method of Measurement (circle one)	steel tape electric tape	land surface Date measured e air line other: Well grouted to a depth of	BY
Method of Measurement (circle one) Hole depth: Well d Type of grout (circle one): Cement	steel tape electric tape lepth: <u>90'</u> Bentonite Mix	e air line other:	10 BY: OLW
Method of Measurement (circle one) Hole depth: Well d Type of grout (circle one): Cement	steel tape electric tape lepth: <u>90'</u> Bentonite Mix	e air line other:	10 BY: OLW
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca	steel tape electric tape lepth: Bentonite Mix sing diameter:	e air line other: _ Well grouted to a depth of inches Type of casing:	P.J.C.
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca	steel tape electric tape lepth: <u>90'</u> Bentonite Mix	e air line other: _ Well grouted to a depth of inches Type of casing:	P.J.C.
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca	steel tape electric tape lepth:	e air line other: _ Well grouted to a depth of inches Type of casing: inches Type of screen:	P.J.C.
Method of Measurement (circle one) Hole depth: $93'$ Well d Type of grout (circle one): Cement Casing length: 50 feet Ca Screen length: 40 feet Sc	steel tape electric tape lepth:Mix sing diameter:Mix creen diameter: s Setting depth: From	e air line other: _ Well grouted to a depth of inches Type of casing: inches Type of screen:	<u> </u>
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches	steel tape electric tape lepth:	e air line other: _ Well grouted to a depth of inches Type of casing: inches Type of screen: feet to	<u>P. V. C.</u> <u>P. V. C.</u> <u>P. M. C.</u> <u>P. N. C.</u> <u>P. N. C.</u>
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches	steel tape electric tape lepth:	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	<u>P.V.C.</u> <u>P.V.C.</u> <u>P. V.C.</u> <u>P. N.C.</u> <u>P. N.C.</u>
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches Type of completion (circle all applicable	steel tape electric tape lepth:Mix sing diameter:Mix sreen diameter:Mix secting depth: From creen diameter:Mix secting depth: From creen diameter:Mix secting depth: From conter (describe):feet. If the	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. P.V.C. P.V.C. P. Natural Development preen, describe on back of page
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches Type of completion (circle all applicable Top of lap pipe or reduction in casing: _ Logs run (circle all applicable) No log	steel tape electric tape lepth:Mix sing diameter:Mix sreen diameter:Mix secting depth: From creen diameter:Mix secting depth: From creen diameter:Mix secting depth: From conter (describe):feet. If the	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. P.V.C. P.V.C. P. Natural Development preen, describe on back of page
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>.050</u> inches Type of completion (circle all applicable Top of lap pipe or reduction in casing:	steel tape electric tape lepth:	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. P.V.C. P.V.C. P. V.C. P. V.C.
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches Type of completion (circle all applicable Top of lap pipe or reduction in casing: Logs run (circle all applicable) No log Name of organization running log(s):	steel tape electric tape lepth:Mix sing diameter:Mix sing diameter:Mix serven diameter: setting depth: From Setting depth: From Cravel packet Under Other (describe): feet. If the feet of the feet	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. P.V.C. P.V.C. P.V.C. P.V.C. P. V.C. P. V.C.
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches Type of completion (circle all applicable Top of lap pipe or reduction in casing: _ Logs run (circle all applicable): No log <u>Name of organization running log(s):</u> I certify that the well was drilled, cons Department of Environmental Quality	steel tape electric tape lepth:Mix sing diameter:Mix sing diameter:Mix serven diameter: setting depth: From Setting depth: From Cravel packet Under Other (describe): feet. If the feet of the feet	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. P.V.C. P.V.C. P.V.C. P. V.C. P. V.C.
Method of Measurement (circle one) Hole depth: <u>93'</u> Well d Type of grout (circle one): Cement Casing length: <u>50</u> feet Ca Screen length: <u>40</u> feet Sc Screen slot size: <u>050</u> inches Type of completion (circle all applicable Top of lap pipe or reduction in casing: _ Logs run (circle all applicable) No log Name of organization running log(s): _ I certify that the well was drilled, conse	steel tape electric tape lepth:Mix sing diameter:Mix sing diameter:Mix serven diameter: setting depth: From Setting depth: From Cravel packet Under Other (describe): feet. If the feet of the feet	e air line other: Well grouted to a depth of inches Type of casing: inches Type of screen:	P.V.C. P.V.C. 90feet en hole Natural Development creen, describe on back of page Other: te requirements of the Mississippi


If well telescopes please sketch below and show depths.





If more than one screen, show location of each on sketch

Signature of Water Well Contractor



STATE W	ELL REPORT			
CountyPump InstallerPermit #:GU 42153Driller:The CountyDriller:NEU CountsDate completed:9/12/07Glippin(60)	Part 2 For Office Use Only: So completion Report Aquifer: and Water Resources Aquifer: Box 10631 Well #: <u>A - 202</u> MS 39289-0631 Elevation:			
This report should be prepared by the pump installer in det installation of pump.	ail and filed with the Department within 30 days of the			
Well Owner Information Owner Name: <u>Austinetron Ransarian</u> Mailing Address: <u>B Box 217</u> Wintervice, <u>MS. 38782</u> City State Zip Code Telephone 6.62-375-6290	Well Location Latitud 33-29-122 Longitud 91-05-118 Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS 5W 1/4 NE 1/4 Sec [7] Twn (9NRng 9W Distance Direction Nearest Town 5.5 Miles N of CEENCILS			
Pump Type Circle one Air Lift Jet Bucket Piston	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Electric Motor Hand Tractor PTO Windmill Other (specify):			
Other (specify): Date Pump Installed: Rated Pump Capacity: 3000 Gallons Per Minute	Horse Power Rating of Motor Setting Depth: Number of Stages: BY: O:			
Pump Test Data Date Well Tested:	Method of Measuring Water Level Circle one			
Static Water Level (A):	Air Line Electric Measuring Line Steel Tape Other (specify):			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer