County: WASHINGTON
Permit #: 6W-46948/
Driller: J. NEWCOME 0.773
Date drilling completed 6/15/13

Well Owner Information (Landowner if borehole is not for a water well)

STATE WELL REPORT

Part 1

Driller's Log

Latitude: 33° 28' 58

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39725-2309

Jackson, MS 39225-2309 (601)961-5210 (601)360-0535 (fax)

For Office Use Only:					
Well #:	A 272				
Aquifer:					
E-Log #:					

Form: OLWR-SWR-1A (4/13)

Well or Borehole Location

_ Longitude: <u>つの「 0 3</u> ′

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Owner Name: Eff Win Sa Kesiqualy 17h31	Method of Lat/Long (check one): Conventional Survey,					
Mailing Address: 111 East Canwyn Dr.						
,	USGS quad, Hand-held GPS, Survey-grade GPS					
Greenille MS	NE 514 NE 4, Sec 19 V T 19NV K 8W					
City State Zip Code	3 Miles H of GREENILLE					
Telephone No. ()	(Distance) (Direction) (Nearest Town)					
Well / Bo	orehole Data					
Date drilling started: 4.15.13' Date drilling completed: 4.15.13 Hole depth: 107 Hole diameter: 24"						
Location of the source of any surface water used for drilling:						
Method of dosing and volume of Chlorine used in drilling and development: CHLORINE TOOLET						
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:						
Name of organization running log(s):						
Purpose of borehole (circle one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump						
Seismic Survey Other ((describe)					
If drilling is not related to water well co	onstruction, skip the remainder of this block					
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture						
Other (describe):						
If a flowing well, method of flow regulation: Valve	Other (describe)					
Static Water Level:feet [above or below (circle one)] land surface Date measured:					
Method of measurement (circle one): Steel tape Electric	tape Air line Other (describe):					
Well depth: 105 Well grouted to a depth of: 10 f	feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length:						
Screen length:feet						
Screen slot size:	From 75 feet to 30 feet					
Type of completion (circle all applicable): Gravel packet	Underreamed Open hole Natural Development					
Other (describe):						
Top of lap pipe or reduction in casing:feet						
If telescoped or more than	one screen, describe on next page					

County: Liceshington		Fo	r Office Use	Only:
Permit #: GIVAL948			A272	
The sketch below only required for water wells If well telescopes, show depths on sketch. Ground Level TSLF 16'CAUC 16'Scored	Description of formal and boreholes, unless of the secretary of the secret	tions encountered s specifically exemples Encountered	must he provide	To (depth) OS To (John To (J
If more than one screen, show location of each on sketch				
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid 3) any roads, power lines, or other items that may aid in lo 4) north arrow	in locating the well ocating the property and to	he well		
Landowner Name:				
I HEREBY CERTIFY that the well/borehole was drilled, con requirements of the Mississippi Department of Environmer if applicable, and state laws.	structed, and complete ntal Quality and the Mis	ed in accordance v ssissippi Departme	vith all applica nt of Health re	ble gulations,
JOHN NEWSME 0.773 6	115/13	dase	<u> </u>	۷
Print Name of Responsible Licensee and License No.	Date	Signature o	f Licensee	

Signature of Licensee
Form: OLWR-SWR-1A (4/13)

STATE WELL REPORT

Permit #: (ob)- 46948 Driller: J. Newcone 0.773 Date completed: (415/13

Copy information from block on Part

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309

(601)961-5210 (601) 360-0535 (fax)

For Office Use Only:				
Well#: <u>トタフス</u>				
Aquifer:				

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. **Well Location** Well Owner Information Latitude: 33° 28 58 Longitude: 91 Win SR Residuary Trust Method of Lat/Long (check one): Conventional Survey_ Mailing Address: 111 USGS quad_____, Hand-held GPSX____, Survey-grade GPS Telephone No. (Pump Type (circle one) Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe): ____ _____ Rated Pump Capacity: <u>2000</u> _____ Gallons Per Minute Date Pump installed: 6/18/13 Repaired Replacement is This Pump (circle one): Power Type (circle one) Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): ___ feet Number of Stages: _ Setting Depth: Horse Power Rating of Motor: Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours): _____ hours Date Well Tested: Pumping Water Level (B): _____ Feet Below Land Surface Feet Below Land Surface Static Water Level (A): Test Pumping Rate: _____ Gallons Per Minute _____Feet Below Land Surface Drawdown [(B) - (A)]: ___ Method of measurement (circle one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: _ hours of pumping feet after Well yielded GPM with a drawdown of Meter Installation Meter Serial Number: _____ Meter Manufacturer: _ Type of Meter: _____ Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: ____ Meter installed by: is This Meter (circle one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.

For agricultural wells, a list of approved meters is on the MDEQ website.

Form: OLWR-SWR-1B (4/13)