County:	Washington
Permit #:	GW-46595 /
Driller:	Irrigation Equipment
Date drilli	ng completed: 10/31/2012

## State Well Report Part 1 – Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210

(601) 961-5228 (fax)

F	or Office Use Only:
Aquifer:	
Well #.	R 108
L.S. Elevation:	
E-log #	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

<u>D</u>	epartment at the above a	idaress within 30 days	of completion of drilling of the well or borehole.	
(1 mm day	Information on Well O		Well or Borehole Location	
-	wner if borehole is not for	r a water weu)	Latitude: 33 ° 31 ' 25 " Longitude: 90 ° 54 ' 38 "	
Owner Name	T & R Richard Farms	-	Latitude: 33 ° 31 ' 15 " Longitude: 90 ° 54 ' 38 "	
Mailing Address:	1925 Hwy 450		Method of Lat/Long (check one): Conventional Survey,	
			☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS	
	Greenville	Ms 38703	NW ¼ SE ¼ Sec 3 Twn 19N √ Rng 7W ✓	
	City	State Zip code	SW Distance Direction Nearest Town	
Telephone No.	( ) -		6 Miles Northeast of Metcalf	
7		Well / B	orehole Data	
Date drilling starte	d: <u>10/31/2012</u> Date	drilling completed: 10/	31/2012 Hole depth: 94 Hole diameter: 24"	
	arce of any surface water use and volume of Chlorine used		· · · · · · · · · · · · · · · · · · ·	
_		-		
Logs run (check all Name of organizati		ı ∐ Electric ∐ Gamma	a Ray Density Sonic Neutron Other:	
Ü	J 3()			
Purpose of borehol	e (check one): Water \	Well Geotechnica	1/Geological Investigation Ground Source Heat Pump	
		c Survey Other (		
	If drilling is not i	related to water well co	onstruction, skip the remainder of this block	
Purpose of Well (c	heck one)	Industrial   Public Sup	pply ☑ Irrigation ☐ Fish Culture ☐ Other:	
If flowing, method	of flow regulation: Valve	Other (de	escribe)	
Static Water Level	: 34 feet above or	below (check one) 🗆 la	nd ⊠ surface Date measured: 11/20/2012	
Method of Measure	ement (check one) 🛛 steel	tape	□ air line □ other:	
Well depth: 94	Well grouted to a de	pth of 10 feet	Type of grout (check one): Neat Cement Bentonite Mix	
Casing length: 54 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size:	.050 inches	Setting depth: From	55 feet to 94 feet	
Type of completion	n (check all applicable):	Gravel packed U	Underreamed    Telescoped    Open hole    Natural Development	
		Other (describe):		
Top of lap pipe or i	reduction in casing:	feet. I	f telescoped or more than one screen, describe on next page	

Form: OLWR-SWR-1A (04/08)

<u>well telescopes, show depths o</u> Ground level		Description of Formations Encountered  Clay  Fine Sand	From (depth) Ground level	To (depth
		Clay Fine Sand	Ground level	
		Fine Sand	····	
			15	29
		Fine Sand & Gravel	30	52
	i	Medium Sand & Gravel	53	91
		Clay	92	94
				<b></b>
	1			<b>_</b>
		1170 1170		
				<u> </u>
				<del> </del>
				<del></del>
				<del> </del>
				-
				<del>                                     </del>
				<del> </del>
				<del>                                     </del>
				<del> </del>
				<del> </del>
				<del> </del>
				<b></b> -
				<del> </del>
	orth arrow.	er lines, or other items that may aid in locating		
Landowner Name:	T & R Richard Farms		Form: OLWR-SW	(R-14 (f)4

11/30/2012

Signature of Licensee

**Patrick Chism** 

0695

Print Name of Responsible Licensee and License No.

## STATE WELL REPORT

## County: Washington Permit #: **GW-46595** Driller: Irrigation Equipment Date drilling completed: 10/31/2012 Copy information from block on Part 1

## Part 2 **Pump Installer's Completion Report**

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

For Office Use Only:		
Aquifer:		
Well #:	B108	
Elevation:		_

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the

	Well Owner Inform	nation	Well Location		
Owner Name: T & R Richard Farms  Mailing Address: 1925 Hwy 450			Latitude: 33 31' 13.9 N Longitude: 90 54' 38.0 N  Method of Lat/Long (check one):   Conventional Survey,		
-	Greenville	Ms 38703	NW 1/4 SE 1/4 Sec 3 T 19N R 7W		
	City	State Zip code	Distance Direction Nearest Town		
Telephone No(	) -		6 Miles Northeast of Metcalf		
	Pump Type Check one		Power Type Check one		
Air Lift	☐ Jet	Submersible	☐ Diesel Engine ☐ Gasoline Engine ☐ Natural Gas		
Bucket	☐ Piston	□ Turbine	☐ Electric Motor ☐ Hand ☐ Tractor PTO		
☐ Centrifugal	☐ Rotary	☐ Flowing Well	☐ Windmill ☐ Other (specify):		
Other (specify):	·····		Horse Power Rating of Motor: 60		
Date Pump Installed	d: 11/20/2012		Setting Depth: 70 feet		
Rated Pump Capaci	ity <b>2300+/-</b>	Gallons Per Minute	Number of Stages: 2		
	Pump Test Dat	a	Method of Measuring Water Level Check one		
Date Well Tested:			☐ Air Line ☐ Electric Measuring Line ☐ Steel Tape		
Static Water Level	(A):	Feet Below Land Surface	Other (specify):		
Pumping Water Lev	vel (B):	Feet Below Land Surface			
Drawdown [(B) - (A	A)]:	Feet Below Land Surface	For flowing well, measured shut in head:		
Test Pumping Rate:		Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump T	Cest (minimum 4 hours):	hours	feet after hours of pumping		
This is for (ch	neck one): Nev	v Well Replacen	nent of Existing Pump Repair of Existing Pump		
I HEREBY CERTI	FY that the above statem	ents are true to the best of m	y knowledge.		
Patrick Chism		0695	Y cal		

Form: OLWR-SWR-1C (07-09)