•					
County:	Washington				
	GW-48753				
	Driller: Irrigation Equipment Inc.				
	ing completed:	06/13/2015			

## STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well #:	3117
Aquifer:	
E-Log #:	

	npletion of drilling of the well or borehole.  Well or Borehole Location	
(Landowner if borehole is not for a water well)	00 501 07 0141	
Owner Name: River City Trucking	Latitude: 33 30' 47.3 N Longitude: 90 56' 27.8 W	
Mailing Address: 503 Metcalf Road	Method of Lat/Long (check one):   Conventional Survey,	
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS	
Greenville Ms 38703	NE ¼ NE ¼, Sec 8 T 19 N R 7 W	
City State Zip code		
Telephone No	5 Miles Northeast of Metcalf (Direction) (Nearest Town)	
Wall D		
	orehole Data	
Date drilling started: 06/13/2015 Date drilling completed:	06/13/2015 Hole depth: 114 Hole diameter: 24"	
Location of the source of any surface water used for drilling:	Surface Water	
Method of dosing and volume of Chlorine used in drilling and dev	velopment: 50 PPM	
Logs run (check all applicable): ⊠ No log run ☐ Electric ☐ Gar	nma Ray ☐ Density ☐ Sonic ☐ Neutron ☐ Other:	
-		
Name of organization running log(s):		
Purpose of borehole (check one):   Water Well Geotec	chnical/Geological Investigation	
☐ Seismic Survey ☐	Other (describe)	
If drilling is not related to water well co	nstruction, skip the remainder of this block	
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐	Public Supply ⊠ Irrigation □ Fish Culture	EIVE
, , , , , = ==		
Other (describe):	11 1	0.0.
		2 9 2015
☐ Other (describe):  If a flowing well, method of flow regulation: Valve		2 9 2015
If a flowing well, method of flow regulation: Valve	Other (describe)	2 9 2015 DLWR
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)	Other (describe)  ow] land surface Date measured: 06/16/2015	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or  below (check one)]  Method of Measurement (check one) Steel tape  Electric ta	Other (describe)  ow] land surface Date measured: 06/16/2015	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one) (check one) Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' fee	Other (describe)  ow] land surface Date measured: 06/16/2015  ope    Air line   Other: (describe)  et Type of grout (check one):   Neat Cement   Bentonite   Mix	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)]  Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' feet  Casing length: 74' feet Casing diameter: 16	Other (describe)  ow] land surface Date measured: 06/16/2015  ope	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)]  Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' feet  Casing length: 74' feet Casing diameter: 16  Screen length: 40' feet Screen diameter: 16	Other (describe)  ow] land surface Date measured: 06/16/2015  ope	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)]  Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' feet  Casing length: 74' feet Casing diameter: 16  Screen length: 40' feet Screen diameter: 16  Screen slot size: .050 inches Setting depth	Other (describe)  ow] land surface Date measured: 06/16/2015  ope Air line Other: (describe)  et Type of grout (check one): Neat Cement Bentonite Mix  inches Type of casing: PVC  inches Type of screen: PVC  From 75 7 1 feet to 114' feet	2 9 2015 <b>DLWR</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)]  Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' feet  Casing length: 74' feet Casing diameter: 16  Screen length: 40' feet Screen diameter: 16	Other (describe)  ow] land surface Date measured: 06/16/2015  ope Air line Other: (describe)  et Type of grout (check one): Neat Cement Bentonite Mix  inches Type of casing: PVC  inches Type of screen: PVC  From 75 7 1 feet to 114' feet	2 9 2015 <b>DLWF</b>
If a flowing well, method of flow regulation: Valve  Static Water Level: 34' feet [ above or below (check one)]  Method of Measurement (check one) Steel tape Electric ta  Well depth: 114' Well grouted to a depth of: 10' feet  Casing length: 74' feet Casing diameter: 16  Screen length: 40' feet Screen diameter: 16  Screen slot size: .050 inches Setting depth  Type of completion (check all applicable): Gravel packed L	Other (describe)  ow] land surface Date measured: 06/16/2015  ope Air line Other: (describe)  et Type of grout (check one): Neat Cement Bentonite Mix  inches Type of casing: PVC  inches Type of screen: PVC  From 75 7 1 feet to 114' feet	2 9 2015 <b>DLW</b> ₽

Form: OLWR-SWR-1A (4/13)

County: Washington Permit #: GW-48753	Well	For Office Use Only: Well #:		
The sketch below only required for water wells	<u>Description of formations encounter</u> and boreholes, unless specifically exc		all wells	
If well telescopes, show depths on sketch.	Description of Formations Encount	ered From (depth	) To (depth)	
Ground level	Clay	Ground leve		
	Fine Sand	33	51	
	Fine Sand & Gravel	52	63	
	Medium Sand & Gravel	64	110	
	Clay	111	114	
			<del> </del>	
If more than one screen, show location of each on ske	etch			
Sketch the property layout and include the follow 1) the well location 2) any permanent structures on the propert 3) any roads, power lines, or other items the 4) a north arrow	-			
			RECEIVE JUN 28 112 BY: OLVV	
		.tm	JUN ZH	
		Ž	31. OTAN	
Landowner Name: River City Truckin		Form: OLWF	-SWR-1A (04/08)	
I HEREBY CERTIFY that the well/borehole was requirements of the Mississippi Department of Elif applicable, and state laws.	drilled, constructed, and completed in accordang nvironmental Quality and the Mississippi Depart	ce with all applicable ment of Health regula	tions,	
Patrick Chism 0695	06/17/2015			
Print Name of Responsible Licensee and Licens		ignature of Licensee		

Signature of Licensee Form: OLWR-SWR-1A (4/13)

# County: Washington Permit #: GW-48753 Driller: Irrigation Equipment Inc. Date drilling completed: 06/13/2015

Copy information from block on Part 1

### STATE WELL REPORT Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Aquifer:	

This part of the r	eport must be	completed by a	ı licensed water we	ell contractor	or a licens	ed pump instal	ler. A cop	y of Part 1
of the report mus		<i>ind both parts</i> , Information	filed with the Depo	ertment at the	e above ada	Well Loca		ell completion.
Owner Name: River City Trucking			Latitude: 33 30' 47.3 N Longitude: 90 56' 27.8 W					
Mailing Address:	503 Metcalf			Method of	Lat/Long (	(check one):	☐ Conve	entional Survey,
USGS quad, ⊠ Hand-held GPS, ☐ Survey-grade GPS				ey-grade GPS				
Greenville City		Ms State	38703 Zip code					
•	( )			5 (Distan	Miles ce)	Northeast (Direction)	of	Metcalf (Nearest Town)
			Pump Typ	e (check one	9)			
☐ Submersible ⊠	Turbine ☐ Ai	r Lift 🔲 Centri	fugal  Flowing V	Vell ☐ Jet ☐	Piston 🔲	Rotary   Othe	r (describ	ne):
Date Pump Install	ed <b>06/16/2</b>	015		Rated Pump	Capacity:	2500+/-		Gallons Per Minute
Is This Pump (che	eck one): 🛭 Ne	ew 🗌 Repaire			- \			
				e (check on	•			
☐ Electric ☑ Dies					•			
Horse Power Ratio	ng of Motor:	60	_ Setting Depth:	70'		feet Number	of Stage:	s: <u>1</u>
			Pump Test Data f	or Non Flow	ring Well			
Date Well Tested:				Duration o	f Pump Te	st (minimum 4	hours): _	Hours
Static Water Level	I (A):	Feet Be	low Land Surface	Pumping \	Water Leve	el (B):	Feet	Below Land Surface
Drawdown [(B) - (A	A)]:	Feet	Below Land Surfa	ace Test P	umping Ra	te:		Gallons Per Minute
Method of measur	ement (check	one): 🗌 Steel	tape   Electric ta	pe 🗌 Air line	e 🔲 Other	(describe):		
			Pump Test Dat	a for Flowin	g Well			
Measured shut in	head:	Fee	et					
Well yielded	G	PM with a drav	wdown of		feet after		hou	rs of pumping
			Meter I	nstallation			P	FCEIVE
Meter Manufacture	er:			Meter :	Serial Num	ber:	, ,	
Meter Model Num	ber/Name:				of Meter:			JUN 23 JUN
Totalizer Register	Unit and Multi	plier Factor (A	F x .001, gal x 100	00, etc):	•		v-147	
Installation Date:			er installed by:				Ì	3A: OFAN-
Is This Meter (che	ck one): Ne	— ew □ Repaire	d ☐ Replacement	:				
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards.  For agricultural wells, a list of approved meters is on the MDEQ website.								
						<i>N</i>		
I HEREBY CERT	IFY that the at	ove statement	ts are true to the b	est of my kn	owledge.	(1/		_
Patrick Chism		0695		06	/17/2015	_ Vc	0	
Print Name of P	ump Installer	and License N	o. (if applicable)		Date	Sig	nature of	Pump Installer

Form: OLWR-SWR-1B (4/13)

Farm and ideal to Farma On & Distr. 044 040 0400. FarmaOn & Distr. and