County: Washington Permit #: GW-47529 47504 **Driller:** Irrigation Equipment Date drilling completed: 06/15/2013

STATE WELL REPORT Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	C137
Aquifer:	
E-Log #:	·
	

Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Gus Pieralisi & Sons	Latitude: 33 27' 42.9 N Longitude: 90 48' 09.2 W
Mailing Address: 196 Longswitch Road	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐, Survey-grade GPS
Leland Ms 38756	<u>NW</u> 1/2 SW 1/4, Sec 27 T 19NR 6 W √
City State Zip code	1
Felephone No	2 Miles Northwest of Holly Ridge (Nearest Town)
Well / Bo	prehole Data
	06/15/2013 Hole depth: 126 Hole diameter: 24"
.ocation of the source of any surface water used for drilling:	Printage Mater
Method of dosing and volume of Chlorine used in drilling and dev	velopment: 50 PPM
.ogs run (check all applicable): 🛭 No log run 🗌 Electric 🗌 Gan	nma Ray 🗌 Density 🔲 Sonic 🗎 Neutron 🔲 Other:
Name of organization running log(s): Replace	25 08815
`_	chnical/Geological Investigation
, , , ,	·
•	Other (describe)
If drilling is not related to water well con	nstruction, skip the remainder of this block
Purpose of Well <i>(check all applicable)</i> : ☐ Home ☐ Industrial ☐ I	Public Supply ⊠ Irrigation □ Fish Culture
☑ Other (describe): Repl GW-44397	
f a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 32 feet [☐ above or ☒ belo	ow] land surface Date measured: 06/17/2013
Method of Measurement (check one) 🛭 Steel tape 🗌 Electric ta	pe Air line Other: (describe)
Nell depth: 126 Well grouted to a depth of: 10 fee	et Type of grout <i>(check one)</i> : ☐ Neat Cement ☑ Bentonite ☐ Mix
Casing length: 86 feet Casing diameter: 16	inches Type of casing: PVC
Screen length: 40 feet Screen diameter: 16	inches Type of screen: PVC
Screen slot size:050 inches Setting depth	: From 87 feet to 126 RECETY
ype of completion (check all applicable): $oxtime S$ Gravel packed $oxtime S$	Jnderreamed $□$ Open hole $□$ Natural Development $AU(z) b b 20$
Other (describe):	
op of lap pipe or reduction in casing: Feet	

		For Office Use	Only:
County: Washington	Wells	#: <u>C137</u>	
Permit #: GW-47529 47504			
The sketch below only required for water wells	<u>Description of formations encountered</u> and boreholes, unless specifically exer		ll wells
If well telescopes, show depths on sketch.			
Ground level ———	Description of Formations Encounte	From (depth) Ground level	To (depth)
<u>K</u>	Clay Fine Sand	19	33
	Fine Sand & Gravel	34	52
	Medium Sand & Gravel	53	126
	modium dana di oravoi		
			<u> </u>
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following:			
the well location any permanent structures on the property that	t may aid in locating the well		
3) any roads, power lines, or other items that ma	ay aid in locating the property and the well		
4) a north arrow			
		RECEIVE	
		HEUEIVI	
		A E 20	112
		AUG 05 20	113
		DV PHI	NID
		BY: OLV	A LJ
Landowner Name: Gus Pieralisi & Sons			

I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

07/25/2013

Date

Patrick Chism

0695

Print Name of Responsible Licensee and License No.

Signature of Licensee

Form: OLWR-SWR-1A (4/13)

Form: OLWR-SWR-1A (04/08)

County: Washington GW-47529 47504 **Driller:** Irrigation Equipment Date drilling completed: 06/15/2013

Copy information from block on Part 1

Paum marrialed his Faums On & Diele 044 040 0400 PaumaOn & Diele aum

STATE WELL REPORT

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210 (601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u>C137</u>
Aquifer:	

Well Owner Information	Well Location
Owner Name: Gus Pieralisi & Sons	Latitude: 33 27' 42.9 N Longitude: 90 48' 09.2 W
Mailing Address: 196 Longswitch Road	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS
Leland Ms 38756 City State Zip code	NW 1/4 SE 1/4, Sec 27 T 19 N R 6 W
Telephone No. () -	2 Miles Northwest of Holly Ridge (Distance) (Direction) (Nearest Town)
Pump Ti	ype (check one)
Submersible ⊠ Turbine ☐ Air Lift ☐ Centrifugal ☐ Flowing	
-	Rated Pump Capacity: 1600+/- Gallons Per Minute
s This Pump (check one): New Repaired Replacement	
Power Ty	ype (check one)
] Electric ☑ Diesel 🗌 Gasoline 🗋 Natural Gas 🔲 Tractor PTo	O 🗌 Windmill 🔲 Other (describe):
lorse Power Rating of Motor: 40 Setting Depth	70 feet Number of Stages: 2
Pump Test Data	for Non Flowing Well
ate Well Tested:	Duration of Pump Test (minimum 4 hours): Hours
	e Pumping Water Level (B): Feet Below Land Surface
	rface Test Pumping Rate: Gallons Per Minute
	tape Air line Other (describe):
Pump Test Da	ata for Flowing Well
-	ata for Flowing Well
Measured shut in head: Feet	ata for Flowing Well feet after hours of pumping
Measured shut in head: Feet Well yielded GPM with a drawdown of	
Measured shut in head: Feet Well yielded GPM with a drawdown of Meter	feet after hours of pumping
Measured shut in head: Feet Vell yielded GPM with a drawdown of Meter Meter Mone Installed	feet after hours of pumping
Measured shut in head: Feet Vell yielded GPM with a drawdown of Meter Meter Manufacturer: None Installed Meter Model Number/Name:	feet after hours of pumping Installation Meter Serial Number: Type of Meter:
Measured shut in head: Feet Vell yielded GPM with a drawdown of Meter Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10)	feet after hours of pumping Installation Meter Serial Number: Type of Meter:
Measured shut in head: Feet Vell yielded GPM with a drawdown of Meter Meter	feet after hours of pumping r Installation Meter Serial Number: Type of Meter: 000, etc):
Measured shut in head:Feet Nell yielded GPM with a drawdown of Meter Manufacturer: None Installed Meter Model Number/Name: Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 nstallation Date: Meter installed by: In this Meter (check one): New Repaired Replacement Important: By submitting the above information you are one of the state of	feet after hours of pumping r Installation Meter Serial Number: Type of Meter: 000, etc):
Measured shut in head:Feet Nell yielded GPM with a drawdown of Meter Manufacturer: None Installed Meter Model Number/Name: Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 nstallation Date: Meter installed by: In this Meter (check one): New Repaired Replacement Important: By submitting the above information you are one of the state of	feet after hours of pumping r Installation Meter Serial Number: Type of Meter: 000, etc): Int rertifying that this meter was installed to manufacturer standards. pproved meters is on the MDEQ website.
Measured shut in head:Feet Nell yielded GPM with a drawdown of Meter Manufacturer: None Installed Meter Model Number/Name: Fotalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 nstallation Date: Meter installed by: In this Meter (check one): New Repaired Replacement Important: By submitting the above information you are one of the state of	feet after hours of pumping r Installation Meter Serial Number: Type of Meter: 000, etc): nt rertifying that this meter was installed to manufacturer standards. opproved meters is on the MDEQ website.
Measured shut in head: Feet Mell yielded GPM with a drawdown of Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 10 installation Date: Meter installed by: S This Meter (check one): New Repaired Replacement Important: By submitting the above information you are constructed for agricultural wells, a list of approximation and the submitted for agricultural wells, a list of approximation wells.	feet after hours of pumping r Installation Meter Serial Number: Type of Meter: 000, etc): nt rertifying that this meter was installed to manufacturer standards. opproved meters is on the MDEQ website.

Form: OLWR-SWR2119 (4/13)