Control Driller's Log Pormit #: GW-43167 Driller inrigation Equipment Inc. P.O. Box 2008 Date drilling completed: 10-16-2015 Wessissippi Department of Environmental Quality (applet) Etc. g #: P.O. Box 2008 (applet): State Law requires that this report be prepared by the license holder responsible for the work and filed with t Department at the above address within 30 days of completion of drilling of the work and filed with t Department at the above address within 30 days of completion of drilling of the work and filed with t Department at the above address within 30 days of completion of drilling of the work and filed with t Department at the above address within 30 days of completion of drilling of the work and filed with t Mailing Address: 65 Holly Ridge Road Mailing Address: Ms 38751 Civ Civ State Zip code Indianola MS Ms 38751 Civ State Zip code Indianola MS Other code of any surface water used for drilling: Surface Water Date drilling started: 10-16-2015 Date drilling and development: 50 PPM Location of the source of any surface water used for		STATE WELL REP	• I	For Office Use Only
Date Imigation Equipment Inc. Date dilling completed: 10-16-2015 Date dilling completed: 10-16-2015 Date dilling completed: 10-16-2015 State Law requires that this report be prepared by the license holder responsible for the work and filed with f Pepartment at the above address within 30 days of completion of drilling of the well or borehole. Well Owner thoromation (Landowner it borehole is not for a water well) Owner kame: Holly Ridge Planting Company Latitude: 33 29 16.3" Latitude: 33 29 16.3" Indianola MS State Zip code Indianola MS Mating Address: 65 Holly Ridge Road Mating Address Method of Lat/Long (check one): Criv State Zip code SW % SE %, Sec 15 T 19N R &W Criv State Zip code Indianola Mating address withing completed: 10-16-2015 Date drilling started: 10-16-2015 Date drilling started: 10-16-2015 Date drilling started: 10-16-2015 Date drilling started: 10-16-2015	·	Part 1 Driller's Log		
Det ditling completed: 10-16-2015 P.O. Box 2036 Jacktoon, MS 39225-2039 (601) 961-5210 (101) 961-5210 (101) 961-5210 Well Owner Information Well Owner Information Maiing Address: 65 Holly Ridge Planting Company Landowner II boehole is not for a water well) Owner Name: Holly Ridge Road Maiing Address: 65 Holly Ridge Road Indianola MS State Zio code Indianola MS State Zio code Indianola MS State Zio code Well / Borehole Data Date drilling stated: 10-16-2015 Date drilling stated: 10-16-2015 Date drilling and volume of Chlorine used in drilling and development: 50 PPM Logs run (check all applicable): Mole log run = Electric = Gamma Ray = Density = Sonic = Neutron = Other: Name of organization running log(s):		Mississippi Department of Environm	ental Quality	
Jackson, MS 3925-2309 (601) 360-0335 (rax) State Law requires that this report be prepared by the license holder responsible for the work and filed with it Department at the above address within 30 days of completion of drilling of the well or borehole. Well Owner Information (Landowner if borehole is not for a water well) Owner Name: Holly Ridge Planting Company Mailing Address: 65 Holly Ridge Road Mailing Address: 65 Holly Ridge Road Mailing Address: 65 Holly Ridge Road Maling Address: 05 Holly Ridge Road Mailing Address: 10			Durces E-Log	₩
(61) 380-033 (fax) State Law requires that this report be properly by the license holder responsible for the work and filed with the above address within 30 days of completion of drilling of the well or borehole. Well Owner Information (Landowner I borehole is not for a water well) Owner Name: Holly Ridge Planting Company Mailing Address: 65 Holly Ridge Road Indianola MS State Ziv Scale USGS quad, Ø Hand-held GPS, I Survey-grade GPS Indianola MS State Ziv Scale USGS quad, Ø Hand-held GPS, I Survey-grade GPS Indianola MS State Ziv Scade (Diance) Well / Borehole Data Date drilling started: 10-16-2015 Date drilling and volume of Chlorine used in drilling and development: 50 PPM Logs run (check all applicable): Ø Not og run [Electric [Gamma Ray [Density] Sonic [Neutron] Other: Name of organization running log(s):	Date drilling completed: 10-10-2013		9 L	
Department if the above address within 30 days of completion of drilling of the rel of borehole. Well Ormer Information (Landowner if borehole is not for a water well) Owner Name: Holly Ridge Planting Company Mailing Address: 65 Holly Ridge Road Indianola MS 38751 Conventional Survey-grade GPS Indianola MS 38751 SW % SE %, Sec 15 T 19N R 6W City State Ziecode Miles Telephone No. (_)		(601) 360-0535 (fax)		
Well Owner Information (Landowner If Jornation Well or Borehole Location Owner Name: Holly Ridge Planting Company Lattude: 33 29' 16.3" Longitude: 90 47' 57.9M Mailing Address: 65 Holly Ridge Planting Company Lattude: 33 29' 16.3" Longitude: 90 47' 57.9M Indianola MS 38751 Conventional Survey. USGS quad. © Hand-held GPS. © Survey.grade GPS Indianola MS 38751 State Zip code SW % SE %, Sec 15 T 19N R 6W Catu of the source of any surface water used for drilling: Surface Water Melle depth: 121 Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling: Surface Water Method of dosing and volume of Chlorine used in drilling: Surface Water Neutron © Other: Name of organization running log(s): Purpose of borehole (check and applicable): © No log run (Electric © Gamma Ray © Density © Sonic © Neutron © Other: Name of organization running log(s): Purpose of Vell (check all applicable): © No tertated to water well construction, skip the remainder of this block Purpose of Well (check all applicable): © Home © Industrial © Public Supply © Irigation © Fish Culture Othe				
Owner Name: Holly Ridge Planting Company Lattude: 33 29' 16.3" Longitude: 90 47' 57.9M Mailing Address: 65 Holly Ridge Road	A			
Mailing Address: 65 Holly Ridge Road Method of Lat/Long (check one): Conventional Survey, grade GPS Indianola MS 38751 SW ½ SE ½, Sec 15 T 19N R 6W City State Zio code Miles SW ½ SE ½, Sec 15 T 19N R 6W Telephone No. (_) - Miles Outcotton) of Indianola Date drilling started: 10-16-2015 Date drilling completed: 10-16-2015 Hole depth: 121 Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water Method of Losine used in drilling and development: 50 PPM Logs run (check all applicable): D No tog run □ Electric □ Gamma Ray □ Density □ Sonic □ Neutron □ Other:		,		
Indianola MS 38751 Citv State Zio code Telephone No.	Owner Name: Holly Ridge Planting C	company Latitude: 33	29' 16.3" Lon	gitude: 90 47' 57.9W
Indianola NS 38751 SW ½ SE ½, Sec 15 T 19N R 6W City State Zip code Telephone No.	Mailing Address: 65 Holly Ridge Roa	d Method of Lat/	.ong (check one):	Conventional Survey,
Indianola NS 38751 SW ½ SE ½, Sec 15 T 19N R 6W City State Zip code Telephone No.			X Hand-held GPS	Survey-grade GPS
City State Zip code Telephone No.	Indianata NC			
Image: Contract of the source of any surface water used for drilling completed: 10-16-2015 Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water Sonic Neutron Other: Hole diameter: 24 Location of the source of any surface water used for drilling and development: 50 PPM Location Other: Image: Contract of Contract			<u>377</u> % <u>35</u> %, Sec <u>1</u> ;	<u>7 1914 K 044</u>
Well / Borehole Data Date drilling completed: 10-16-2015 Hole depth: 121 Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling and development: 50 PPM Logs run (check all applicable): 🖾 No log run 🗠 Electric 🗠 Gamma Ray 🗠 Density 🗠 Sonic 🗠 Neutron 🗠 Other: Name of organization running log(s): Purpose of borehole (check one): 🖾 Water Well Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check all applicable): Home 📄 Industrial 📄 Public Supply 🖾 Irrigation 📄 Fish Culture Other (describe): Rep & Conf & Stell If a flowing well, method of flow regulation: Valve Valve Stell tape 📄 bole or 🖄 block Purpose of Well (check one) 🖾 Steel tape 📄 Electric tape 📄 Air line 🗆 Other: (describe)	Telephone No. () -			•••
Date drilling started: 10-16-2015 Date drilling completed: 10-16-2015 Hole depth: 121 Hole diameter: 24 Location of the source of any surface water used for drilling: Surface Water			(Direction)	(Nearest Town)
Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling and development: 50 PPM Logs run (check all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):		Well / Borehole Data		
If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check all applicable): □ Home □ Industrial □ Public Supply ☑ Irrigation □ Fish Culture □ Other (describe):	Logs run (check all applicable): 🛛 No log	j run 🗍 Electric 🗍 Gamma Ray 🗌 Dens	ity 🗋 Sonic 🗋 Neut	ron 🗌 Other:
If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check all applicable): Home industrial Public Supply Irrigation Fish Culture Other (describe): If a flowing well, method of flow regulation: Valve Other (describe) If a flowing well, method of flow regulation: Valve Other (describe) Image: Check one) Static Water Level: 37 feet [in above or is below] land surface Date measured: 10-17-2015 Method of Measurement (check one) is Steel tape is Electric tape is a depth of: 10 feet Type of grout (check one): Neat Cement is Bentonite for a depth of: 10 feet Type of grout (check one): Neat Cement is Bentonite for a depth of: 10 feet Type of grout (check one): Neat Cement is Bentonite for a depth of: 10 feet Type of grout (check one): Neat Cement is Bentonite for a depth of: 10 feet Type of grout (check one): Neat Cement is Bentonite for a depth of: 10 feet Type of casing: PVC Screen length: 81 feet Casing diameter: 16 inches Type of screen: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Gravel packed is Underreamed is the open hole is Natural Development Other (describ	Name of organization running log(s):		_	
□ Other (describe):	Name of organization running log(s): Purpose of borehole (check one): 🛛 W	ater Well 🔲 Geotechnical/Geological		Fround Source Heat Pum
□ Other (describe): Rup Run GW G 8] Lg If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 37 feet [□ above or ⊠ below] land surface Date measured: 10-17-2015 Static Water Level: 37 feet [□ above or ⊠ below] land surface Date measured: 10-17-2015 Method of Measurement (check one) ⊠ Steel tape □ Electric tape □ Air line □ Other: (describe) Well depth: 121 Well grouted to a depth of: 10 feet Type of grout (check one): □ Neat Cement ⊠ Bentonite [Casing length: 81 feet Casing diameter: 16 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): ⊠ Gravel packed □ Underreamed □ Open hole □ Natural Development □ Other (describe):	Name of organization running log(s): Purpose of borehole (check one): 🛛 W 🗌 S	ater Well	Investigation	Ground Source Heat Pum
If a flowing well, method of flow regulation: Valve Other (describe)	Name of organization running log(s): Purpose of borehole (check one):	ater Well	Investigation C	Ground Source Heat Pum
Static Water Level: 37 feet [] above or 🛛 below] land surface Date measured: 10-17-2015 Method of Measurement (check one) 🖾 Steel tape] Electric tape] Air line] Other: (describe) Well depth: 121 Well grouted to a depth of: 10 feet Type of grout (check one): Neat Cement 🖾 Bentonite [Casing length: 81 feet Casing diameter: 16 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 16 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): 🖾 Gravel packed] Underreamed] Open hole] Natural Development Other (describe):	Name of organization running log(s): Purpose of borehole (check one):	ater Well	Investigation C	Ground Source Heat Pum
(check one) Method of Measurement (check one) Steel tape Electric tape Air line Other: (describe) Well depth: 121 Well grouted to a depth of: 10 feet Type of grout (check one): Neat Cement Bentonite Casing length: 81 feet Casing diameter: 16 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Image: Gravel packed Underreamed Open hole Natural Development Other (describe):	Name of organization running log(s): Purpose of borehole (check one): ØW S <i>If drilling is not rela</i> Purpose of Well (check all applicable): Other (describe): <u>Reparence</u>	ater Well Geotechnical/Geological eismic Survey Other (<i>describe</i>) <i>ated to water well construction, skip</i> Home Industrial Public Supply I	Investigation	Ground Source Heat Pum
Well depth: 121 Well grouted to a depth of: 10 feet Type of grout (check one): Neat Cement Screen length: 81 feet Casing diameter: 16 inches Type of casing: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Agravel packed Underreamed Open hole Natural Development Other (describe):	Name of organization running log(s): Purpose of borehole (check one): ØW S If drilling is not relation Purpose of Well (check all applicable): Other (describe): <u>Reparence</u>	ater Well Geotechnical/Geological eismic Survey Other (<i>describe</i>) <i>ated to water well construction, skip</i> Home Industrial Public Supply I	Investigation C	Ground Source Heat Pum
Casing length: 81 feet Casing diameter: 16 inches Type of casing: PVC Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Image: Case of the screen of the	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well ☐ Geotechnical/Geological eismic Survey ☐ Other (<i>describe</i>) ated to water well construction, skip Home ☐ Industrial ☐ Public Supply ⊠ I DG S S] DG S S S] DG S S S] DG S S S S S S S S S S S S S S S S S S S	Investigation C	Ground Source Heat Pum this block ure 10-17-2015
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Image: Completion (Check all applicable): Image	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related Purpose of Well (check all applicable): □ □ Other (describe):	ater Well ☐ Geotechnical/Geological eismic Survey ☐ Other (<i>describe</i>) ated to water well construction, skip Home ☐ Industrial ☐ Public Supply ⊠ I DG S S] DG S S S] DG S S S] DG S S S S S S S S S S S S S S S S S S S	Investigation C	Ground Source Heat Pum this block ure 10-17-2015
Screen slot size: .050 inches Setting depth: From 82 feet to 121 Type of completion (check all applicable): Image: Completion in the ima	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial PUBLIC Supply I D S Image: Steel tape Electric tape Air line Geotechnical/Geological et [above or S below] land surface (check one) Air line	Investigation C	Ground Source Heat Pum this block ure 10-17-2015
Type of completion (check all applicable): I Gravel packed I Underreamed I Open hole I Natural Development	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial Public Supply I Image: Steel tape Electric tape Air line Image: Steel tape Air line Image: Steel tape Geother tape Feet Type of grout (Investigation <i>the remainder of</i> rrigation Fish Cult Date measured: Date measured: Date measured: Date measured: Date measured: Date measured: Date measured: Date measured:	Ground Source Heat Pum this block ure 10-17-2015 Cement ⊠ Bentonite □
Type of completion (check all applicable): I Gravel packed I Underreamed I Open hole I Natural Development	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial Home Industrial Public Supply I G G G G Home Industrial Public Supply I G G	Investigation the remainder of the remainder of trigation Fish Cult Date measured: Date measured: Dat	Ground Source Heat Pum this block ure 10-17-2015 Cement ⊠ Bentonite □ g:
Other (describe):	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial Home Industrial Public Supply I G G G G Home Industrial Public Supply I G G	Investigation the remainder of the remainder of trigation Fish Cult Date measured: Date measured: Dat	Bround Source Heat Pum this block ure 10-17-2015 Cement ⊠ Bentonite □ g: <u>PVC</u> n: <u>PVC</u>
	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial Home Industrial Public Supply I G G G G Home Industrial Public Supply I G G	Investigation the remainder of rrigation Fish Cult Date measured: Date	Bround Source Heat Pum this block ure 10-17-2015 Cement ⊠ Bentonite □ g: <u>PVC</u> n: <u>PVC</u> 121 for
	Name of organization running log(s): Purpose of borehole (check one): ☑ W □ S If drilling is not related by the second seco	ater Well Geotechnical/Geological eismic Survey Other (describe) ated to water well construction, skip Home Industrial Home Industrial Public Supply I Image: Second Structure Steel Steel (check one) Other (describe) Steel tape Electric tape Air line Geotechnical/Geological Air line Geotechnical/Geological Steel tape Electric tape Air line Geotechnical/Geological Air line Geotechnical/Geological Steel tape Electric tape Air line Geotechnical/Geological Air line Geotechnical/Geological Air line Incession Screen diameter: 16 Inches Setting depth: From 82 Air Gravel packed Underreamed	Investigation the remainder of the remainder of rrigation Fish Cult Date measured: Date measured: Dat	Ground Source Heat Pum this block ure 10-17-2015 Cement ⊠ Bentonite □ g: <u>PVC</u> n: <u>PVC</u> 121 fe Development

County: Washington Permit #: <u>GW-49167</u>	Fo Well #:	r Office Use (CIY2	Only:
The sketch below only required for water wells	Description of formations encountered must		<u>ll wells</u>
If well telescopes, show depths on sketch.	and boreholes, unless specifically exempted	by regulations	
	Description of Formations Encountered	From (depth)	To (depth)
Ground level	Clay	Ground level	19
	Fine Sand	20	35
	Fine Sand & Gravel	36	64
	Med. Sand & Gravel	65	119
	Clay	120	121

If more than one screen, show location of each on sketch

.

Sketch the property layout and include the follow 1) the well location 2) any permanent structures on the property 3) any roads, power lines, or other items that	, that may aid in locating the	
4) a north arrow		
		NOV 2015
Landowner Name:		
I HEREBY CERTIFY that the well/borehole was or requirements of the Mississippi Department of Er if applicable, and state laws.		
0695	11-23-2015	Fe
Print Name of Responsible Licensee and Licens	e No. Date	Signature of Licensee Form: OLWR-SWR-1A (4/13)

Permit # GW-49167 Drifter: Imigation Equipment Inc. Date drilling completed: 10-16-2015 Date drilling completed: 10-16-2015 Corv information than block on Pert 1 Office of Land and Water Resources P.O. Box 2309 Jackston, MS 39225-2309 (601) 380-0535 (fax) (601) 380-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of F of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of F (601) 380-0535 (fax) Well Owner Information Owner Name: Holly Ridge Planting Company Lattude: 33 2571 Citv State Citv State Pump Type (check one) (Direction) Owner Name: MS Bubmersible [2] Turbine [] Air Lift [] Centrifugal [] Flowing Well [] Jet [] Piston [] Rotary [] Other (describe); Date Pump Installed 10-17-2015 Rated Pump (check one) [] Electric [2] Deset [] Gassoline [] Natural Gas [] Tractor PTO [] Windmil [] Other (describe); Date Pump (refleck one); [] New [] Pump Test Data for Non Flowing Well Date Well Tested: Duration of	County: Washington	STATE WELL REPORT	For Office Use Only
Inite: Irrigation Equipment Inc. Date duling competend. 10-16-2015 Coor information from black on Part 1 Office of Land Mutater Resources P.O. Box 2309 Jackson, NS 39225-2309 (601) 961-6210 (601) 960-0535 (fax) This part of the report must be completed by a faceword well contractor or a facensed pump installer. A copy of F of the report must be attached and bots parts face with the Department at the above address within 30 days of well co Well Owner Information Well Owner Information Owner Name: Holly Ridge Planting Company Lattude: 33 29 16.3" Longitude: 90 47 Mailing Address: 65 Holly Ridge Road Mailing Address: 65 Holly Ridge Road Mailing Address: 65 Holly Ridge Road Mailing Address: 10 Convention Well Owner Information Well Owner Information Optic Convertion 10 SGS quad, Q Hand-held GPS, Survey grip Indianola MS 33751 SW X SE X, Sec 15 T 19N R 6W SW X SE X, Sec 15 T 19N R 6W City State Zip code Pump Type (check one) Date Pump Installed 10-17-2015 Rated Pump Capacity. 21004- <		Part 2	Well#: 0142
Drife: Imgation Equipment Inc. Aquier: Date diffing completed: 10-16-2015 Covr. Information from back on Part I Coffice of Land and Water Resources P.C. Box 2309 Stackson, MS 39225-2309 (601) 360-0535 (fax) This part of the report must be attacked about parts filed with the Department at the above address within 38 days of well cordination of the report must be attacked about parts filed with the Department at the above address within 38 days of well cordination of the report must be attacked about parts filed with the Department at the above address within 38 days of well cordination of Well Cocation Owner Name: Holl Owner Information Well Cocation Owner Name: Holl State 20 code Method of Lat/Long (check one): Convention. City State Zip code Miles of Indianola MS 38751 SW % SE %, Sec 15 T 19N R 6W City State Zip code Miles of Indianola Submersible & Turbine II Air Lift II Centrifugal I Flowing Well II et II Platon II Rotary III Other (describe): Galor Date Pump Installed 10-17-2015 Rated Pump Capacity: 21004/- Galor Is This Pump (check one): Exet and Surface Pump Test Data for Non Flowing Well Date Well Tested:	Permit #: GW-49167		
Date drilling competents: 10-16-2015 Corv information from block on Part I P.O. Box 2309 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of P of the report must be attached and both parts filed with the Department at the above address within: 30 days of well co. Owner Name: Holly Ridge Planting Company Latitude: 33 29' 16.3" Longitude: 90 47 Mailing Address: 65 Holly Ridge Planting Company Latitude: 33 29' 16.3" Longitude: 90 47 Mailing Address: 65 Holly Ridge Road Indianola MS 38751 Convention IUSGS quad, Ed Hand-held GPS, IS urvey growthere Indianola MS 38751 State Zip code SW % SE %, Sec 15 T 19N R 6W City State Zip code Well Contario of Indianola Submersible Ed Turbine II Air Lift II Centrifugal I Flowing Well II at II Petron II Rotary III Other (describe): Gator Gator Date Pump Installed 10-17-2015 Reted Pump Capacity: 21004+ Gator Is This Pump (check one): III Part Type (check one) IIII Centeritogal IIII Part IIIII Centeritogal IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Driller: Irrigation Equipment Inc.	Mississippi Department of Environmental Quality	
Covy information from block on Part 1 Objection (S01) 901-5210 (S01) 901-5210 (S01) 901-5210 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of F of the report must be attached and hold parts filed with the Department at the above address within 30 days of well con Well Owner Information Well Contanto Well Coctaon Owner Name: Holly Ridge Planting Company Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Lattuck: 33 29' 16.3" Longitude: 90 4i Core Methof	Date drilling completed: 10-16-2015	P.O. Box 2309	•
(601) 360-0535 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of F of of the report must be attached and both part field with the Department at the above address within 30 days of well control well well control well well control well control well well well well well well control well well control well well well well well well well we			
of the report must be attached and both parts filed with the Department at the above address with 30 agrs of well content well Owner Information Well Owner Information Owner Name: Holly Ridge Planting Company Latitude: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Latitude: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Latitude: 33 29' 16.3" Longitude: 90 4i Indianola MS 38751 Longitude: 90 4i Method of Lat/Long (check one): Convention City State Zip code Miles of Indianola MS 38751 City State Zip code Miles Olicance) Miles of Indianola City State Zip code Miles Olicance) Miles of Indianola City State Zip code Pump Type (check one) Olicance) Olicance) Olicance) Indianola Mailing Address: 100 feet Number (describe): Galor Date Durp Installed 10-17-2015 Ratef Joung Capacity: 2100+/.			
Weil Owner Information Weil Location Owner Name: Holly Ridge Planting Company Latitude: 33 29' 16.3" Longitude: 90 4i Mailing Address: 65 Holly Ridge Road Indianola MS 38751 Method of Lat/Long (check one): Convention Indianola MS 38751 SW % SE %, Sec 15 T 19N R 6W City State Zip code Miles of Indianola Telephone No.			
Owner Name: Holly Ridge Planting Company Mailing Address: 65 Holly Ridge Road Indianola MS Indianola MS City State Zip code Telephone No.			
Mailing Address: 65 Holly Ridge Road Indianola MS State Zip code Indianola MS Indianola MS Indianola MS Mailing Address: Indianola Indianola MS Mailing Address MS Mailing Address Mathed Part State Submersible Ø Turbine @ Air Lift @ Centrifugal @ Flowing Well Meter @ Pusp Teste Data for Non Flowing Well			
Indianola MS 38751 City State Zip code Telephone No. (_) - Dump Type (check ane) (Distance) (Direction) Submersible & Turbine Air Lift Centrifugal Flowing Well Date Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Is This Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Is This Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Bate Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Is This Pump (check ane): New Repaired Repaired Repaired Power Type (check ane) Electric & Disesl Gasoline Natural Gas Tractor PTop (windmill Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1 Static Water Level (A): Feet Below Land Surface Pump Test (minimum 4 hours): Settin State Galic Static Water Level (A): Feet Below Land Surface Test Pumping Rate: Galic Method of measurement (check ane): Istel tape	Owner Name: Holly Ridge Planting C	Latitude: 33 29 16.3	Longitude: 90 47' 57.9"
Indianola MS 38751 SW % SE %, Sec 15 T 19N R 6W City State Zip code Miles of Indianola Telephone No.	Mailing Address: 65 Holly Ridge Road	d Method of Lat/Long (check	one): 🔲 Conventional Survey
Indianola MS 38751 SW % SE %, Sec 15 T 19N R 6W City State Zip code Miles of Indianola Telephone No.		USGS quad. 🕅 Hand-h	eld GPS 🗍 Survey-grade GPS
City State Zip code Miles City Miles Miles <t< td=""><td></td><th></th><td></td></t<>			
Telephone No.			4, Sec <u>13</u> T <u>19N</u> R <u>6W</u>
Image: Check one image: Ch			of Indianola
□ Submersible ⊠ Turbine □ Air Lift □ Centrifugal □ Flowing Well □ Jet □ Piston □ Rotary □ Other (describe): □ Date Pump Installed 10-17-2015	•		
Date Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Gallor Is This Pump (check one): New □ Repaired □ Replacement Power Type (check one)		Pump Type (check one)	······································
Date Pump Installed 10-17-2015 Rated Pump Capacity: 2100+/- Gallor Is This Pump (check one): New □ Repaired □ Replacement Power Type (check one)	Submersible 🛛 Turbine 🗂 Air Lift 🗖 C	Centrifugal 🔲 Flowing Well 🗍 Jet 🗍 Piston 🗍 Rotary	Other (describe)
Is This Pump (check one): ⊠ New ☐ Repaired ☐ Replacement Power Type (check one) ☐ Electric ⊠ Diesel ☐ Gasoline ☐ Natural Gas ☐ Tractor PTO ☐ Windmill ☐ Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1 Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Galk Method of measurement (check one): ☐ Steel tape ☐ Electric tape ☐ Air line ☐ Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of p Meter Installation Meter Manufacturer: Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter installed by: Issubmitting the above information you are certifying that this meter was installed to manufacturer si For agricultural wells, a list of approved meters is on the MDEQ website.			
Power Type (check one) □ Electric I Diesel □ Gasoline □ Natural Gas □ Tractor PTO □ Windmill □ Other (describe):			
□ Electric & Diesel □ Gasoline □ Natural Gas □ Tractor PTO □ Windmill □ Other (describe): 1 Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1 Pump Test Data for Non Flowing Well Duration of Pump Test (minimum 4 hours):			
Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Galk Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of p Meter Installation Meter Manufacturer: Meter Installation Meter Model Number/Name: Type of Meter: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): New Chepaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer su For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Stignature of Pump Print Name of Pump Installer and License No. (if applicable) Date Stignature of Pump <th>Horse Power Rating of Motor: 60</th> <th>Setting Depth: 70 feet</th> <th>Number of Stages: 1</th>	Horse Power Rating of Motor: 60	Setting Depth: 70 feet	Number of Stages: 1
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Galk Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Galk Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Galk Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Galk Metasured shut in head:		Pump Test Data for Non Flowing Well	• • • • • • • • • • • • • • • •
Drawdown [(B) - (A)]:			
Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head:			
Pump Test Data for Flowing Well Measured shut in head:	Static Water Level (A): Fe	et Below Land Surface Pumping Water Level (B):	Feet Below Land Su
Measured shut in head:	Static Water Level (A): Fe Drawdown [(B) - (A)]:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Feet Below Land Su Gallons Per M
Well yielded GPM with a drawdown offeet afterhours of p Meter Installation Meter Manufacturer: Meter Serial Number:	Static Water Level (A): Fe Drawdown [(B) - (A)]:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate:	Feet Below Land Su Gallons Per M
Meter Installation Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Installation Date: Meter installed by: Is This Meter (check one): New [] Repaired [] Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer su For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. O695 Print Name of Pump Installer and License No. (if applicable) Date	Static Water Level (A): Fe Drawdown [(B) - (A)]:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descri	Feet Below Land Su
Meter Installation Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Installation Date: Meter installed by: Is This Meter (check one): New [] Repaired [] Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer su For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. O695 Print Name of Pump Installer and License No. (if applicable) Date	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] \$	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape	Feet Below Land Su Gallons Per M
Meter Manufacturer: Meter Serial Number: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Important: Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer surfacement I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 11-23-2015 Print Name of Pump Installer and License No. (if applicable) Date	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] : Measured shut in head:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape	Feet Below Land Su Gallons Per M
Meter Model Number/Name:	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] : Measured shut in head:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrite Pump Test Data for Flowing Well Feet a drawdown of feet after	Feet Below Land Su Gallons Per M
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date:	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] \$ Measured shut in head: Well yielded GPM with a	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (description) Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be): Gallons Per M
Installation Date:	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement <i>(check one):</i> [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of Meter Installation Meter Serial Number:	Feet Below Land Su Gallons Per M be):hours of pumping
Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer su For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 0695 Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] 3 Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of feet after Meter Installation Meter Serial Number: Type of Meter:	Feet Below Land Su Gallons Per M be):
Important: By submitting the above information you are certifying that this meter was installed to manufacturer staffing for agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 0695 Print Name of Pump Installer and License No. (if applicable)	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descring transmission) Pump Test Data for Flowing Well Feet a drawdown of Meter Installation Meter Serial Number: Type of Meter: Type of Meter:	Feet Below Land Su Gallons Per M be): fours of pumping
For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. 0695 11-23-2015 Print Name of Pump Installer and License No. (if applicable) Date	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] 3 Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be): fours of pumping
0695 11-23-2015 Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] 3 Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date:	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be): Gallons Per M
0695 11-23-2015 Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] Method of measurement (check one): [] Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Reg Important: By submitting the above in the submet of the submet in the submitting the submet in the s	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrite) Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be):
Print Name of Pump Installer and License No. (if applicable) Date Signature of Pump	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Reg Important: By submitting the above in For agricul	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be):
	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] S Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Reg Important: By submitting the above in For agricul	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be):
Form: OLWR-S	Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): [] : Measured shut in head: Well yielded GPM with a Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Factor Installation Date: Is This Meter (check one): [] New [] Reg Important: By submitting the above i For agricular HEREBY CERTIFY that the above state 0695	et Below Land Surface Pumping Water Level (B): Feet Below Land Surface Test Pumping Rate: Steel tape Electric tape Air line Other (descrit Pump Test Data for Flowing Well Feet a drawdown of	Feet Below Land Su Gallons Per M be): hours of pumping hours of pumping hours of pumping hours of pumping