morman church

State Well Report For Office Use Only: Part 1 Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 I. S. Elevation: Date drilling completed: 3-06-09 (601)961-5210 (601)354-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Location Well Owner Information Latitude: 33 . 18 . 22" Longitude: 98 . 54' 20" Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS SE 14 NE 14 Sec 22 Twn ITN Rng Nearest Town Direction Telephone No. (607) 2.5 Miles HW of ARCOLA Well Data Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling started: 3-6-09 Date well drilling completed: 3-06-09 Other (describe) If flowing, method of flow regulation: Valve ____ Static Water Level: ______feet above or below (circle one) land surface Date measured: Method of Measurement (circle one) steel tape electric tape air line Well grouted to a depth of ____ Well depth: 100 Hole depth: Type of grout (circle one): Mix Cement Bentonite Casing length: 60 inches Type of casing: Casing diameter: _ Screen diameter: inches Type of screen: Setting depth: From 50-70 Screen slot size: OSO inches Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): feet. If telescoped or more than one screen, describe on back of page Top of lap pipe or reduction in casing: ____ Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): _ I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

NEWCOME

Print Name of Water Well Contractor and License No.

RECEIVED

Signature of Water Well Contractor

MAR 2 6 2009

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level	
Sclee	(ASING) - 50 - 70 casenc - 80
Screen	

Description of Formations Encountered	From	To
Mic CIAY	10	40
Fine sand	40	SO
Coarse Sand	50	78
Fine Sand	70	20
COArse Sand- grove	80	103

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permaid in locating the well; 3) any roads, power lines, or other items that may	ay aid in locating the property and the well;
4) indicate direction.	TO WENT TO LEWAND
	Ju.s. 61
SLACED BANK FO	- Alexander - Alex
WILL AND ED TO	OLD BOLD BOLD
#	
TO MS 438 HAYSIDE	ARCOLA
Landowner Name:	TO ROLLING FORK

Signature of Water Well Contractor

STATE WELL REPORT

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

(601)354-6938 (fax)

For Office Use Only:	
4-212	

This report should be prepared by the pump installer in detail and filed with the De

installation of pump.		
Well Owner Information	Well Location	
Owner Name: Farmland Reserve Inc	Latitude: 33° 18' 22" Longitude: 90°54'30"	
Mailing Address: 139 East Temple Blud	Method of Lat/Long (circle one): Conventional Survey,	
Suite GOO	USGS quad. Hand-held GPS, Survey-grade GPS	
Salt Lake City UT 84111	SE 1/4 NE 1/4 Sec 22 Twn 17N Rng 7W	
City State Zip Code		
	Distance Direction Nearest Town	
Telephone No. (807) 715 - 9116	2.5 Miles WW of Arola	
Pump Type	Power Type	
Circle one	Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 3-7-09	Setting Depth:	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
Pump Test Data Method of Measuring Water Level		
Date Well Tested:	Circle one	
Static Water Level (A): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level B. Feet Below Land Surface	Other (specify):	
Drawdown [(B) = (A)]: Creet Bolow Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute ~	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.		
Cong Kowe 0-711P		

Signature of Pump Installer

Print Name of Pump Installer and License No. (if applicable)

MAR 26 2009 BY: OLWR