County: Washington Permit #: **GW-50439 Driller:** Irrigation Equipment, Inc. Date drilling completed: 6-26-18

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For Office Use Only: 4248 E-Log #:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

Department at the above address within 30 days of comp	· · · · · · · · · · · · · · · · · · ·
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location
Owner Name: Wade Giesbrecht	Latitude: 33° 19' 27.2"N Longitude: 90° 57' 0.5"W
Mailing Address: 213 Lakeview Drive	Method of Lat/Long (check one): Conventional Survey,
	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS
Leland MS 38756	SE 1/2 W 1/4, Sec 17 T 17N R 7W
City State Zip code	<u>55 % (444 %, 666 ii.) </u>
Telephone No(Miles SE of Greenville (Distance) (Direction) (Nearest Town)
Well / Bor	rehole Data
Date drilling started: 6-26-18 Date drilling completed:	6-26-18 Hole depth: Hole diameter:
Location of the source of any surface water used for drilling: _S	urface Water
Method of dosing and volume of Chlorine used in drilling and deve	elopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gam	ima Ray Density Sonic Neutron Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotech	nnical/Geological Investigation
_	
	Other (describe)
If arilling is not related to water well con	struction, skip the remainder of this block
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ P	Public Supply ☑ Irrigation ☐ Fish Culture RECEIV
Other (describe):	AHR-22-
If a flowing well, method of flow regulation: Valve	
Static Water Level: 12 feet [☐ above or ☒ belo (check one)	w] land surface Date measured: 6-26-18 $BYOUV$
Method of Measurement (check one) ⊠ Steel tape ☐ Electric tap	pe
Well depth: _73' Well grouted to a depth of: _10 feet	t Type of grout (check one): ☐ Neat Cement ⊠ Bentonite ☐ Mix
Casing length: 53 feet Casing diameter: 16	inches Type of casing: PVC
Screen length: 20 feet Screen diameter: 16	inches Type of screen: SS
Screen slot size:050 inches Setting depth:	From 54 feet to 73 feet
Type of completion (check all applicable): ⊠ Gravel packed ☐ U	nderreamed Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: Feet	
If telescoped or more than on	e screen, describe on next page

County: Washington Permit #: GW-50439	For Office Use O	Only:
and boreholes, unless spec	encountered must be provided for all ifically exempted by regulations	wells
If well telescopes, show depths on sketch. Description of Formation	s Encountered From (depth)	To (depth)
Ground level Clay	Ground level	22
Fine Sand	23	47
Fine Sand & Grave	. ,	51
Med. Sand & Grave		70
Clay	71	73
		
If more than one screen, show location of each on sketch		
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may aid in locating the well 3) any roads, power lines, or other items that may aid in locating the property and 4) a north arrow	BY OLWA	(50)
Landowner Name: I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in requirements of the Mississippi Department of Environmental Quality and the Mississippi Republic and other learning.	Form: OLWR-SI a accordance with all applicable	WR-1A (04/08)
if applicable, and state laws. 0695 8-16-18		
Print Name of Responsible Licensee and License No. Date	Signature of Licensee	

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County: Washington GW-50439 Permit #: Irrigation Equipment, Inc. Date drilling completed: 6-26-18

Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225-2309 (601) 961-5210

(601) 360-0535 (fax)

For	Office Use Only:
Well #:	<u>H348</u>
Aquifer:	

	h parts filed with the Dep	urimeni ui ine uvove			<i>well completion.</i>
Well Owner Inform	nation		Well L	ocation	
Owner Name: Wade Giesbrecht		Latitude: 33° 1	9' 27.2"N	Longitude:	90° 57' 0.5"W
Mailing Address: 213 Lakeview Driv	/e	Method of Lat/Lor	ng (check one)	: 🔲 Con	ventional Survey,
		USGS quad, [☑ Hand-held C	SPS, 🗌 Su	rvey-grade GPS
Leland MS City St	38756 ate Zip code	<u>5</u> Ľ	NW W.	Sec <u>17</u> T <u>′</u>	17N R 7W
	ate Zip code	Mile	s SE	of	Greenville
		(Distance)	(Direction)	(Nearest Town)
	Pump Ty _l	oe (check one)			
☐ Submersible ☑ Turbine ☐ Air Lift ☐] Centrifugal ☐ Flowing V	Vell ☐ Jet ☐ Piston	☐ Rotary ☐ C	ther (desci	ribe):
Date Pump Installed 6-26-18		Rated Pump Capaci	y: 1500+/-		_ Gallons Per Minute
Is This Pump <i>(check one)</i> : 🛛 New 🗌 I					
	Power Ty	pe (check one)			
☐ Electric ☑ Diesel ☐ Gasoline ☐ Na	itural Gas 🔲 Tractor PTO	☐ Windmill ☐ Othe	r (describe):		
Horse Power Rating of Motor: 40	Setting Depth:	60	feet Num	ber of Stag	jes: <u>1</u>
	-	for Non Flowing We			
					Hours
Static Water Level (A):					
Drawdown [(B) - (A)]:	Feet Below Land Surf	ace Test Pumping	Rate:		_ Gallons Per Minute
Method of measurement (check one): [- a		/-1 1 1-		
	☐ Steel tape ☐ Electric to	ape 🗌 Air line 🗌 Oth	er (aescribe):		
		ape	er (<i>describe)</i> :		
	Pump Test Da		ier (describe):		
	Pump Test DaFeet	ta for Flowing Well			ours of pumping
Measured shut in head:	Pump Test Da Feet th a drawdown of	ta for Flowing Well			ours of pumping
Measured shut in head: Well yielded GPM wit	Pump Test Da Feet th a drawdown of Meter	ta for Flowing Well feet a	fter	hc	ours of pumping
Measured shut in head: Well yielded GPM wit Meter Manufacturer:	Pump Test Da Feet th a drawdown of Meter	ta for Flowing Well feet a Installation Meter Serial N	fter	ho	ours of pumping
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name:	Pump Test Da Feet th a drawdown of Meter	feet a Installation Meter Serial N Type of Met	fter	ho	ours of pumping
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fa	Pump Test Da Feet th a drawdown of Meter actor (AF x .001, gal x 10	feet a Installation Meter Serial N Type of Met	fter	ho	ours of pumping
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallostallation Date:	Pump Test Da Feet th a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by:	ta for Flowing Well feet a Installation Meter Serial N Type of Meter 00, etc):	fter	ho	ours of pumping
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallstallation Date: Is This Meter (check one): New I	Pump Test Da Feet th a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by: Repaired □ Replacemer	feet a Installation Meter Serial N Type of Meter 00, etc):	fter	ho	BYOLWR
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallstallation Date: Is This Meter (check one): New I Important: By submitting the abo	Pump Test Da Feet h a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by: Repaired Replacemer ve information you are ce	feet a Installation Meter Serial N Type of Meter Serial N	fterlumber:er:er was installed	ho	BYOLWR
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallstallation Date: Is This Meter (check one): New I Important: By submitting the abo	Pump Test Da Feet th a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by: Repaired □ Replacemer	feet a Installation Meter Serial N Type of Meter Serial N	fterlumber:er:er was installed	ho	BY OLWA
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallstallation Date: Is This Meter (check one): New I Important: By submitting the abo	Pump Test Da Feet h a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by: Repaired Replacement ve information you are cecultural wells, a list of app	feet a Installation Meter Serial N Type of Meter 00, etc): Installation Type of Meter Type of Meter	iter lumber: er: er was installe ae MDEQ web.	ho	BY OLWA
Measured shut in head: Well yielded GPM wit Meter Manufacturer: Meter Model Number/Name: Totalizer Register Unit and Multiplier Fallstallation Date: Is This Meter (check one): New Important: By submitting the aborter agric	Pump Test Da Feet h a drawdown of Meter actor (AF x .001, gal x 10 Meter installed by: Repaired Replacement ve information you are cecultural wells, a list of app	feet a Installation Meter Serial N Type of Meter 00, etc): Installation Type of Meter Type of Meter	iter lumber: er: er was installe ae MDEQ web.	ho	BYOLWR

STATE OF MISSISSIPPI

Department of Environmental Quality Office of Land and Water Resources P. O. Box 2309 Jackson, Mississippi 39225

PERMIT

TO DIVERT OR WITHDRAW FOR BENEFICIAL USE THE PUBLIC WATERS

This permit is issued to the landowner named below in accordance with the provisions of the Mississippi Water Laws, Mississippi Code Sections 51-3-1, et seq.(1972, as amended), and the regulations and standards as promulgated thereunder. Whether or not specifically named in this permit or in the applications for this permit, anyone using water from the diversion/withdrawal point described below shall do so in compliance with the provisions of this permit. Neither this permit, nor any authority conferred hereby, may be sold, conveyed, encumbered, assigned, or otherwise aliened, for any period of time or under any conditions whatsoever. This permit may not be modified, transferred or revoked without prior action by the Permit Board. Any attempts to modify, transfer or revoke this permit, or to take any other action on this permit, shall be invalid and unenforceable and may result in immediate revocation or suspension of this permit. The holder of this permit shall at all times be responsible for adherence to the terms and conditions of this permit. No agreement between the permit holder and any other party shall affect the obligations and liabilities of the permit holder. Water use under this permit is allowed only when the streamflow, lake level elevation, or static groundwater level (whichever, if any, is applicable) is above the established minimum, pursuant to Mississippi Code Section 51-3-7. Authorization is hereby granted to divert/withdraw water for the beneficial use designated herein, and for no other purpose, subject to the following terms, conditions, and limitations:

Permit Number: MS-GW-50439

Landowner Name: GIESBRECHT, LANCE AND ANDREA

Landowner Address: 2681 TRIBBETT ROAD

LELAND

38756 MS

Source Of Water: MISSISSIPPI RIVER VALLEY ALLUVIAL AQUIFER

Beneficial Use: IRRIGATION

Diversion/Withdrawal Location: SW 1/4 of the NW 1/4

Section: 17 Township:17N Range: 07W

County: WASHINGTON

Quad: ARCOLA

Maximum Volume: 240 Acre-Fcet/Year

equivalent to .2142 Million Gallons/Day

Maximum Rate: 1800 Gallons/Minute

Applicant Name: GIESBRECHT, WADE Applicant Address: 213 LAKEVIEW DRIVE

LELAND

MS 38756

Date Permit Issued: 06/07/2018 Date Permit Expires: 06/07/2023

Date Permit Modified: Date Permit Re-issued:

RECEIVED AUSTO BY OLIVING This permit shall be deemed null and void if construction has not begun within one (1) year of permit issue date

SPECIAL TERMS AND CONDITIONS: SEE ATTACHMENT 1, WHICH IS HEREBY DECLARED TO BE PART OF THIS PERMIT.

SPECIAL TERMS AND CONDITIONS 2:

Gary C. Rikard, Executive Director Mississippi Department of Environmental Quality



Google Earth

feet ______1000 meters _____500

RECEIVED AUG 27 2018 BY OLWR