State Well Report						
cay Washington	Part 1 - Driller's Log		For Office Use Only:			
	Mississippi Departmen	t of Environmental Quality	Aquife: 5/97			
Irrigation Equipment	Office of Land and Water Resources P.O. Box 2309		Well #: J0134			
	Jackson	, MS 39225				
Date drilling completed: 10-10-10		961- 5210 L-5228 (fee)	L. S. Elevation:			
(601)961- 5			E-log#:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the						
Department at the above address within 30 days of completion of drilling of the well or borchole.						
Information on Well Owner (Landowner if borehole is not for a water well)		Well or Be	rehole Location			
Owner Name Charles Eatherly		Latitude: 33 • 20 · 30.6	" Longitude: 90 • 43 - 31.6			
Mailing Address: 2279 Sleepy Hallow L		Method of Lat/Long (circle one): Conventional Survey,				
USGS quad (Hand-held GPS) Survey-grade GPS						
			2 Twn 17N Rng 6 W			
Germantown Tn. 38138 City State Zip Code		NW	-			
		Distance Direction Nearest Town 2 Miles NW of Rinlock				
Telephone No. ()	····		us			
	Well / Bore	hole Data				
Dute drilling started 10-10-10 Dute drilling completed: 10-10-10 Hole depth: 110 Hole diameter: 24"						
Location of the source of any surface water used for drilling: Surface Water Method of dosing and volume of Chlorine used in drilling and development: 50 PPM						
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):						
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump						
Seismic Survey Other (describe)						
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other: Pivo +						
		*	UINCT:			
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level: 2/ feet above (circle one) land surface Date measured: 11-12-10						
Method of Measurement (circle one) steel tape electric tape air line other:						
Well depth: 110 Well grouted to a depth of 10 feet Type of grout (circle one): Next Cement Bentonite Mix						
Casing length: 70 feet Casing diameter: 16 inches Type of casing: PVC						
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC						
Screen slot size: <u>050</u> inches Setting depth: From 7/ feet to 110 feet						
Type of completion (circle all applicable): Gravel packet Underreamed Telescoped Open hole Natural Development						
Other (describe):						
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page						

State Well Report Part 1 – Driller's Log

RECEIVED

Form: OLWR-SWR-1A (04/08)

NOV 2 3 2010

BY: OLWR

well telescopes, show depths on sketch. Ground Level			
	Description of Formations Encountered	From (depth)	To (depth)
•	Clau	Ground Level	22
	Fine Sand	23	59
	Fine Sand + Gravel	60	68
	Medium Sand & Gravel	69	108
	Clay	109	110
İ	•		
•		·	
			ļ
· ·			
.			
ì			
i			
			
			
1			
•			1
•			1
f more than one screen, show location of each on sketch			
, , , , , , , , , , , , , , , , , , ,			
• .			
• •			
Δ			
\(\lambda \)			
\			
	·		
	•		
	herh		
		OLWR-SWR-1/	A (04/08)
owner Name: Charles Eath	Form:		• •
owner Name: <u>Charles</u> <u>Fath</u> fy that the well/borehole was drilled, constructed, and sippi Department of Environmental Quality and the N	Form: completed in accordance with all applicable i	equirements of	the
owner Name: <u>Charles</u> <u>Eath</u> fy that the well/borehole was drilled, constructed, and	Form: completed in accordance with all applicable i	equirements of	the
owner Name: <u>Charles Eath</u> fy that the well/borehole was drilled, constructed, and sippi Department of Environmental Quality and the N	Form: completed in accordance with all applicable i	equirements of	the
owner Name: <u>Charles</u> <u>Eath</u> fy that the well/borehole was drilled, constructed, and	Form: completed in accordance with all applicable i	equirements of	the

The sketch below only required for water wells

VED

NOV 2 3 2010

BY: OLWR

County: Washington Permit: GW-44545- Irrigation Equipment Delice: Date completed: 11-10-10 Combinements from Nect on Part 1	Part 2 Image Installer's Completion Report Ima			
This part of the report must be completed by a licent report must be attached and both parts filed with the	ned water well contractor or a licensed pump installer. A copy of Part 1 of the Department at the above address within 30 days of well completion.			
Owner Name: Charles Eathe	Well Location			
Ger <u>mantown Tn. 3</u> City State Zip Telephone No. ()	18/38 NW XAF X Sec. 10 T 17NR 6W			
Pump Type	Pewer Type			
Circle one Air Lift Jet Submers	Circle one			
Bucket Piston Turbine	Electric Motor) Hand Tractor PTO			
Centrifugal Rotary Flowing				
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: $1/2-10$ Rated Pump Capacity: 1200 ± 6 Gallons P				
Pump Test Buta Date Well Tested: Static Water Level (A): Pumping Water Level (B): Feet Below Lan	Other (specify):			
Drawdown [(B) – (A)]:Feet Below Lan	nd Surface For flowing well, measured shut in head:fect			
Test Pumping Rate:Gallons P	er Minute Well yieldedGPM with a drawdown of			
Decation of Pump Test (minimum 4 hours):	hoursfeet afterhours of pumping			
This is for (circle one): New Well Replacement of Existing Pump Repair of Existing Pump				
1 HEREBY CERTIFY that the above statements are to Patrick M Chism 0695	as			
Print Name of Pump Installer and License No. (if appli	Signature of Pomp Installer Form: OLWR-SWR-1C (07-09)			

RECEIVED

NOV 2 3 2010

BY: OLWR