# STATE WELL REPORT

# Washington - MS County: Permit #: Driller: Roland W Tollett (RMO-00009026) Date drilling completed: 07-31-2019

Part 1 Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5555

For C	Office Use	Only:
Well #:	J136	
Aquifer:		
E-Log #:		REC

USGS site name: BP-04b

(601)961-5228 (fax)

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the work.

Well Owner Information (Landowner if borehole is not for a water well)  Owner Name: _Bubba Simmons (landowner)			✓ Well or Borehole Location			
		,	Latitude: 33.28161 Longitude: -090.83720			
Mailing Address: USGS (driller - rtollett@usgs.gov)		@usgs.gov)	Method of Lat/Long (check one): Conventional Survey,			
3095 W. California Ave			USGS quad, Hand-held GPS_X, Survey-grade GPS			
Ruston	LA	71270	NE ¼ NE ¼, Sec 32 T 17N R 06W			
City	State	Zip Code	3 <sub>Miles</sub> E/NE <sub>of</sub> Arcola, MS			
Telephone No. (318)	251-9630 (245-8	3639 cell)	(Direction) (Nearest Town)			

Well / Borehole Data			
Date drilling started: 7/31/19 Date drilling completed: 7/31/19 Hole depth: 48 ft bls Hole diameter: 3.25 in			
Location of the source of any surface water used for drilling: none used			
Method of dosing and volume of Chlorine used in drilling and development: none used			
Logs run (check <i>applicable</i> ): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s): USGS, 3095 W. California Ave, Ruston, LA 71270 (318) 251-9630 x13			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check all applicable): Home Industrial Public Supply Irrigation Fish Culture other			
Other (describe): monitoring well			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 14.25 feet [above or below] land surface Date measured: 7/31/2019 @ 1045			
Method of measurement (check one) Steel tape   Electric tape   Air line   Other (describe):			
Well depth: 47 Well grouted to a depth of: 25 feet Type of grout (check one): Neat Cement Bentonite Mix			
Casing length: 37feet Casing diameter: 2inches Type of casing: PVC			
Screen length: 10feet Screen diameter: 2inches Type of screen: PVC			
Screen slot size: 0.010inches Setting depth: From 37feet to 47feet			
Type of completion (check all applicable): Gravel packed Underreamed Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: NAfeet			
If telescoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A (4/13)

County:	Washington - MS
Permit #:	

RECEIVED
12-03-2019
By OLWR

USGS site name: BP-04b

For	Office	Use	Only	•

Well #: _	J136		

# The sketch below only required for water wells

### If well telescopes, show depths on sketch.

Ground Level	109 ft	

### <u>Description of formations encountered must be provided for all wells</u> <u>and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
	Ground level	
From 2 cores:		
mix of brown silt clay sand	10	15
bwn/black coatings on sand grains	15	20
gray fine sand	25	30
fine to medium sand	40	45

If more than one screen, show location of each on sketch



I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Roland W Tollett

Tollett

Tollett

Digitally signed by ROLAND
TOLLETT
TOLLETT
Date: 2019.10.22 14:57:01 -05'00'

Print Name of Responsible Licensee and License No. Date Signature of Licensee

Form: OLWR-SWR-1B (4/13)

#### 151J0136

Driller: Roland W Tollett, USGS, 3095 W California Ave, Ruston, LA 71270 [318-245-8639] (MS LIC RMO-00009026)

Site number: BP-04b\_

Drill date: 20190731 Plugged date: active monitoring well

Site type: USGS monitoring well

EC-log depth: see well BP-04a-EC (~98 ft bls) for log information

Rig Type: Geoprobe 7822DT with EC-HPT probe

Lat/Long 33.28161 -090.83720 +-8ft Sec Township Range: NE1/4,NE1/4,S32,T17N,R06W

Land surface elevation: 33.5 meters (109 feet) [data source: DEM]

Topo Map Name: <u>Tribbett, MS</u> County/Parish: <u>151 Washington County, MS</u> (1:24,000)

HUC code: 080302071402 Fourmile Bayou Bogue Associated well in USGS NWIS: 331654090501402

Land owner: Bubba Simmons

\*\*\*\*\*\*\*\* USER NOTES \*\*\*\*\*\*\*

Drilled by Roland (USGS Ruston LA) and Wesley Bolton (USDA ARS Oxford MS).

#### **Core interval notes:**

(note that this desc was viewed through plastic core sleeve and will be processed at the USDA ARS in Oxford MS):

10-15: mix of brown silt clay sand

15–20: brown and black coatings on sand grains

25-30: gray fine sand

40-45: fine to medium sand

**Well construction:** This 2" PVC monitoring well is ~50 ft from bottom of point to TOC with a 10 ft screen; screened interval is ~37-47 ft bls; MP is 3.00 above land surface with aluminum protective riser and 2 ft radius concrete slab; a 4" point was added to btm of casing; about 5 gallons of tap water were poured into PVC casing prior to pulling rods; this technique was used to balance and equalize pressure.

About 2 cups of bentonite granules were poured into the annular space of the borehole and bridged over around 20 ft below land surface (bls). Portland cement at a tap water ratio of 5-6 gals per 92-lb bag was used to seal the borehole from about 25 ft bls to land surface.

#### Water level:

7/31/19 @ 1045 = 18.25 - 1.00 - 3.00 = 14.25 ft bls measured with e-tape by Roland W Tollett of the USGS.

\*Note that all water level tapes used by the USGS are calibrated by the HIF.

\*\*\*\*\*\*\*\*\*\*

12-03-2019
BY OLWR

### 151J0136

# **USGS Borehole BP-04b** (continued)



Figure 1. Map to site near Arcola, MS, 2 mi east on Hwy 438, then ~1 mi north on Martha Plantation Rd. BY OLWR





Page **2** of **3** 

151J0136
USGS Borehole <u>BP-04b</u> (continued)









