| • | | |
|--------------------------|-----------------|------------|
| County: | Washingt | on |
| Permit #: | GW-457 4 | 7 |
| Driller: | Irrigation | Equipment |
| Date drilling completed: | | 04/02/2012 |
| | | |

State Well Report Part 1 – Driller's Log Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

| For Office Use Only: | | | |
|----------------------|------|--|--|
| Aquifer: | | | |
| Well #: | K156 | | |
| L.S. Elevation: | | | |
| E-log #: | | | |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

| (Lando) | Information on Well Owner wner if borehole is not for a water well) | Well or Borehole Location |
|---------------------|---|--|
| Owner Name | Mississippi Mudd Inc. | Latitude: <u>33</u> ° <u>16</u> ' <u>08</u> " Longitude: <u>91</u> ° <u>00</u> ' <u>38</u> ' |
| Mailing Address: | 184 Bayou Road | Method of Lat/Long (check one): Conventional Survey, |
| | | USGS quad, X Hand-held GPS, Survey-grade GPS |
| | Greenville Ms 38701 | <u>NE 1/4 NE 1/4 Sec 9 / Twn 15N Rng 8W /</u> |
| | CityStateZip code | Distance Direction Nearest Town |
| Talanhana Na | | 1 Miles East of Wayside |
| Telephone No. | <u>()</u> - | |
| | Well / Be | orehole Data |
| Date drilling start | ed: 04/02/2012 Date drilling completed: 04/0 | 02/2012 Hole depth: 87 Hole diameter: 24" |
| | surce of any surface water used for drilling: Surface | |
| Method of dosing | and volume of Chlorine used in drilling and developm | nent: 50 PPM |
| U U V | Il applicable): 🖾 No log run 🔲 Electric 🔲 Gamma tion running log(s): | a Ray Density Sonic Neutron Other: |
| Purpose of boreho | ole (check one): 🛛 Water Well 🗌 Geotechnical | I/Geological Investigation Ground Source Heat Pump |
| | Seismic Survey Other (| describe) |
| | | onstruction, skip the remainder of this block |
| Purpose of Well (| check one) 📋 Home 📋 Industrial 🛄 Public Suj | pply 🛛 Irrigation 🔲 Fish Culture 🔲 Other: |
| If flowing, method | d of flow regulation: Valve Other (de | escribe) |
| Static Water Leve | I: <u>14</u> feet above or below (check one) 🗆 la | nd Surface Date measured: 04/20/2012 |
| Method of Measu | rement (check one) 🖾 steel tape 🔲 electric tape | air line other: |
| Well depth: 87 | Well grouted to a depth of feet | Type of grout (check one): 🗌 Neat Cement 🖾 Bentonite 🗌 Mix |
| Casing length: | 47 feet Casing diameter: <u>16</u> | inches Type of casing: PVC |
| Screen length: | 40 feet Screen diameter: 16 | inches Type of screen: PVC |
| Screen slot size: | .050 inches Setting depth: From | |
| Type of completion | on (check all applicable): 🛛 Gravel packed 🗌 U | Underreamed 🗍 Telescoped 🗌 Open hole 🛄 Natural Development |
| | Other (describe): | |
| Top of lap pipe or | reduction in casing: feet.] | f telescoped or more than one screen, describe on next page |
| L | | |
| | | |

K156

. The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground level

٠

.

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|---------------------------------------|--------------|------------|
| Clay | Ground level | 33 |
| Medium Sand & Gravel | 34 | 85 |
| Clay | 86 | 87 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | ·· |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | · · · · · |
| [| | I |

If more than one screen, show location of each on sketch

| aid in l | | | n; 2) any permanent structures on the property that mager items that may aid in locating the property and the w | |
|--|---|--|--|---------|
| | | | RECEIVED MAY 0 9 2012 BY: OLWR | |
| Landowner Name: | Mississippi Mudd Inc. | | | |
| I certify that the well/bor Mississippi Department o laws. | chole was drilled, constructed f Environmental Quality and | , and completed in account the Mississippi Departm | Form: OLWR-SWR-1A ordance with all applicable requirements of the ment of Health regulations, if applicable, and state | (04/08) |
| Patrick Chism Print Name of Responsible Licen | 0695 see and License No. | 05/04/2012 Date | Signature of Licensee | |

Form provided by Forms On-A-Disk · 214-340-9429 · FormsOnADisk.com

STATE WELL REPORT

| County: | Washington | |
|-------------|--------------------------------|--|
| Permit #: | GW-45747 | |
| Driller: | Irrigation Equipment | |
| Date drilli | ing completed: 04/02/2012 | |
| | formation from block on Part 1 | |

Part 2 Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601) 961-5210 (601) 961-5228 (fax)

| | For Office Use Only: | |
|------------|----------------------|--|
| Aquifer: | | |
| Well #: | K156 | |
| Elevation: | | |

BY: OLWR

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

| Well Owner Information | | Well Location | |
|--|--------------------|--|--|
| Owner Name: Mississippi Mudd Inc. | | Latitude: 33 16' 08 N Longitude: 91 00' 38 W | |
| Mailing Address: 184 Bayou Road | | Method of Lat/Long (check one): Conventional Survey, | |
| | <u> </u> | USGS quad, X Hand-held GPS, Survey-grade GPS | |
| Greenville | Ms 38701 | <u>NE ¼ NE ¼ Sec 9</u> T <u>15N</u> R <u>8W</u> | |
| City | State Zip code | Distance Direction Nearest Town | |
| | | | |
| Telephone No | , | 1 Miles East of Wayside | |
| Pump Type | | Power Type | |
| Check one | | Check one | |
| Air Lift 🗍 Jet | Submersible | Diesel Engine Gasoline Engine Natural Gas | |
| Bucket Piston | 🔀 Turbine | Electric Motor Hand Tractor PTO | |
| Centrifugal Rotary | Flowing Well | Windmill Other (specify): | |
| Other (specify): | | Horse Power Rating of Motor: 50 | |
| Date Pump Installed: 04/20/2012 | | Setting Depth: 60 feet | |
| Rated Pump Capacity 2000+/- | Gallons Per Minute | Number of Stages: 2 | |
| Pump Test Data | • | Method of Measuring Water Level Check one | |
| Date Well Tested: | | Air Line Electric Measuring Line Steel Tape | |
| Static Water Level (A): | | Other (specify): | |
| Pumping Water Level (B): | | | |
| Drawdown [(B) - (A)]: | | For flowing well, measured shut in head: feet | |
| Test Pumping Rate: | | Well yielded GPM with a drawdown of | |
| Duration of Pump Test (minimum 4 hours): | hours | feet after hours of pumping | |
| | | | |
| This is for (check one): New | | nent of Existing Pump Repair of Existing Pump | |
| I HEREBY CERTIFY that the above statements are true to the best of my knowledge. | | | |
| Patrick Chism | 0695 | Signature of Pump Installer | |
| Print Name of Pump Installer and License | | | |