
Au	State We	ll Renort	
County: WASHINGTON	State Well Report Part 1		For Office Use Only:
Permit #:	Mississippi Department of Environmental Quality		Aquifer:
Driller: J. HEWCOME 0.773		d Water Resources x 10631	Well #://
	Jackson, MS	39289-0631	L. S. Elevation:
Date drilling completed: 7-25-07		51-5210 6938 (fax)	E-log #:
	(001)554-	0950 (Iax)	L°Ng #
State Law requires that this repo 30 days of completion of drilling		riller in detail and filed w	ith the Department within
Well Owner Informa		Wel	Location
wner Nam RiFtwork	MITIGATIONAR	Latitude: 33. 12.48	" Longitud 990 57.25"
Tailing Address: C/O (GRP OF	ENGINEERS	Method of Lat/Long (circle o	ne): Conventional Survey,
4155 Char	y ST.	USGS quad Hand-held	I GPS, Survey-grade GPS
VICKS BURG	AL 39/83 Ate Zip Code	SE 1/ SW 1/4 Sec 21	Twn 16N Rng TW
relephone Not 01 529-5		Distance Direction	of itouanonte
	Well D	ata	······································
			Other
Purpose of Well (circle one) Home Inc		Irrigation Fish Culture	Other:
Date well drilling started: 7-25-0	Date w	ell drilling completed:	-25 -0
If flowing, method of flow regulation: Va	alve Other (de	escribe)	
Static Water Level:feet a	bove or below (circle one) la	and surface Date measured	
Method of Measurement (circle one)			Jacob
Hole depth: <u>93</u> Well de			10 RECEIVE
Type of grout (circle one): Cement	Bentonite Mix		AUG 06 2007
Casing length: <u>60</u> feet Cas		inches True of easi-	PUCBY: OLWR
_		inches Type of casing:	Pala
Screen length: <u>30</u> feet Scr	reen diameter:	inches Type of screen:	TUC
Screen slot size: .050 inches	Setting depth: From _		FOfeet
Type of completion (circle all applicable)	): Gravel packed Under	reamed Telescoped Ope	n hole Natural Development
	Other (describe):		······································
Top of lap pipe or reduction in casing:	feet. If te	lescoped or more than one se	creen, describe on back of page
Logs run (circle all applicable). No log 1	Electric Gamma Ray	Density Sonic Neutron	Other:
Name of organization running log(s):			
I certify that the well was drilled, cons	-		
		nortment of Health reculatio	ns and state laws.
Department of Environmental Quality	and/or the Mississippi Dep	Var Hilche of Frendrik LeBanano	
Department of Environmental Quality		- filie	Dank


If well telescopes please sketch below and show depths.





Description of Formations Encountered	From	To
Jop Soil	0	10
Mix CIAY	10	40
Fine Send	40	60
COArse sand	60	20
Gravel Bed	90	93
		<u> </u>
L		

If more than one screen, show location of each on sketch



Signature of Water Well Contractor

ULALL III	CLL REFURI		
	Part 2		
	s Completion Report For Office Use Only:		
Permit #: Mississippi Departmet	nt of Environmental Quality Aquifer.		
Driller NEucome 0-772 P.O.	and Water Resources		
Jackson, M	AS 39289-0631 Well #: L -171		
Date completed $2 - 25 - 07$ (601)	961-5210		
(601)35	54-6938 (fax) Elevation:		
This report should be prepared by the pump installer in deta installation of pump.	il and filed with the Department within 30 days of the		
Well Owner Information	Well Location		
Owner Name R SET Day O Mission 1			
Owner Name RIFTWOOD MITIGATOR A	Latitude 3-12-48 Longitude 90-57-25		
Mailing Address: CO CORPOR ENCINESAS	Method of Lat/Long (circle one): Conventional Survey,		
4455 CLAYST.	USGS quad. Hand-held GPS, Survey-grade GPS		
VICKS Bure, MS. 39/83			
V100013416, 112. 37185	SE 1/SW 1/4 Sed I Two IGN Rng 7W		
City State Zip Code	Distance Direction Nearest Town		
Telephone No. 001-529-5282			
Telephone No. 01-529-5282	4 Miles NW of Hollgwpale		
Ритр Туре	Power Type		
Circle one	Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: 7-26-07	Setting Depth: <u>70</u> feeREON		
Rated Pump Capacity: 1000 Gallons Per Minute	Number of Stages:		
· · · · · · · · · · · · · · · · · · ·	AUG 0 6 200-		
Pump Test Data	Method of Measuring Water Level		
	Circle one		
Date Well Tested:	A		
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): 1 Feet Helow Land Surface	Other (specify):		
17) Text Mu			
Drawown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.			
(SEN REWE, 710-P Station			
Print Name of Pump Installer and License No. (if applicable)			
(11 applicable)	Signature of Pump Installer		