BRUTON # 2	
State Well Report County: WASHINGTON Permit #: GW - 4660 3 Part 1 - Driller's Log Mississippi Department of Environmental Quality Aquifer Driller: J. NEWCOME 0.773 Mississippi Department of Environmental Quality Aquifer Driller: J. NEWCOME 0.773 Jackson, MS 39225 Well #: Date drilling completed: 10.30.12 (601)961-5210 E-log # State Law requires that this report be prepared by the license holder responsible for the work Department at the above address within 30 days of completion of drilling of the well or bore Information on Well Owner (Landowner if borehole is not for a water well) Use of a water well Owner Name Bruton Farms Partner Ship 13 · 01 · " Longit	<i>hole.</i> .ocation itude: <u>90 °52 °23 "</u>
Mailing Address: <u>P.O. Box 522</u> <u>Hollandale MS 38748</u> City State Zip Code <u>Telephone No. ()</u> <u>Method of Lat/Long (circle one): Con</u> <u>USGS quad. Hand-held GPS, Si</u> <u>SW 45E</u> 4 Sec <u>24</u> Twn <u>Distance</u> <u>Direction</u> Nea <u>Miles</u> <u>N.</u> of <u>Hea</u>	urvey-grade GPS $\sqrt{1.6N^{2}}$ Rng $\sqrt{7.6}$
· Well / Borehole Data	
Date drilling started: 10.30.12 Date drilling completed: 10.30.12 Hole depth: 122 Hole di	ameter: 20"
Name of organization running log(s): Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block	Heat Pump
Purpose of Well (check one): Home Industrial Public Supply Irrigation X Fish Culture Other	er:
If a flowing well, method of flow regulation: Valve Other (describe)	
Static Water Level: feet above or below (circle one) land surface Date measured:	
Method of Measurement (circle one) steel tape electric tape air line other: Well depth: 120 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement (Be	
Casing length: $\underline{80}$ feet Casing diameter: $\underline{10}$ inches Type of casing: $\underline{P.V}$	
Screen length: 40 feet Screen diameter: 10 inches Type of screen: $P.V.C$	<u> </u>
Screen slot size: .050 inches Setting depth: From 80 feet to 120	feet
Type of completion (circle all applicable): Oravel packed Underreamed Telescoped Open hole Other (describe):	Natural Development
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, descr	ribe on next page
Forr	n: OLWR-SWR-1A (04/08)
	FEB 2 0 201

, T , T

BY: OLWR

The sketch below only required for water wells Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations If well telescopes, show depths on sketch. Ground Level_ Description of Formations Encountered From (depth) To (depth) TOP SOIL Ground Level 10 (0 28 SAND 28 53 ED.SAA 60 AND (UARS 90 20 "LASING 40 LF SUREN

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. EE MAR Landowner Name: Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations, if applicable, and state laws.

JOHN NEWCOME 0.773 10.30.12

Print Name of Responsible Licensee and License No.

Signature of Licensee

	STATE W	ELL REPORT		
County: Washington Permut #: <u>6W-46603</u> Driller: <u>J. Newcone</u> Date completed: <u>10.30-12</u>	Pump Installer Mississippi Departme Office of Land P.O. Jackson, (60	Part 2 "'s Completion Report ent of Environmental Quality and Water Resources Box 10631 MS 39289-0631 1)961-5210 554-6938 (fax)	For Office Use Only: Aquifer: Well #:	-
This report should be prepared by the installation of pump.	pump installer in det	ail and filed with the Departm	ent within 30 days of the	
Well Owner Information owner Name: Bruton Farms Par Iailing Address: P.O. Box 52	thership	Latitude: <u>33</u> ° <u>13</u> . Method of Lat/Long (circle of USGS quad, Har	Longitude: 90052-23 ne): Conventional Survey. nd-held GPS. Jurvey-grade GPS 4 Twn 160 Rng 074	>
City State	Zip Code	$\frac{200}{3} \frac{452}{14} \frac{4}{5} \frac{2}{4} \frac{2}{5} \frac{2}{14}$ Distance Direction $\frac{3}{14} \frac{1}{14} \frac{1}{14}$ Miles	Nearest Town	
Pump Type Circle one			ower Type Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand		
Centrifugal Rotary Other (specify): Date Pump Installed: $11 - 3 - 20$ Rated Pump Capacity: 1200	Flowing Well	Windmill Othe Horse Power Rating of Moto Setting Depth: Z Number of Stages:	·	
Pump Test Data			leasuring Water Level	
Dravdown $[(B) - (A)]$:	Below Land Surface Bélow Land Surface Gallons Per Minute	Air Line Dectric M Other (specify): For flowing well, measured Well yielded	Circle one easuring Line Steel Tape shut in head:feetGPM with a drawdown ofhours of pumping	
I HEREBY CERTIFY that the above statem Hubbard Stephens Print Name of Pump Installer and License N	7418	st of my knowledge.	P FEI	B_2