frey

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Location Owner Name Frey Frey Ond Frey Latitude: 33° 12' 12" Longitude: 990° 43' 25" Mailing Address 528 Murry Ra. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Telephone Letter 390 - 3852 Distance Direction Omiles COST of Hellowylake				
Driller: JOM Newcome P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Frey Frey Ond Frey Latitude: 33° 12'12" Longitude: 090° 43'25" Mailing Address S28 Mully Rg. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Telephone Well Location Distance Direction Nearest Town Omiles FOST of Hollowold Leteration Nearest Town Nearest Town Nearest Town Nearest Town Nearest Town Omiles FOST of Hollowold Leteration Nearest Town Nearest Town Nearest Town Nearest Town Nearest Town Omiles FOST of Hollowold Leteration Nearest Town Nearest Town Nearest Town Nearest Town Nearest Town Omiles FOST of Hollowold Leteration Nearest Town Nearest Town				
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Frey Frey and Frey Latitude: 33° 12'12" Longitude: 090° 43'25" Mailing Address 528 Murry Re. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS State Zip Code Distance Direction Nearest Town Omiles COS+ of Hollowdake				
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Owner Name Frey Frey Ond Frey Latitude: 33 ° 12 ' 12 " Longitude: 090° 43 ' 25 " Mailing Address 528 MLRPHY Re. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS State Zip Code Telephone be 127-390-3852 Distance Direction Nearest Town Method of Location Nearest Town Method of Location Distance Direction Nearest Town Miles COST of Hollow Cale				
Well Owner Information Well Owner Information Owner Name Frey Frey and Frey Latitude: 33 ° 12 ' 12 " Longitude: 090° 43 ' 25 " Mailing Address! 528 Murry Rr. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Well Location Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Distance Direction Nearest Town Miles FOST of Hollows are				
Well Owner Information Well Location Owner Name Frey, Frey and Frey Latitude: 33 ° 12 ' 12 " Longitude: 090° 43 ' 25 " Mailing Address 528 MLRF44 Re. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Distance Direction Nearest Town Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS Distance Direction Nearest Town Miles COST of Hellowsdate				
Owner Name Frey, Frey and Frey Latitude: 33 ° 12 ' 12 " Longitude: 090° 43 ' 25 " Mailing Address 528 Murry Rr. Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS USGS quad, Hand-held GPS Survey-grade GPS				
Mailing Address 528 MURPHY Re. Wethod of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS State Zip Code Distance Direction Nearest Town Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS Survey-grade GPS State Zip Code Distance Direction Nearest Town Miles COST of Hollowclate				
USGS quad, Hand-held GPS Survey-grade GPS WSGS quad, Hand-held GPS Survey-grade GPS SELSE 14 Sec 29 Twn GN Rng 5W Telephone BL 62-390-3852 Distance Direction Nearest Town Miles EAST of Hollandate				
Telephone by (22, -390 -3852)				
Telephone New 1 - 390 - 3852 Distance Direction Miles East of Hollandate				
Telephone New 1 - 390 - 3852 Distance Direction Miles East of Hollandate				
471 91 Ph				
Well Data				
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other:				
Date well drilling started: 5-24-07 Date well drilling completed: 5-24-07				
If flowing, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above or below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Hole depth: 133 Well depth: 130 Well grouted to a depth of 10 feet				
Type of grout (circle one): Cement Bentonite Mix				
Casing length: 95 feet Casing diameter: 16 inches Type of casing: PVC				
Screen length: 35 feet Screen diameter: 16 inches Type of screen: PVC				
Screen slot size: . 0 50 inches Setting depth: From 50-75 feet to 120 - 130 feet				
Type of completion (circle all applicable): Cravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Other (describe): Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi				

State Well Report

RECEIVED

JUL 1 0 2007


BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level	
screen 1	-50 -75 casing -120
l	

Description of Formations Encountered	From	То
TOP Soil	0	10
Mix CLAY	10	YO
Fine Sand	40	SO
COArse Sand	SO	25
Fine Sand	75	120
COArse Sand	120	130
Gray CLAY	130	133
	_	-
	_	

If more than one screen, show location of each on sketch



Signature of Water Well Contractor

Permit #: 6w41996 Driller New Cont Date completed: 5-24-07

STATE WELL REPORT

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer	
Well #:	M-192
Elevation	on:

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.

installation of pump.		
Well Owner Information	Well Location	
Owner Name: REY - FREY-FREY	Latitud: 3-12-12 Longitud 90-43-25	
Mailing Address: 1528 Musery Ro.	Method of Lat/Long (circle one): Conventional Survey,	
11.	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code	SE 1/4 SE 1/4 Sec 29 Twn 16N Rng SW	
City State Zip Code 38748 Telephone 16/12-390-3852	Distance Direction Nearest Town	
Telephono-Ko. 425 370 3832	10 Mileast of HOLLANDALE	
Pump Type	Power Type	
Circle one	Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
Date Pump Installed: 5-25-07	Setting Depth:feet	
Rated Pump Capacity: 3000 Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested:	Circle one	
Static Water Level (A); Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B): Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.		
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer		

RECEIVED

JUL 1 0 2007

BY: OLWR