Cocoban #2

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)954-9938 (fax) State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Owner Informatio	State V	Vell Report	For Office Use Only:
Mississippi Department of Environmental Control of Land and Water Resources P.O. Box 10631 State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information We			<u> </u>
P.O. Box 10631 State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Laitude: 33 - 14 - 12 - Longitude: 70 - 14 - 52 Line Bluff AR 7/1601 City State Zip Code Distance State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of complete one) Information Well Location Laitude: 33 - 14 - 12 - Longitude: 70 - 14 - 15 - 16 - 16 - 16 - 16 - 16 - 16 - 16	Mississippi Departme	ent of Environmental Quality	1
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Well Owner Information Well Owner Information Well Control one) Conventional Survey. P.O. Box 7878 Pine Bluff AR 7/160 City State Zip Code City State Zip Code Well Distance 3.5 Miles Direction Nearest Town Distance 3.5 Miles Direction Nearest Town Date well drilling completed: 6-8-09 Find Well (circle one) Home Industrial Public Supply Inrigation Fish Culture Other: Date well drilling started: 6-8-09 Flowing, method of flow regulation: Valve Other (describe) State Well depth: 100 Well grouted to a depth of 100 feet Well open the well drilling completed: 100 inches Type of grout (circle one): Cement Bentonite Mix Casing length: 100 Well depth: 100 well grouted to a depth of 100 feet Type of completion (circle all applicable): Cavel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log me Electric Gamma Ray Density Sonic Neutron Other: TOP of lap pipe or reduction running log(s): I certiffy that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Health regulations and state laws. TOWN NEW OWNER O 773	1 -	Box 10631	
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Nort Name North Name North Name North Name of Project alting Address: CO Prog Bluff Well Well Data P.O. Box 7878 Pine Bluff AR 7/601 City State Zip Code City State Zip Code Well Data Well Data Well Data Well Oarsest Town ARCOLA Well Oarsest Town ARCOLA Well origination Fish Culture Other: Integration Fish Culture Other: Well Broated GPS Name of organization running log(6): Integration Fish Culture Other: Integration Fish Cu	Driller. 1. MEWOJACO J	MS 39289-0631	L. S. Elevation:
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well. Well Owner Information Information Well Owner Information Wel	Date drilling completed: 601 (601)3		E-log #:
30 days of completion of drilling of the well. Well Owner Information Industrial Public Supply Well Data Well Owner Information Name of organization of Information Well Owner Information Information Well Owner Information Well Owner Information Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. JOHAN NEWSOWE JOHAN NEWSOWE Well Coachion Well Advance Information Well And Information Well Location Well And Information Newsory Informat			with the Department within
Well Owner Information Vere Name P.O. Box 7878 Pine Bluff AR 7/60 City State Zip Code City State Zip Code City State Zip Code City State Zip Code Vere Name	30 days of completion of drilling of the well.	the state of the s	
Address: 60 Pine Bluff 1978 P.O. Box 7878 Pine Bluff AR 7/160 City State Zip Code State Zip Code State Zip Code State Zip Code Well Data Upose of Well (circle one) Home Industrial Public Supply Intigation Fish Culture Other: John March Lend GPS Survey-grade GPS Nul 14 Nul 14 Sec. 4 Twn 100 Rang 6 Well prection of Nearest Town 3.5 Miles PART of ARCOLA Well Data Upose of Well (circle one) Home Industrial Public Supply Intigation Fish Culture Other: John March Lend GPS Survey-grade GPS Nul 14 Nul 14 Sec. 4 Twn 100 Rang 6 Well Distance Direction of Nearest Town ARCOLA Well Data Upose of Well (circle one) Home Industrial Public Supply Intigation Fish Culture Other: John March Lend GPS Survey-grade GPS Nul 14 Nul 14 Sec. 4 Twn 100 Rang 6 Well Content	Well Owner Information	.	}
P.O. Box 7878 Pine Bluff AR 7/60/ City State Zip Code State Zip Code Direction Well Data Direction Well Data Well Data Direction Well Data Direction Well Data Direction Well Data Well drilling started: 6-8-09 Date well drilling completed: 6-8-09 Tother (describe) State Zip Code Well drilling completed: 6-8-09 Date well drilling completed: 6-8-09 Well grouted to a depth of	Owner Name Nunney Project	Latitude: 33 . 16 . 12	2" Longitude: 90 44, 52
P.O. Box 7878 Pine Bluff AR 7/601 City State Zip Code State Zip Code Well Data Well Data Usgs quad. Fland-held GPS. Survey-grade GPS N.W. 14 N.W. 14 Sec. 4 Twn 16N Rng 6 N.M. 15 Miles EAST of ARCOLA Distance 3.5 Miles EAST of ARCOLA Well Data Uspose of Well (circle one) Home Industrial Public Supply Imigation Fish Culture Other: Attention of flow regulation: Valve Other (describe) Static Water Level: feet above or below (circle one) land surface Date measured: Method of Measurement (circle one) steel tape electric tape air line other: Method of Measurement (circle one) steel tape electric tape air line other: Method of Measurement (circle one): Cement Bentonite Mix Casing length: 103 Well depth: 100 Well grouted to a depth of 10 feet Screen length: 35 feet Casing diameter: 10 inches Type of casing: Pxc Screen length: 35 feet Screen diameter: 10 inches Type of screen: Pxc Screen slot size: 150 inches Setting depth: From 65 feet to 100 feet Type of completion (circle all applicable): Tavel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): Tolog Tup Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississisppi Department of Environmental Quality and/or the Mississisppi Department of Health regulations and state laws.	Mailing Address: C/O Pine Bluff Wth Bo	Method of Lat/Long (circle of	one): Conventional Survey,
Distance Direction State Supply Inigation Fish Culture Other: Well Data Well Data Well Circle one) Home Industrial Public Supply Inigation Fish Culture Other: Date well drilling started: 6-8-09 Date well drilling completed: 6-8-09 Inigation Fish Culture Other: Date well drilling completed: 6-8-09 Date well drilling completed: 6-8-09 Date measured: Date measured: Date measured: Date measured: Method of Measurement (circle one) steel tape electric tape air line other: Hole depth: 103 Well depth: 100 Well grouted to a depth of feet Supply of grout (circle one): Cement Bentonite Mix Casing length: 6-5-6et Casing diameter: 10 inches Type of casing: 9-7-6 Supply of grout (circle one): Setting depth: From 6-5-6eet to 100 feet Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: 6-6et. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log rup Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): Toertify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississisppl Department of Environmental Quality and/or the Mississisppl Department of Health regulations and state laws.	<u> </u>	USGS quad, Hand-he	ld GPS, Survey-grade GPS
Distance Direction No. (Pine Bluff AR 71601	NW 14 HW 14 Sec 4	Twn ION Rng 6W
Well Data Well Data Well Data Well Data Well Circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Date well drilling completed:		Distance Direction 3.5 Miles EAST	Nearest Town of AKOLA
urpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: Aute well drilling started: 6-8-09	·		
Date well drilling completed:	We	ell Data	
Date well drilling completed:	Purpose of Well (circle one) Home Industrial Public Suppl	y Irrigation Fish Culture	. !
Method of Measurement (circle one) steel tape electric tape air line other: Hole depth:	Date well drilling started: 4-8-09 Date	ate well drilling completed:	6-8-09
Method of Measurement (circle one) steel tape electric tape air line other: Hole depth:	If flowing, method of flow regulation: Valve Other	er (describe)	
Hole depth:			L L
Type of grout (circle one): Cement Bentonite Mix Casing length: 65 feet Casing diameter: 10 inches Type of casing: 9 C Screen length: 35 feet Screen diameter: 10 inches Type of screen: 9 C Screen slot size: 650 inches Setting depth: From 65 feet to 180 feet Type of completion (circle all applicable): 6 feet 10 feet to 180 feet Type of completion (circle all applicable): 6 feet 10 feet 10 feet 10 feet Top of lap pipe or reduction in casing: 6 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): 7 feet. If telescoped or more than one screen.	Method of Measurement (circle one) steel tape electric t	· · · •	
Casing length: 65 feet Casing diameter: 10 inches Type of casing: 7 C Screen length: 35 feet Screen diameter: 10 inches Type of screen: 7 C Screen slot size: 650 inches Setting depth: From 65 feet to 100 feet Type of completion (circle all applicable): 6 Favel packed Underreamed Telescoped Open hole Natural Development Other (describe): 6 Feet If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: 8 Name of organization running log(s): 1 Certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.	Hole depth: 103 Well depth: 100	Well grouted to a depth of	of O feet
Casing length: 65 feet Casing diameter: 10 inches Type of casing: 7 C Screen length: 35 feet Screen diameter: 10 inches Type of screen: 7 C Screen slot size: 650 inches Setting depth: From 65 feet to 100 feet Type of completion (circle all applicable): 6 Favel packed Underreamed Telescoped Open hole Natural Development Other (describe): 6 Feet If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: 8 Name of organization running log(s): 1 Certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.	Type of grout (circle one): Cement Bentonite	Mix	
Screen length:		inches Type of casing	Prc
Screen slot size: 050 inches Setting depth: From 65 feet to 100 feet Type of completion (circle all applicable): Tavel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on back of page Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.	Casing rengul		A 1
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development Other (describe): Top of lap pipe or reduction in casing:	· ·	,	180
Other (describe):	,	OM1	pen hole Natural Development
Top of lap pipe or reduction in casing:			
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.			
Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.	Top of lap pipe or reduction in casing:feet.	If telescoped or more than one	screen, describe on back of page
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. Total Newcone 0-773	Logs run (circle all applicable) No log run Electric Gamma	Ray Density Sonic Neutro	n Other:
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws. John Newcone 0-773	Name of organization running log(s):	11 1	ship requirements of the Mississinni
JOHN HENCOME 0:773 Yol Neware	I certify that the well was drilled, constructed, and complete	d in accordance with all applica	some requirements of the transmishing
JOHN NEWCOME 0.773 Johnson	Department of Environmental Quality and/or the Mississipp	i Department of Health regulat	Jour and sease mas-
, -	JOHN NEWCOME 0:773	Jol	Newa
Print Name of Water Well Contractor and License No. Signature of Water Well Contractor	Print Name of Water Well Contractor and License No.	Signatu	tre of Water Well Contractor

JUL 15 2009

BY: OLWR

If well telescopes please sketch below and show depths.

Ground Level	
Screen	_ 65 _ 100

Description of Formations Encountered	From	To
10P Sail	0	10
mix CIAY	10	40
Fine Sand	40	SO
COArse Sand	6	
	40	100
grave	100	10
·		
		$oxed{L}$

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any perman aid in locating the well; 3) any roads, power lines, or other items that may a 4) indicate direction.	ent structures on the property that may aid in locating the property and the well;
MS 61 438	- Trail Lake
House	Simmons PIX,
Landowner Name:	φν. 2 / ₁ / ₁

Signature of Water Well Contractor

STATE WELL REPORT

Part 2

County: Usshmaten

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631

Jackson, MS 39289-0631 (601)961-5210

For Office Use Only:
Aquifer.
Well#: \QC7

Well Location Well Location Well Location Well Location Well Location Well Location Direction Longitude: 90° 49' 52" Lo
le: 33°16'12" Longitude: 90°49'52" lof Lat/Long (circle one): Conventional Survey. USGS quad Hand-held GPS Survey-grade GPS 14 NW 14 Sec 4 Twn 6N Rng 6W le Direction Nearest Town Miles East of Arcola Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Other (specify): Power Rating of Motor: 30
le: 33°16'12" Longitude: 90°49'52" lof Lat/Long (circle one): Conventional Survey. USGS quad Hand-held GPS Survey-grade GPS 14 NW 14 Sec 4 Twn 6N Rng 6W le Direction Nearest Town Miles East of Arcola Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Other (specify): Power Rating of Motor: 30
USGS quad Hand-held GPS Survey-grade GPS 14 NW 14 Sec 4 Twn 6 Rng 6 W 15 Direction Nearest Town Miles East of Arcola Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Cover Rating of Motor: 30
USGS quad Hand-held GPS Survey-grade GPS 14 NW 14 Sec 4 Twn 6N Rng 6W Re Direction Nearest Town Miles East of Arcola Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Other (specify): Power Rating of Motor: 30
USGS quad Hand-held GPS Survey-grade GPS 14 NW 14 Sec 4 Twn 6N Rng 6W Re Direction Nearest Town Miles East of Arcola Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Other (specify): Power Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Cower Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Cower Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Cower Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO Other (specify): Power Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Power Type Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Circle one Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Engine Gasoline Engine Natural Gas Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Motor Hand Tractor PTO ill Other (specify): Power Rating of Motor: 30
Other (specify):
Power Rating of Motor: 30
\ ^
Depth:feet
r of Stages:
Method of Measuring Water Level Circle one
CHOIC ONC
e Electric Measuring Line Steel Tape
specify):
wine mall managed at the control of
wing well, measured shut in head:feet
ieldedGPM with a drawdown of
feet after have af
feet afterhours of pumping
ilo

Print Name of homp Installer and License No. (if applicable) RECEIVED Signature of Pump Installer

JUL 15 2009

BY: OLWR