County: WASHINGTON

Permit #: GW-45200

Driller: J. NEYCOME 0:773

Date drilling completed: 4-20-2011

## **State Well Report**

Part 1

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:
Aquifer: 0 / 5%
Well #:
L. S. Elevation:
E-log #:

State Law requires that this report be prepared by the driller in detail and filed with the Department within

30 days of completion of drilling of the well.	WILL T Alam
Well Owner Information	Well Location
Owner Name Torrey Woods + Son	Latitude: 33.06.36." Longitude: 090.41.45."
Mailing Address: PO Box 427	Method of Lat/Long (circle one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Hollandate, MS 38748	SX 4 SE 14 Sec 27 Twn ISN Rng SW
City State Zip Code	ING NG 34
Telephone No. ()	Distance Direction Nearest Town 9.5 Miles SE of HOLLANDALE
	Data
Well	
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture Other:
Date well drilling started: 4-20-2011 Date	well drilling completed: 4-20-2011
If flowing, method of flow regulation: Valve Other	(describe)
Static Water Level:feet above or below (circle one)	
	e air line other:
Hole depth: 1/2 Well depth: 110	Well grouted to a depth of feet
Type of grout (circle one): Cement Bentonite Mi	× 0.1.c
Casing length: To feet Casing diameter:	inches Type of casing:
Screen length: 40 feet Screen diameter	inches Type of screen: P.V.C.
Type of grout (circle one): Cement Bentonite MicCasing length: To feet Casing diameter: Screen length: Get Screen diameter: Screen slot size: OSO inches Setting depth: From	70 <u>feet to 110</u> feet
Type of completion (circle all applicable): Gravel packed Unc	derreamed Telescoped Open hole Natural Development
Other (describe):	
Top of lap pipe or reduction in casing:feet. If	telescoped or more than one screen, describe on back of page
Logs run (circle all applicable): No log run Electric Gamma R	ay Density Sonic Neutron Other:
Name of organization running log(s):  I certify that the well was drilled, constructed, and completed	n accordance with all applicable requirements of the Mississippi
Department of Environmental Quality and/or the Mississippi l	
JOHN NEWCOME 0.773	Holmene
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor

BY OIME

If well telescopes please sketch below and show depths.

Ground Level	
	TOUF 16 CASING 16 SCREEN

Description of Fermitian F	_	_
Description of Formations Encountered	From	To
TOP SOIL	0	10
CO 17	TD-	30
CLAY SAND STRUG	150	20
MED COADSE SAND	120	10
COARSE SAND PEA GRAVA	1,10	1110
9etrom '	1110	1112
	<b>↓</b>	<b> </b>
	<b> </b>	
	1	
· · · · · · · · · · · · · · · · · · ·		
	<u> </u>	<u> </u>
	<u> </u>	<u> </u>
<u>'&amp;</u>		<u> </u>
	<u> </u>	
		<u> </u>
	1	
		T
		<b>-</b>

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

SEE MAP

Landowner Name:

Signature of Water Well Contractor

County: Washington
Permit #: GW - 45200
Driller: J. Newcome 0-71
Date completed: 4120/2011

Copy information from block on Part 1

## STATE WELL REPORT

## Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)

For Office Use Only:
Aquifer:
Well #: _Q156
Elevation:

This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department a	
Well Owner Information	Well Location
Owner Name: Torrey Woods 4 Son	Latitude: 33°06'36 Longitude: 670°41'45"
Mailing Address: PO Box U27	Method of Lat/Long (check one): Conventional Survey
	USGS quad Hand-held GPS , Survey-grade GPS
HOllomotar, MS 38748	
Hollomdak, MS 38748 City State Zip Code	SW 1/2 Sec 27 TISN R SW NE NE 34
Telephone No. ()	Distance Direction Nearest Town A Miles SE of Hollanda Le
Pump Type	Power Type
Circle one Air Lift Jet Submersible	Circle one Diesel Engine Gasoline Engine Natural Gas
Bucket Piston Turbine	Electric Motor Hand Tractor PTO
Centrifugal Rotary Flowing Well	Windmill Other (specify):
Other (specify):	Horse Power Rating of Motor:
Date Pump Installed: 4120/11	Setting Depth: 70 fee:
Rated Pump Capacity:	Number of Stages:
Pump Test Data	Method of Measuring Water Level 2017
Date Well Tested:	
	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page
Date Well Tested:	Method of Measuring Water Level 2017
Date Well Tested:  Static Water Level (A):  Feet Below Land Surface	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Line  Other (specify):
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Drawdown [(B) - (A)]:  Feet Below Land Surface  Feet Below Land Surface	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Percondition  Other (specify):  For flowing well, measured shut in head:
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface  Drawdown [(B) – (A)]:  Test Pumping Rate:  Gallons Per Minute	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page  Other (specify):  For flowing well, measured shut in head: feet  Well yielded GPM with a drawdown of
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface  Drawdown [(B) – (A)]:  Test Pumping Rate:  Gallons Per Minute	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page  Other (specify):  For flowing well, measured shut in head:  Well yielded GPM with a drawdown of  feet after hours of pumping
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface  Drawdown [(B) – (A)]:  Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  hours	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page  Other (specify):  For flowing well, measured shut in head:  Well yielded GPM with a drawdown of  feet after hours of pumping
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface  Drawdown [(B) – (A)]:  Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  hours	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page  Other (specify):  For flowing well, measured shut in head:  Well yielded GPM with a drawdown of  hours of pumping  sting Pump Repair of Existing Pump
Date Well Tested:  Static Water Level (A):  Pumping Water Level (B):  Feet Below Land Surface  Drawdown [(B) – (A)]:  Test Pumping Rate:  Duration of Pump Test (minimum 4 hours):  This is for (circle one):  New Well  Replacement of Extended Surface  New Well  Replacement of Extended Surface	Method of Measuring Water Level  Circle one Air Line Electric Measuring Line Steel Page  Other (specify):  For flowing well, measured shut in head:  Well yielded GPM with a drawdown of  hours of pumping  sting Pump Repair of Existing Pump