g	STATE V	WELL REPORT			
County: UZYNE	Part 1		For Office Use Only:		
Permit #: 5496	Driller's Log		Well #: N 202		
Driller: EARL Muscley	Mississippi Departr Office of La	ment of Environmental Quality nd and Water Resources	Aquifer:		
1 1 1 10	P	.O. Box 2309	E-Log #:		
Date drilling completed: 6-18-13	Jackso	on, MS 39225-2309 601)961-5210			
		1)360-0535 (fax)			
State Law requires that this report Department at the above address v	t be prepared by the within 30 days of con	license holder responsible for t npletion of drilling of the well o	he work and filed with the or borehole.		
Well Owner Informat		Well or Borehole Location			
	(Landowner if borehole is not for a water well)		igitude: wws8-12-897		
Owner Name: PH, 11, PH C	00/24	Nethod of Lat II one toback and	): Conventional Survey		
Mailing Address: 1/2	•	I .			
GRADDY BREALD O	1	USGS quad, Hand-held G	PS, Survey-grade GPS		
, , , , , , , , , , , , , , , , , , , ,		SW 1/4 SE 1/4, Sec_	29 T 8N R 7W		
City State	Zip Code	112 Miles 5 W 0	· In-Auma Savar		
Telephone No. 601) 755 C	7735	(Distance) (Direction)	f <u>U Aynes Bono</u> (Nearest Town)		
p					
6 12 12		orehole Data			
Date drilling started: 6-17-13bate	drilling completed:	6-18-13 Hole depth: 1/	Hole diameter: 4		
Location of the source of any surface water used for drilling: \$37 county have Denthan Ro					
Method of dosing and volume of Chlorine used in drilling and development: 1003 HTH = 2200 6 72					
Logs run (circle all applicable): No log	Electric Gamm	na Ray Density Sonic Neutro	n Other:		
Name of organization running log(s):					
Purpose of borehole (circle one), Water Woll Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (circle all applicable): Home Industrial Public Supply Irrigation Fish Culture JUL 1 6 2013					
Other (describe): Poultry House BY: OLW					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 60 feet [above or below] land surface Date measured: 5-18-13					
Method of measurement (circle one): Steel tape Electric tape Air line Other (describe):					
Well depth: 120 Well grouted to a depth of: 10 feet Type of grout (circle one) Neat Cement Bentonite Mix					
Casing length: 150 feet Casing diameter: 4" inches Type of casing: Puc					
Screen length: 20 feet Screen diameter: 4 inches Type of screen: Puc					

Screen slot size: ## 10 x 10 inches Setting depth: From 1.50 feet to 170 feet

Type of completion (circle all applicable); Gravel packed Underreamed Open hole Natural Development

If telescoped or more than one screen, describe on next page

\_\_\_feet

Other (describe):\_\_\_

Top of lap pipe or reduction in casing: \_\_\_

Form: OLWR-SWR-1A (4/13)

Natural Development

County:	hagne
Pennit #:	5496

For Office Use Only:

well #: <u>N</u> 202

The sketch below only required for water wells

If well telescopes,	show	depths	on	sketch
---------------------	------	--------	----	--------

Ground Level BACK If more than one screen, show location of each on sketch Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
TOP SOIL	Ground level	1
BROWN SAND	1	5
REO SAND	5	23
WHITE Fine SAND	23	60
SHARP Fine somo	60	80
Men/Course som	80	83
Fine TigHT SANS	83	87
Clay	87	105
Finesano	105	108
Yellow Clay	108	115
- Fine sans	115	123
GRAY/VEKIN CARY	123	137
fine 3Ano	1.37	158
Firefree Sano	158	162
112 31700	162	168
Fine Sano	168	170

Sketch the property layout and include the following:

1) the well location

2) any permanent structures on the property that may aid in locating the well

3) any roads, power lines, or other items that may aid in locating the property and the well

FROM WAYNESBURD GO 63 SOUTH GMITES TO MAYNON CLEEK OR. GO ADOUT 4 miles TO GRADRY BEARD DR. ON RT GOTO END TO CHICKEN HOUSE

RECEIVED

JUL 16 2013

BY: OLWR

Lanc	lowner l	N	a	me:

I HEREBY CERTIFY that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

EARL	moseley	5496	6-25-13	P.
Print Name of	Responsible Licensée an	d License No.	Date	ow

Form: OLWR-SWR-1A (4/13)

## STATE WELL REPORT

## Part 2

County: Whyne

Permit #: 5476

Driller: FAQ / Moseley

Date completed: 6-18-13

Copy information from block on Part 1

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)

For Office Use Only:				
Well #:	NaOa			
Aquifer				

This part of the report must be completed by a licensed water we	ell contractor or a licensed pump installer. A copy of Part 1				
of the report must be attached and both parts free with the Dept	artment at the above address within 30 days of well completion.  Well Location				
Well Owner Information	atitude N 31-37-5 Longitude: W088-42-897				
Owner Name: PHILLIPH COOLEY LE					
Mailing Address: 1/2 GRADDY BREAS DR M	ethod of Lat/Long (check one): Conventional Survey,				
, i	SGS quad, Hand-held GPS				
City State Zip Code	SE 1/4 NW1/4, Sec 29 T 8NR 7W				
City State Zip Code	Distance) (Direction) (New Town)				
Telephone No. (64) 755 - 0735	Distance) (Direction) (Nea) est Town)				
1	(circle one)				
Submersible Turbine Air Lift Centrifugal Flowing Well Je	et Piston Rotary Other (describe):				
Date Pump Installed: 6-25-13 Rat	ted Pump Capacity:Gallons Per Minute				
Is This Pump (circle one): New Repaired Replacement					
	e (circle one)				
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe):					
Horse Power Rating of Motor: 3 HP Setting Depth:	100 feet Number of Stages:				
Pump Test Data fo	or Non Flowing Well				
Date Well Tested: 6-25-13 Duration of Pump Test (minimum 4 hours): 4 hours					
Static Water Level (A): 60 Feet Selow Land Surface Pumping Water Level (B): 100 Feet Below Land Surface					
Drawdown [(B) - (A)]: 40 Feet Gelow Land Surface Test Pumping Rate: 75 Gallons Per Minute					
Method of measurement (circle one): Steel tape Electric tap					
	for Flowing Well				
Measured shut in head:feet.					
Well <u>yielded</u> GPM with a drawdown of	feet afternours of pumping				
Meter In	stallation D1. DLW				
Meter Manufacturer:	Meter Serial Number:				
Meter Model Number/Name:					
Totalizer Register Unit and Multiplier Factor (AF x :001, gal x	(1000, etc);				
Installation Date: Meter installed by:					
Is This Meter (circle one): New Repaired Replacemen	at .				
Important: By submitting the above information you are cer For agricultural wells, a list of appr	tifying that this meter was installed to manufacturer standards. roved meters is on the MDEQ website.				

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

FIRL MOS CLAY 5496
Print Name of Pump Installer and License No. (If applicable)

Date Signature of Pump Installer

Form: OLWR-SWR-1B (4/13)