

Q-2062

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

F. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED
WAYNE

WELL NUMBER Q-2062 CODED

DATE WELL COMPLETED
8-23-02

PERMIT NUMBER
205

NAME OF DRILLING FIRM
CLARK Well Serv
109 COPLAND RD
BUCHANNA MS

NAME & MAILING ADDRESS OF LANDOWNER
OZELL CLARK

William Cooley DR

WAYNESBORO MS

WELL LOCATION SEC TOWNSHIP RANGE
15 7 N 9 E

DISTANCE DIRECTION NEAREST TOWN
8.5 Miles West of CLARK

OTHER LANDMARK
ON William Cooley DR

WELL PURPOSE Home, Irrigation, Municipal, Industrial, Fish Pond, etc.

PUMP DATA

PUMP TYPE (Circle One):
Submersible, Turbine, Jet Flowing Well, Other (Describe)

POWER TYPE (Circle One):
Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) H/P 1

Pump Capacity (GPM) No of Stages Setting Depth
10 2 70 FT.

PUMP TEST
Well yielded 10 GPM with a drawdown of 2 ft. after 2 1/2 hours of pumping

WELL DATA

Well Depth Casing Diameter (in) Casing Length (ft)
150 2 145

Type of Casing Hole Depth Depth to Static Water Level
PVC 150 12'

TYPE OF COMPLETION: (Circle One or More):
Gravel Packed, SD Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe)

WELL GROUTED TO A DEPTH OF 20 FEET
Type Grout (circle one): Cement, Bentonite, or Mix

LOG DATA

TYPE OF LOG RUN (Circle One):
No Log Run, Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)

Name of Organization Running Log

SCREEN DATA

Diameter - inches Length - Feet Slot Size - inches
2 1/2 5' 8

Screen Type Depth to Bottom - Feet
PVC 150

GEOLOGIC DATA (Office Use Only)

Surface Elev	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
	<u>RECEIVED</u>		

Driller's Remarks
OCT 17 2002

PV. OLWD

Top of Lap Pipe or Reduction in Casing 1 FEET
IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
TOP Soil	0	1	Fine white sand	127	135
SANDY CLAY	1	10	Fine to med white	135	150
YELT GRAY CLAY	10	41	SD		
ROCK	41	42	still in sand		
GRAY CLAY	42	60			
BLUE CLAY	60	115			
GRAY CLAY	115	120			
FINE FINE RED SB	120	127			

IF MORE SPACE IS NEEDED, USE BACK

