| COUNTY WELL LO | DCATED . | | | MIS | SISSIPPI D | EPART | MENT | OF ENVIR | ONM | ENTAL | | |
|--|---------------------|-------------------------|-----------------------|--|--|---------------------|-----------------------|----------------|------------------|--------|--|--|
| WELL NUMBER | CODED | PERMIT N | <u>-</u> | QUALIT Office of Land and Water Resource | | | | | | | | |
| 10 | | | IAME OF DRILLING FIRM | | | | | P. (| D. Box | (10631 | | |
| DATE WELL COMP | DATE WELL COMPLETED | | | | | Jackson, MS 39289-0 | | | | | | |
| NAME & MAILING | Jr CC | WATER WELL DRILLERS LOG | | | | | | | | | | |
| | | | | | PUMP DATA | | | | | | | |
| WAYNESBORD 735-5497 | | | | | PUMP TYPE (Circle One): Submersible Turbine, Jet Flowing Well, Other (Describe) POWER TYPE (Circle One): | | | | | | | |
| | | | | | Electric. Tractor, Diesel, Gasoline, Butane, Other (Describe) H/P | | | | | | | |
| WELL LOCATION: | SEC 7 | rownship | RAN | GE | Pump Capacit | y (GPM) | No. of Stage | s Setting De | pth | | | |
| DISTANCE DIRECTION NEAREST TOWN | | | | | 10 GO | | | | | FT. | | |
| _5. | ESBORN | Well yielded GPM with | | | | | | | | | | |
| OTHER LANDMARK | | | | | a drawdown of ft. | | | | | | | |
| WINCHESTER COMMUNITY WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. NEW HOME | | | | | after hours of pumping | | | | | | | |
| WELL DATA | | | | | LOG DATA | | | | | | | |
| Well Depth | | | | | TYPE OF LOG RUN (Circle One): No Log Run, | | | | | | | |
| 70 Type of Casing | Hole Depth | | 60 | | Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) | | | | | | | |
| P) C | 70' | | | | | | anization Running Log | | | | | |
| TYPE OF COM | PLETION: (Circ | | | | | | | | | | | |
| Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other | | | | oped, Other | GEOLOGIC DATA (Office Use Only) | | | | | | | |
| (Describe) | · | | | | Surface Elev. | | | Unit Thickness | ess Depth to Top | | | |
| WELL GROUTED TO A DEPTH OF 1 FEET Type Grout (circle one): Cement Bentonite, or Mix | | | | | Subs. SWL | Date Analysis | | Analysis | Aquifer Test | | | |
| | SCREEN I | DATA | | | Driller's Rema | arks | | | | | | |
| Diameter - Inches | Length - Feet | | Slot Size - Inc | ches | | | | | | | | |
| Screen Type | $\perp to$ | | 010 | - Foot | Top of Lon | Ding or D |) o di cati a a | in Casta | | | | |
| Screen Type SLOTTED Depth to Bottom - Feet | | | | | Top of Lap Pipe or Reduction in Casing IF TELESCOPED OR MORE THAN | | | | | | | |
| 740117 | | <u></u> | | | | FEET | | CREEN: USE B | | | | |
| DESCRIPTION OF F | ORMATIONS ENC | UNTERED | FROM | то | FOR | MATIONS (| Continued) | | FROM | то | | |
| FINE S | CAND_ | | 0 | 36 | * | | | | | | | |
| MHITE | CLAY | | 36 | 40 | | · | · | | | | | |
| FINE SHND 40 60 | | | | 15-18-9 8A09: 15 RCVD | | | | | | | | |
| COAKSE WHITE SAND 60 70 | | | | | | J | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | ļ | | | | | | |] | | |
| | | | | | IF MORE SPACE | E IS NEEDE | n use av | -K | | | | |

| If well telesc sketch and s | copes please show depths. | | | | | | | | |
|--------------------------------|------------------------------|------------------------|--|-----|---|-------------|---|--|--|
| | | | | 1 | 1 | r | 1 | | |
| GROUND LEVEL | | | | | | | | | |
| | | | | | , | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | SECTION Please indicate well location X. | | | | | | |
| | | ADDITIONAL INFORMATION | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | il | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | , | | | |
| | | | | | | | | | |
| ~ | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | - | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| If more than one | screen, | | | *** | | | | | |

show location of each on sketch.