

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Office of Land and Water Resources

COUNTY WELL LOCATED WEBSTER	PERMIT NUMBER MSGW-15093	P. O. Box 10631 Jackson, MS 39289-0631 WATER WELL DRILLERS LOG
WELL NUMBER M-33	NAME OF DRILLING FIRM PARKS & PARKS WELL SERVICE	
DATE WELL COMPLETED 11-11-98	P. O. DRAWER 32 HOUSTON, MS 38651	
NAME & MAILING ADDRESS OF LANDOWNER CITY OF EUPORA 102 EAST CLARK AV. EUPORA, MS. 39744		PUMP DATA
WELL LOCATION SEC 28 TOWNSHIP 19^N RANGE 9^W	DISTANCE 4 MILES WEST of EUPORA	PUMP TYPE (Circle One): Submersible <input type="checkbox"/> Turbine Jet Flowing Well Other (Describe) _____ POWER TYPE (Circle One): Electric <input checked="" type="checkbox"/> Tractor Diesel Gasoline Butane Other (Describe) _____ H/P 60 Pump Capacity (GPM) 500 No. of Stages 8 Setting Depth 140 FT.
OTHER LANDMARK _____	WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. MUNICIPAL	PUMP TEST Well yielded 503 GPM with a drawdown of 36 ft. after 24 hours of pumping

Well Depth 355	Casing Diameter (In.) 12	Casing Length (Ft.) 300
Type of Casing STEEL	Hole Depth 400	Depth to Static Water Level 54.8'
TYPE OF COMPLETION (Circle One or More): <input checked="" type="checkbox"/> Gravel Pack <input type="checkbox"/> Underreamed <input type="checkbox"/> Telescoped <input type="checkbox"/> Natural Development <input type="checkbox"/> Open Hole <input type="checkbox"/> Other (Describe) _____		
WELL GROUTED TO A DEPTH OF 300 FEET Type Grout (circle one): <input checked="" type="checkbox"/> Cement <input type="checkbox"/> Bentonite, or Mix		

LOG DATA	
TYPE OF LOG RUN (Circle One): <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Gamma Ray <input type="checkbox"/> Density <input type="checkbox"/> Sonic <input type="checkbox"/> Neutron Other (Describe) _____	
Name of Organization Running Log M.S.G.S.	

SCREEN DATA		
Diameter - Inches 8	Length - Feet 50	Slot Size - Inches .015
Screen Type S.S.	Depth to Bottom - Feet 355	

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test
Driller's Remarks			
Top of Lap Pipe or Reduction in Casing			
FEET <input type="checkbox"/> IF TELESCOPED OR MORE THAN ONE SCREEN, USE BACK PAGE			

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Unitized)	FROM	TO
CLAY, GRAY SAND	0	60	CLAY	305	400
SAND	60	95			
CLAY	95	105			
SAND	105	140			
CLAY	140	175			
CLAY + SAND	175	210			
SAND	210	265			
CLAY	265	295			
SAND	295	315			
SAND CLAY	315	322			
SAND	322	355			

DO NOT
REMOVE
ORIGINALS

