	State W	ell Report	For Office Use Only:
County: Wilkinson	Part 1		
•	Mississippi Department	t of Environmental Quality	Aquifer:
Permit #:		nd Water Resources	well #: H - 35
Driller: Gary Rayborn		IS 39289-0631	L. S. Elevation:
Date drilling completed: 4 3 07	(601)9	961-5210	
Date drining completed.	(601)354	4-6938 (fax)	E-log #:
State Law requires that this rep	ort be prepared by the	driller in detail and filed w	rith the Department within
30 days of completion of drilling	g of the well.		Location
Well Owner Inform			
Owner Name Energy Drilling		Latitude:	_" Longitude:°'"
Mailing Address: P.O. Box	905	Method of Lat/Long (circle o	ne): Conventional Survey,
			i GPS, Survey-grade GPS
Notrhoz 11	5 39121	1/4 1/4 Sec	$_{\text{Twn}}3N_{\text{Rng}}N$
City St	5 39121 ate Zip Code		
Telephone No. (601) 446 - 52		Distance Direction  5 Miles NE	Nearest Town of Wood Ville
Telephone No. (601) 476			
	Well		
n (W.H./sirele ene) Home Ir	dustrial Public Supply	Irrigation Fish Culture	Other Rig Supply
Purpose of Well (circle one) Home In	dustrial 1 done 5 opp-5		13/07
Purpose of Well (circle one) Home Ir  Date well drilling started: 43	Date	well drilling completed:	1510 .
and the second sections V	alve Other (	describe)	
Static Water Level:feet		land aurifage Date measured	4 3 07
Static Water Level:feet	above or below (circle one)	land surface Date measured	
		air line other	
Method of Measurement (circle one)	steel tape electric tape	<b>/</b>	
		~	
Method of Measurement (circle one)  Hole depth:		~	
Hole depth: 175 Well of	lepth: 175'  Bentonite Mix	Well grouted to a depth of	feet
Hole depth: 175 Well of	lepth: 175'  Bentonite Mix	Well grouted to a depth of	feet
Hole depth: 175 Well of Type of grout (circle one): Cement  Casing length: 155 feet Ca	Bentonite Mix	Well grouted to a depth of  Type of casing:	10feet
Hole depth: 175 Well of Type of grout (circle one): Cement  Casing length: 155 feet Ca  Screen length: 20 feet So	Bentonite Mix sing diameter:	Well grouted to a depth of  inches Type of casing:  inches Type of screen:	10 feet PVC PVC
Hole depth: 175 Well of Type of grout (circle one): Cement  Casing length: 155 feet Ca  Screen length: 20 feet So  Screen slot size: 1020 inche	Bentonite Mix sing diameter: 4	Well grouted to a depth of  inches Type of casing:  inches Type of screen:  155 feet to	10feet  PVC  PVC  175feet
Hole depth: 175 Well of Type of grout (circle one): Cement  Casing length: 155 feet Ca  Screen length: 20 feet So	Bentonite Mix sing diameter:  Green diameter:  Setting depth: From the Gravel packed Und	Well grouted to a depth of the control of the contr	PVC PVC 175 feet  en hole Natural Development
Hole depth:	Bentonite Mix sing diameter: 4  creen diameter: 4  Setting depth: From Cravel packed Und Other (describe): 4	Well grouted to a depth of inches Type of casing:inches Type of screen:155feet to erreamed Telescoped Op	PVC PVC 175 feet  en hole Natural Development
Hole depth:	Bentonite Mix sing diameter:  Sereen diameter:  Setting depth: From the Gravel packed Und Other (describe):  feet. If	Well grouted to a depth of the company of the compa	PVC PVC 175 feet  en hole Natural Development  creen, describe on back of page
Hole depth:	Bentonite Mix sing diameter:  Sereen diameter:  Setting depth: From the Gravel packed Und Other (describe):  feet. If	Well grouted to a depth of the company of the compa	PVC PVC 175 feet  en hole Natural Development  creen, describe on back of page
Hole depth:	Bentonite Mix sing diameter:  Green diameter:  S Setting depth: From Control (describe):  feet. If  Tun Electric Gamma Re	Well grouted to a depth of the company of the compa	PVC PVC 175 feet en hole Natural Development creen, describe on back of page Other:

RAYBORN DRILLING, INC.

Print Name of Water Well Contractor and License No. .

Signature of Water Well Contract ECEIVED

MAY 1 1 2007

BY: OLWR

Ground Level

Description of Formations Encountered	From	10
CLAY	0	65
SILTY SAND	65	90
		<del>                                     </del>
CLAY	90	140
·		1.
MEDIUM SAND	140	175
		+
		+
		-
		<del> </del>
		<del> </del>
		+
		+
		<del></del> -
	l	l

If more than one screen, show location of each on sketch

	If more than one between, site with the same and the same
S	ketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.
	Landowner Name:

<del></del>	
Signature of Water	Will Contractor

**RECEIVED** 

MAY 1 1 2007

BY: OLWF

## STATE WELL REPORT

## Part 2

County: Wilkinson Permit #: (601)961-5210 Date completed: (601)354-6938 (fax)

Pump Installer's Completion Report
Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only: Aquifer: Well #: Elevation:

This report should be prepared by the pump installer in detainstallation of pump.		
Well Owner Information	Well Location	
Owner Name: <u>Energy Drilling</u>	Latitude:Longitude:	
Mailing Address: P. O. Box 905	Method of Lat/Long (circle one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
Natchez, MS 39121 City State Zip Code	1414 SecTwn_3N_Rng_1W_	
City State 21p code	Distance Direction Nearest Town	
Telephone No. (601) 446-5259	15 Miles NE of Woodville	
Pump Type	Power Type Circle one	
Circle one  Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor: 5 HP	
Date Pump Installed: 4307	Setting Depth:feet	
Rated Pump Capacity: Gallons Per Minute	Number of Stages:	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested: 4300	Circle one	
Static Water Level (A): 90 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape	
Pumping Water Level (B):Feet Below Land Surface	Other (specify):	
Drawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: 60 Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.		
Print Name of Pump Installer and License No. (if applicable)	Signature Pump Installer RECEIVE	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer NECEIVE	

MAY 11 2007

BY: OLWA