		ELL REPOR			Office Use	•
County: Yazoo		'art 1 ler's Log		_	RY	
Permit #: GW-47729 Driker: Irrigation Equipment	Mississippi Departme	nt of Environmental	I Quality	Aquifer: _		
Driker: Inigation Equipment Date dritling completed: 02/01/2014	P.O.	nd Water Resource Box 2309	es	E-Log #:		
	(601)	MS 39225-2309 961-5210 80-0535 (fax)	L			
State Law requires that this report						with the
Department at the above address w Well Owner Information			<i>of the well</i> Neil or Bor			
(Landowner if borehole is not f		•			ation	
Owner Name: James Coleman Inc.		Latitude: 32 57' 2	25.6 N	Longitude	e: 90 25' 2	<u>3.6W</u>
Mailing Address: 8010 Canton Road		Method of Lat/Long	(check one): 🗌 Co	onventional	Survey,
		🗌 USGS quad, 🖾	Hand-held	GPS, 🗖 S	Survey-grade	GPS
Yazoo City Ms	39194	<u>NW</u>	% <u>SE</u> %, Se	ж <u>20</u> т <u>13</u>	<u>N</u> R <u>2W</u>	
City Stat	e Zip code	_				0:4
Telephone No. () -		5 Miles (Distance)	Directio		Yazoo (Nearest	
	Well / Bore	hole Data				
Date drilling started: 02/01/2014	Date drilling completed: _0	2/01/2014 Hole de	epth: <u>125</u>	Но	diameter	24"
Location of the source of any surface wa	ter used for drilling: Su	rface Water				
-						
Method of dosing and volume of Chloring	used in drilling and down	onment 50 PD	M			
Method of dosing and volume of Chloring	-	-				
-	-			Neutron [] Other:	
Method of dosing and volume of Chloring Logs run (check all applicable): 🛛 No log Name of organization running log(s):	-	a Ray 🗌 Density 🗌] Sonic 🗌			
Logs run (check all applicable): 🛛 No log	g run 🗌 Electric 🗋 Gamm	a Ray 🗌 Density 🗌] Sonic 🗌			
Logs run (check all applicable): 🛛 No log Name of organization running log(s): Purpose of borehole (check one): 🕅 W	g run 🗌 Electric 🗋 Gamm /ater Well 🛛 Geotechn	na Ray 🗌 Density 🗌] Sonic 🗌			
Logs run (check all applicable): X No log Name of organization running log(s): Purpose of borehole (check one): X N	g run 🗌 Electric 🗋 Gamm /ater Well 🛛 Geotechn	ha Ray Density ha Ray Density hical/Geological Investment her (<i>describe</i>)] Sonic [] stigation	Ground	d Source He	
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechn Geismic Survey 🔤 O ated to water well cons	ha Ray Density hical/Geological Investment (describe) ther (describe) truction, skip the	Sonic stigation	Ground	d Source He	
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechn Geismic Survey 🔤 O ated to water well cons	ha Ray Density hical/Geological Investment (describe) ther (describe) truction, skip the	Sonic stigation	Ground	d Source He	
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechn Geismic Survey 📄 O ated to water well cons Home 🗋 Industrial 🗌 Pu	ha Ray Density hical/Geological Invest ther (<i>describe</i>) <u></u> <i>truction, skip the</i> blic Supply Irrigal	Sonic stigation	Ground r of this of Culture	d Source He block	eat Pump
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamm Vater Well 📄 Geotechn Geismic Survey 📄 O ated to water well cons Home 🗋 Industrial 🗌 Pu	ha Ray Density hical/Geological Invest ther (<i>describe</i>) <u></u> <i>truction, skip the</i> blic Supply Irrigal	Sonic stigation	Ground r of this of Culture	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ M □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulatio Static Water Level: 19'	g run 🗌 Electric 🗌 Gamm /ater Well 📄 Geotechn Seismic Survey 📄 O ated to water well cons Home 🗋 Industrial 🗎 Pu n: Valve eet [] above or 🖾 below (check one)	a Ray ☐ Density ☐ iical/Geological Invest ther (describe) truction, skip the blic Supply ⊠ Irrigat Other (describe)] land surface	Sonic stigation remainder tion Fish	Ground r of this i Culture ured: 01/	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ M □ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ If a flowing well, method of flow regulatio Static Water Level: 19'	g run 🗌 Electric 🗌 Gamm /ater Well 📄 Geotechn Seismic Survey 📄 O ated to water well cons Home 🗋 Industrial 🗎 Pu n: Valve eet [] above or 🖾 below (check one)	a Ray ☐ Density ☐ iical/Geological Invest ther (describe) truction, skip the blic Supply ⊠ Irrigat Other (describe)] land surface	Sonic stigation remainder tion Fish	Ground r of this i Culture ured: 01/	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ \$\$ <i>If drilling is not rel</i> Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level:f Method of Measurement (check one) ⊠	g run 🗌 Electric 🗌 Gamm /ater Well 📄 Geotechn Seismic Survey 📄 O ated to water well cons Home 🗋 Industrial 🗎 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 🗋 Electric tape	ha Ray Density ical/Geological Invest ther (describe) truction, skip the blic Supply Irrigat Other (describe)] land surface	Sonic stigation remainde tion Fish Date measu r: (describe)	Ground f this Culture ured: 01/	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ f drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 19'	g run 🗌 Electric 🗌 Gamm fater Well 📄 Geotechn Seismic Survey 📄 O ated to water well cons Home 🗋 Industrial 📄 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 📄 Electric tape depth of: <u>10</u> feet	ha Ray Density ical/Geological Invest ther (<i>describe</i>) <i>truction, skip the</i> blic Supply Irrigat Other (describe) land surface Air line D Other Type of grout <i>(chec</i>	Sonic Stigation remainder tion Fish Date measu r: (describe, ck one):	Ground r of this / Culture ured: 01/ Neat Ceme	d Source He block 25/2014 ent ⊠ Bento	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ \$\$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 19' Method of Measurement (check one) ⊠ Well depth: 125 Well grouted to a Casing length: 85 feet	g run 🗌 Electric 🗌 Gamm fater Well 📄 Geotechn Geismic Survey 📄 O ated to water well cons Home 🗋 Industrial 📄 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 📄 Electric tape depth of: <u>10</u> feet Casing diameter: <u>16</u>	a Ray Density ical/Geological Invest ther (<i>describe</i>) <i>truction, skip the</i> blic Supply Irrigat Other (describe) land surface Air line D Other Type of grout <i>(chec</i> inches	Sonic □ stigation remainde tion □ Fish Date measu r: (describe, ck one): □ 1 Type of c	Ground r of this i Culture ured: 01/ Neat Ceme casing: F	d Source He block	eat Pump
Logs run (check all applicable):	g run 🗌 Electric 🗌 Gamm fater Well 📄 Geotechn Seismic Survey 📄 O ated to water well cons Home 🗋 Industrial 📄 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 📄 Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16	a Ray Density ical/Geological Invest ther (<i>describe</i>) <i>truction, skip the</i> blic Supply Irrigat Other (describe)] land surface Diand surface	Sonic □ stigation remainde tion □ Fish Date measu r: (describe, ck one): □ I Type of c Type of s	Ground r of this / Culture ured: 01/ Neat Ceme casing: F casing: F	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ \$\$ If drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 19' Method of Measurement (check one) ⊠ Well depth: 125 Well grouted to a Casing length: 85 feet Screen length: 40 feet	g run 🗌 Electric 🗌 Gamm (ater Well 📄 Geotechn Geismic Survey 📄 O ated to water well cons Home 🗋 Industrial 📄 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 📄 Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16 nches Setting depth: f	a Ray ☐ Density ☐ iical/Geological Invest ther (<i>describe</i>) <i>truction, skip the</i> blic Supply ⊠ Irrigat Other (describe)] land surface ☐ Air line ☐ Other Type of grout <i>(checo</i> inches inches From86	Sonic □ stigation remainde tion □ Fish Date measu r: (describe, ck one): □ I Type of c Type of s	Ground r of this / Culture ured: 01/ Neat Ceme casing: F creen: F t to 125	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ f drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 19' Method of Measurement (check one) ⊠ Well depth: 125	g run 🗌 Electric 🗌 Gamm (ater Well 📄 Geotechn Geismic Survey 📄 O ated to water well cons Home 🗋 Industrial 📄 Pu n: Valve eet [] above or 🖾 below (check one) Steel tape 📄 Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16 nches Setting depth: f	a Ray Density ical/Geological Invest ther (describe)	Sonic □ stigation remainde tion □ Fish Date measu r: (describe, ck one): □ I Type of c Type of sfee hole □ Na	Ground r of this / Culture ured: 01/ Neat Ceme casing: F creen: F t to 125	d Source He block	eat Pump
Logs run (check all applicable): ⊠ No log Name of organization running log(s): Purpose of borehole (check one): ⊠ W □ f drilling is not rel Purpose of Well (check all applicable): □ □ Other (describe): □ Other (describe): If a flowing well, method of flow regulation Static Water Level: 19' Method of Measurement (check one) ⊠ Well depth: 125	g run ☐ Electric ☐ Gamm /ater Well ☐ Geotechn Geismic Survey ☐ O ated to water well cons I Home ☐ Industrial ☐ Pu n: Valve eet [] above or ⊠ below (check one) Steel tape ☐ Electric tape depth of: 10 feet Casing diameter: 16 Screen diameter: 16 nches Setting depth: feet	a Ray Density ical/Geological Invest ther (describe)	Sonic □ stigation remainde tion □ Fish Date measu r: (describe, ck one): □ I Type of c Type of sfee hole □ Na	Ground r of this / Culture ured: 01/ Neat Ceme casing: F creen: F t to 125	d Source He block	eat Pump

1 1

1	y: Yazoo t#: _GW-02/01/201	4	
<u>If well</u>	etch below only required telescopes, show depths o		Descrip and bo
			Clay Fine Cour
			ļ

.

.

]	For Office Use Only:
Well #:	A 91

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Clay	Ground level	55
Fine Sand	56	65
Course Sand & Gravel	66	125
	1	· · · ·
	1	
· · · · · · · · · · · · · · · · · · ·		
		<u>† </u>
· · · · · · · · · · · · · · · · · · ·		
		<u> </u>
		1

If more than one screen, show location of each on sketch

1) the well locati 2) any permane	ayout and include the following: on nt structures on the property that ma wer lines, or other items that may a	ay aid in locating the v id in locating the prop	vell erty and the well
4) a north arrow			
			RECEIVED
Landowner Name:	James Coleman Inc		BY: OLWR
requirements of the M	Aississippi Department of Environme	onstructed, and comp ental Quality and the l	Form: OLWR-SWR-1A (04/08) Ford in accordance with all applicable Missisppi Department of Health regulations,
if applicable, and stat Patrick Chism	ie laws. 0695	02/19/2014	too
	onsible Licensee and License No.	Date	Signature of Licensee
			Form: OLWR-SWR-1A (4/13

Varia	STATE WE		1		fice Use Only:
County: Yazoo	Part Pump Installer's	art 2 Completion Rep		*: <u>*</u>	+ 9/
Permit #: GW-47729	Mississippi Departmen	t of Environmental Q	uality		
Driker: Irrigation Equipment		nd Water Resources Box 2309	Aqui	fer:	
Date drilling completed: 02/01/2014 Copy information from block on Part 1	Jackson, M	S 39225-2309	L		
Copy mormauon from block on Part 1		961-5210 0-0535 (fax)			
		、 ,	• · · /		(D ()
This part of the report must be completed of the report must be attached and both					
Well Owner Informa			Well Loc		······
Owner Name: James Coleman Inc.		Latitude: 32 57' 25.6	6 N Lo	ngitude:	90 25' 23.6 W
Mailing Address: 8010 Canton Road		Viethod of Lat/Long (cl	heck one):	🗌 Con	ventional Survey,
		🗌 USGS quad, 🛛 Ha	nd-held GP	S, 🗌 Su	rvey-grade GPS
Yazoo City Ms	39194		<u>SE</u> 14, Sec <u>2</u>		
City State			<u>vii</u> /4, 000 <u>4</u>	<u></u> . <u>10 r</u>	<u>.</u>
Telephone No. () -		5 Miles	North	of	Yazoo City
		(Distance)	(Direction)		(Nearest Town)
	Pump Type (check one)			
🗆 Submersible 🛛 Turbine 🗖 Air Lift 🗇 🤇	entrifugal 🔲 Flowing Well	🖾 Jet 🗋 Piston 🗋 Re	otary 🗌 Oth	er (desci	ribe):
Date Pump Installed 01/25/2014	Rat	ed Pump Capacity:	2500+/-		Gallons Per Minute
	naired 🗖 Replacement				
] Electric 🛛 Diesel 🗍 Gasoline 🗍 Natu	Power Type (Windmill 🗌 Other (de			-
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for [et Below Land Surface	Windmill D Other (de D f Non Flowing Well Duration of Pump Test Pumping Water Level	ieet Numbe	er of Stag # hours): Fe	es: <u>1</u> Hours Hours
Electric I Diesel I Gasoline I Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for [et Below Land Surface	Windmill D Other (de D f Non Flowing Well Duration of Pump Test Pumping Water Level	ieet Numbe	er of Stag # hours): Fe	es: <u>1</u> Hours Hours
Electric I Diesel Gasoline Natures Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate	ieet Numbe (<i>minimum 4</i> (B):	er of Stag # hours): Fe	es: <u>1</u> Hours Hours
Electric I Diesel Gasoline Natures Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]:	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate	ieet Numbe (<i>minimum 4</i> (B):	er of Stag # hours): Fe	es: <u>1</u> Hours Hours
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate	ieet Numbe (<i>minimum 4</i> (B):	er of Stag # hours): Fe	es: <u>1</u> Hours Hours
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well	ieet Numbe (minimum 4 (B): e: describe):	t hours): Fe	es: <u>1</u> Hours Hours
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one):	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data fo Feet Feet	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after	ieet Numbe (minimum 4 (B): e: describe):	t hours): Fe	es: _1 Hours Hours Gallons Per Minute
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: GPM with a	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after allation	feet Number (minimum 4 (B): e: describe):	er of Stag 4 hours): Fe	es: _1 Hours Hours Gallons Per Minute
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: None Installed	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after allation Meter Serial Number	feet Numbe (minimum 4 (B): e: describe): er:	t hours): Fe	es: _1 Hours Hours Gallons Per Minute Gallons of pumping
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer:None Installed Meter Model Number/Name:	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after feet after fallation Meter Serial Numbor Type of Meter:	feet Numbe (minimum 4 (B): (B): (B): (escribe): fescribe):	t hours): Fe	es: _1HoursHours et Below Land SurfaceGallons Per Minute
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Fac	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Pump Test Data for Feet a drawdown of Meter Inst	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after feet after feet after Type of Meter: etc):	feet Numbe	f hours): Fe	es: 1 Hours Hours Hours Gallons Per Minute Durs of pumping
Electric Diesel Gasoline Natu Horse Power Rating of Motor: 60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): Measured shut in head: Well yielded GPM with a Meter Manufacturer: None Installed Meter Model Number/Name: Totalizer Register Unit and Multiplier Facilinstallation Date:	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for tet Below Land Surface Feet Below Land Surface Steel tape Feet Grand Content of Feet Grand Content of Meter Inst For (AF x .001, gal x 1000, Meter installed by:	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after feet after feet after Type of Meter: etc):	feet Numbe	f hours): Fe	es: 1 Hours Hours Hours Gallons Per Minute Durs of pumping
Date Well Tested:	Power Type (ral Gas Tractor PTO Setting Depth: 7 Pump Test Data for Pump Test Data for Et Below Land Surface Feet Below Land Surface Steel tape Electric tape Pump Test Data for Feet Adrawdown of Meter Inst for (AF x .001, gal x 1000, Meter installed by: paired Replacement	Windmill 🗌 Other (de D Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate Air line 🗌 Other (d or Flowing Well feet after feet after feet after Type of Meter: etc):	feet Number (minimum 4 (B): e: describe): er: er:	er of Stag # hours): Fe	es: 1 Hours tet Below Land Surface Gallons Per Minute ours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Fe Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Well yielded GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Re <i>Important: By submitting the above</i>	Power Type (ral Gas □ Tractor PTO □ Setting Depth: 7 Pump Test Data for et Below Land Surface Feet Below Land Surface Steel tape □ Electric tape Pump Test Data fo Feet a drawdown of Meter Inst or (AF x .001, gal x 1000, Meter installed by: paired □ Replacement information you are certify fural wells, a list of approx	Windmill 🗌 Other (de Df Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate \square Air line \square Other (d or Flowing Well feet after feet after allation Meter Serial Number feet after: etc): wing that this meter wa	feet Number (minimum 4 (B): e: describe): er: er:	er of Stag # hours): Fe	es: 1 Hours tet Below Land Surface Gallons Per Minute ours of pumping
□ Electric ⊠ Diesel □ Gasoline □ Natu Horse Power Rating of Motor:60 Date Well Tested: Static Water Level (A): Fe Drawdown [(B) - (A)]: Method of measurement (check one): □ Measured shut in head: Meter Manufacturer: GPM with a Meter Manufacturer: GPM with a Meter Manufacturer: GPM with a Meter Model Number/Name: Totalizer Register Unit and Multiplier Fact Installation Date: Is This Meter (check one): □ New □ Re Important: By submitting the above For agricular	Power Type (ral Gas □ Tractor PTO □ Setting Depth: 7 Pump Test Data for et Below Land Surface Feet Below Land Surface Steel tape □ Electric tape Pump Test Data fo Feet a drawdown of Meter Inst or (AF x .001, gal x 1000, Meter installed by: paired □ Replacement information you are certify fural wells, a list of approx	Windmill 🗌 Other (de Df Non Flowing Well Duration of Pump Test Pumping Water Level Test Pumping Rate \square Air line \square Other (d or Flowing Well feet after feet after allation Meter Serial Number feet after: etc): wing that this meter wa	feet Number (minimum 4 (B): e: describe): er: er:	er of Stag # hours): Fe	es: 1 Hours tet Below Land Surface Gallons Per Minute ours of pumping

۰ •

SV OLWR