County:	Yazoo	
Permit #:	GW-47794	$\sqrt{}$
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	02/24/2014

Faunt manifeld bit Faunta On & Diet. 044 040 0400 PauntaOn & Diet. cam

STATE WELL REPORT

Part 1

Driller's Log
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	E67
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the lie	
Department at the above address within 30 days of com Well Owner Information (Landowner if borehole is not for a water well)	well or Borehole. Well or Borehole Location
Owner Name: Althea Patridge	Latitude: 32 51' 15.9 N Longitude: 90 40' 09.6 W
Mailing Address: P.O. Box 35	Method of Lat/Long (check one): ☐ Conventional Survey,
-	☐ USGS quad, ☒ Hand-held GPS, ☐ Survey-grade GPS
Silver City Ms 39166	NE 1/2 SW 1/4, Sec 25 T 12 N R 5 W
City State Zip code	NW 25W 25 1 12W K 5W
Telephone No(3 Miles Northeast of Holly Bluff (Distance) (Direction) (Nearest Town)
Wall/Da	rehole Data
Date drilling started: 02/24/2014 Date drilling completed:	02/24/2014 Hole depth: 125' Hole diameter: 24"
Location of the source of any surface water used for drilling:	Surface Water
Method of dosing and volume of Chlorine used in drilling and dev	relopment: 50 PPM
Logs run (check all applicable): ☑ No log run ☐ Electric ☐ Gam	nma Ray 🗌 Density 🗎 Sonic 🗎 Neutron 🗍 Other:
Name of organization running log(s):	
Purpose of borehole (check one): Water Well Geotech	hnical/Geological Investigation
☐ Seismic Survey	Other (describe)
If drilling is not related to water well con	nstruction, skip the remainder of this block
Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ F	Public Supply ☑ Irrigation ☐ Fish Culture
Other (describe):	
If a flowing well, method of flow regulation: Valve	Other (describe)
Static Water Level: 19' feet [□ above or ⋈ belo (check one)	w] land surface Date measured: 04/03/2014
Method of Measurement (check one) \boxtimes Steel tape \square Electric tape	pe 🗌 Air line 🔲 Other: (describe)
Well depth: 125' Well grouted to a depth of: 10' fee	t Type of grout (check one): ☐ Neat Cement ☑ Bentonite ☐ Mix
Casing length: 85' feet Casing diameter: 16"	inches Type of casing: PVC
Screen length: 40' feet Screen diameter: 16"	inches Type of screen: PVC
Screen slot size:050 inches Setting depth:	From 86 feet to 125 feet
Type of completion (check all applicable): ⊠ Gravel packed ☐ U	nderreamed ☐ Open hole ☐ Natural Development
Other (describe):	
Top of lap pipe or reduction in casing: Feet	188 <mark>28 20</mark> %
If telescoped or more than on	ne screen, describe on next page
	Form: OLWR-SWR-1A (4/13)

County: Yazoo Permit #: GW-47794		Foi Well #:	Coffice Use (Only:
The sketch below only required for water wells	Description of for	mations encountered musi less specifically exempted	be provided for all	ll we <u>lls</u>
If well telescopes, show depths on sketch. Ground level	Description of Fo	rmations Encountered	From (depth) Ground level	To (depth)
	Clay Course Sand		66	75
	Course Sand		76	125
ff more than one screen, show location of e	ch on sketch		1	
Sketch the property layout and include (1) the well location 2) any permanent structures on the 3) any roads, power lines, or other 4) a north arrow	he following: property that may aid in locating the vitems that may aid in locating the prop	vell erty and the well		
Landowner Name: Althea Patri	dge			
HEREBY CERTIFY that the well/boreh	ole was drilled, constructed, and comp ent of Environmental Quality and the N	leted in accordance with dississippi Department o	Form: OLWR-Si all applicable f Health regulation	` '
f applicable, and state laws. Patrick Chism 069		11/	2	
autek Cilisiii — uda	5 02/24/2014			l

BY: OLMA

County:	Yazoo	
l	GW-47794	
Driller:	Irrigation Eq	uipment
Data deilli	in a complete d	02/24/2014

Copy information from block on Part 1

STATE WELL REPORT Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well #:	E67
Aquifer:	

,	Well Owner	Information				Well L	ocation	
Owner Name: Alti	nea Patridge	e		Latitude:	32 51' 1	5.9 N	Longitude:	90 40' 09.6 W
Mailing Address:	P.O. Box 35	5		Method of	Lat/Long	(check one)	: 🔲 Cor	nventional Survey,
				□ usgs	quad, 🛚	Hand-held G	SPS, 🗌 Su	ırvey-grade GPS
Silver City		Ms State	39166		ME y	4 <u>SW</u> 14, See	e <u>25</u> ⊤ <u>12 l</u>	<u>N</u> R <u>5 W</u>
City Telephone No.	()		Zip code	3 (Distan	Miles		st of	Holly Bluff (Nearest Town)
·			Pump Ty	ype (check one)			
☐ Submersible 🛭 T	urbine 🛮 Ai	r Lift 🔲 Centr	ifugal 🔲 Flowing	Well □ Jet □	Piston	Rotary 🗆 C	ther (desc	ribe):
Date Pump Installed	04/03/20	014		Rated Pump	Capacity:	2500+/-		_ Gallons Per Minute
ls This Pump <i>(check</i>	(one): 🛭 Ne		ed 🗌 Replaceme	nt				
				ype (check on	•			
Horse Power Rating	of Motor:	60	_ Setting Depth	n: _ 70		_ feet Num	ber of Stag	ges: <u>1</u>
					 			
			Pump Test Data	i for Non Flow	nna Well			
			•		•			
				Duration o	f Pump Te	est <i>(minimun</i>		Hours
Static Water Level (A	A) :	Feet Be	elow Land Surfac	Duration o	f Pump To Water Lev	est <i>(minimun</i> el (B):	Fe	et Below Land Surface
Static Water Level (A	A) :	Feet Be	elow Land Surfac	Duration o	f Pump To Water Lev	est <i>(minimun</i> el (B):	Fe	Hours eet Below Land Surface Gallons Per Minute
Static Water Level (/ Drawdown [(B) - (A)	A):]:	Feet Be	elow Land Surfac	Duration o e Pumping \ face Test P	f Pump Te Water Lev umping Ra	est <i>(minimun</i> el (B): ate:	Fe	et Below Land Surface
Static Water Level (/ Drawdown [(B) - (A)	A):]:	Feet Be	elow Land Surfac	Duration o e Pumping \ face Test Pi tape □ Air line	f Pump Te Water Lev umping Ra e □ Other	est <i>(minimun</i> el (B): ate:	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A) Method of measurer	A):]: ment <i>(check</i>)	Feet Be Fee one): ☐ Steel	elow Land Surfac It Below Land Sur Itape Electric Pump Test Da	Duration o e Pumping \ face Test Pi tape □ Air line	f Pump Te Water Lev umping Ra e □ Other	est <i>(minimun</i> el (B): ate:	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A) Method of measurer Measured shut in he	A):]: ment <i>(check i</i>	Feet Be Fee one): ☐ Steel	elow Land Surfact Below Land Sur I tape Electric Pump Test Date Electric	Duration o e Pumping \ face Test Pi tape ☐ Air line ata for Flowin	f Pump To Water Lev umping Ro Under Dother	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A) Method of measurer Measured shut in he	A):]: ment <i>(check i</i>	Feet Be Fee one): ☐ Steel	elow Land Surfact Below Land Surfact I tape Electric Pump Test Date et	Duration o e Pumping \ face Test Pi tape ☐ Air line ata for Flowin	f Pump To Water Lev umping Ro Under Dother	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded	A): l: ment <i>(check o</i> ad: GF	Feet Be	elow Land Surfact Below Land Surfact Below Land Surfact I tape	Duration o e Pumping \ face Test Pi tape ☐ Air line ata for Flowin Installation	f Pump Te Water Lev umping Re □ Other g Well feet after	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer:	A):	Feet Be Fee one): Steel Fee PM with a draw	elow Land Surfacet Below Land Surfacet Below Land Surfacet I tape Pump Test Defet et wdown of	Duration o e Pumping \ face Test Pi tape ☐ Air line ata for Flowin Installation Meter S	f Pump To Nater Lev umping Ro ther g Well feet after	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe	A):	Feet Be Fee one): Steel Fee PM with a draw	elow Land Surfacet Below Land Surfacet I tape Electric Pump Test Dest et wdown of	Duration o e Pumping \ face Test Pi tape □ Air line ata for Flowin Installation Meter S Type	f Pump To Nater Lev umping Ro ther g Well feet after	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register U	A):	Feet Be Fee one): Steel Fee PM with a draw	elow Land Surfacet Below Land Surfacet Below Land Surfacet I tape Pump Test Defet wdown of Meter	Duration o e Pumping \ face Test Pi tape ☐ Air line ata for Flowin Installation Meter S Type 000, etc):	f Pump To Nater Lev umping Ro c Other g Well feet after Gerial Num of Meter:	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register United Installation Date:	A):A):	Feet Be Fee one): Steel Fee PM with a draw stalled Dier Factor (A	elow Land Surfacet Below Land Surfacet Below Land Surfacet Pump Test Defet wdown of	Duration o e Pumping \ face Test Pi tape Air line ata for Flowin Installation Meter S Type 000, etc):	f Pump To Nater Lev umping Ro c Other g Well feet after Gerial Num of Meter:	est (minimun el (B): ate: (describe):	Fe	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register Ui Installation Date: Is This Meter (check	A):A):	Feet Be Feet one): Steel Feet PM with a draw Stalled Dier Factor (A Mete www Repaire he above infor	elow Land Surfacet Below Land Surfacet Below Land Surfacet Below Land Surfacet Pump Test Diet Wedown of	Duration o e Pumping \ face Test Pi tape \(\square\) Air line ata for Flowin Installation Meter S Type 000, etc): nt ertifying that ti	f Pump To Nater Lev umping Ro □ Other g Well feet after Gerial Num of Meter:	est (minimum el (B): ate: (describe): mber:	ho	eet Below Land Surface Gallons Per Minute
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register Ui Installation Date: Is This Meter (check Important: By	A):A):	Feet Be Fee one): Steel Fee PM with a draw Stalled Plier Factor (A Mete W Repaire The above informar agricultural	elow Land Surfacet Below Land Surfacet Below Land Surfacet Below Land Surfacet Pump Test Defended Below Land Below Meter Meter Land Below Land	Duration o e Pumping N face Test Pi tape Air line ata for Flowin Installation Meter S Type 000, etc): mt ertifying that the	f Pump To Nater Lev umping Ra c Other g Well feet after Gerial Num of Meter:	est (minimum el (B): ate: (describe): mber:	ho	eet Below Land Surface Gallons Per Minute Durs of pumping
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register Ut Installation Date: Is This Meter (check	A):A):	Feet Be Fee one): Steel Fee PM with a draw Stalled Plier Factor (A Mete W Repaire The above informar agricultural	elow Land Surfacet Below Land Surfacet Below Land Surfacet Below Land Surfacet Pump Test Defended Below Land Below Meter Meter Land Below Land	Duration o e Pumping N face Test Pi tape Air line ata for Flowin Installation Meter S Type 000, etc): mt ertifying that the	f Pump To Nater Lev umping Ra c Other g Well feet after Gerial Num of Meter:	est (minimum el (B): ate: (describe): mber:	ho	eet Below Land Surface Gallons Per Minute ours of pumping
Static Water Level (A) Drawdown [(B) - (A)) Method of measurer Measured shut in he Well yielded Meter Manufacturer: Meter Model Numbe Totalizer Register Ut Installation Date: Is This Meter (check Important: By	A):	Feet Be Fee one): Steel Fee one): Steel Fee PM with a draw Stalled Plier Factor (A Mete W Repaire Re above infor or agricultural ove statemen	elow Land Surfacet Below Land Surfacet Below Land Surfacet Below Land Surfacet Pump Test Diet Wedown of	Duration o e Pumping N face Test P tape Air line ata for Flowin Installation Meter S Type 2000, etc): Int Metrifying that the proved meters best of my known	f Pump To Nater Lev umping Ra c Other g Well feet after Gerial Num of Meter:	est (minimum el (B): ate: (describe): mber:	ho	eet Below Land Surface Gallons Per Minute ours of pumping

APR \$ 3 20%