

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Office of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

COUNTY WELL LOCATED VAZOO	
WELL NUMBER E	CODED
DATE WELL COMPLETED 2007 7-28-93	

PERMIT NUMBER
NAME OF DRILLING FIRM IRRIGATION EQUIPMENT
601/887-2555
INDIANOLA, MS

NAME & MAILING ADDRESS OF LANDOWNER Colby Company (Kenwy Goodman)		
Box 205		
Holly Bluff, MS 39088		
WELL LOCATION: SEC	TOWNSHIP	RANGE
12	12	5
DISTANCE DIRECTION NEAREST TOWN 7 Miles North of Holly Bluff		
OTHER LANDMARK		
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Irrigation Cotton		

PUMP DATA		
PUMP TYPE (Circle One): Submersible, <u>Turbine</u> , Jet, Flowing Well, Other (Describe)		
POWER TYPE (Circle One): Electric, Tractor, <u>Diesel</u> , Gasoline, Butane, Other (Describe) H/P <u>40</u>		
Pump Capacity (GPM) 2000	No. of Stages 1	Setting Depth 50 FT.
PUMP TEST Well yielded _____ GPM with a drawdown of _____ ft. after _____ hours of pumping		

WELL DATA		
Well Depth 111	Casing Diameter (In.) 12	Casing Length (Ft.) 71
Type of Casing PVC	Hole Depth 111	Depth to Static Water Level 15'
TYPE OF COMPLETION: (Circle One or More): <u>Gravel Packed</u> , Underreamed, Telescoped, Natural Development, Open Hole, Other		

LOG DATA	
TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe)	
Name of Organization Running Log	

WELL GROUTED TO A DEPTH OF _____ FEET Type Grout (circle one): Cement, Bentonite, or Mix

GEOLOGIC DATA (Office Use Only)			
Surface Elev.	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date	Analysis	Aquifer Test

SCREEN DATA		
Diameter - Inches 12	Length - Feet 40	Slot Size - Inches .030
Screen Type PVC	Depth to Bottom - Feet 111	

Driller's Remarks

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO
Clay	0	39
Coarse Sand	39	74
COARSE SAND + GRAVEL	74	75
COARSE SAND	75	91
COARSE SAND + GRAVEL	91	111

FORMATIONS (Continued)	FROM	TO
RECEIVED		
AUG 02 1993		
Dept. of Environmental Quality Office of Land & Water Resources		

IF MORE SPACE IS NEEDED, USE BACK

