Yazoo	
GW-46639	
Irrigation Eq	uipment
ing completed:	08/05/2013
	GW-46639 Irrigation Eq

STATE WELL REPORT Part 1

Driller's Log

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

(601) 961-5210 (601) 360-0535 (fax)

For O	ffice Use Only:
Well #:	<u> 4131</u>
Aquifer:	
E-Log #:	

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole. Well or Borehole Location **Well Owner Information** (Landowner if borehole is not for a water well) Latitude: 32 37' 47.5 N Longitude: 90 41' 09.1 W Owner Name: Payton Randolph Mailing Address: 613 Steed Road ☐ USGS quad, ☑ Hand-held GPS, ☐ Survey-grade GPS 14 NW 14, Sec 14 T 9 N R 5 W 39157 Ms Ridgeland State Zip code City West Satartia Telephone No. (Nearest Town) (Distance) (Direction) Well / Borehole Data Date drilling started: 08/05/2013 Date drilling completed: **08/05/2013** Hole depth: **120** Hole diameter: **24**** Location of the source of any surface water used for drilling: Surface Water **50 PPM** Method of dosing and volume of Chlorine used in drilling and development: Logs run (check all applicable): ⊠ No log run 🏻 Electric 🗖 Gamma Ray 🗍 Density 🗍 Sonic 🗖 Neutron 🗖 Other: Name of organization running log(s): Purpose of borehole (check one):

Water Well ☐ Geotechnical/Geological Investigation ☐ Ground Source Heat Pump ☐ Seismic Survey ☐ Other (describe) If drilling is not related to water well construction, skip the remainder of this block Purpose of Well (check all applicable): ☐ Home ☐ Industrial ☐ Public Supply ☒ Irrigation ☐ Fish Culture Other (describe): If a flowing well, method of flow regulation: Valve Other (describe) Static Water Level: 14' ____ feet [□ above or ☒ below] land surface Date measured: 08/08/2013 (check one) Method of Measurement (check one) ☑ Steel tape ☐ Electric tape ☐ Air line ☐ Other: (describe) Well depth: 120 Well grouted to a depth of: 10 feet Type of grout (check one): ☐ Neat Cernent ☑ Bentonite ☐ Mix Casing length: 80 __ feet Casing diameter: 16 Type of casing: PVC inches Screen length: 40 feet Screen diameter: 16 Type of screen: PVC inches Screen slot size: .050 81 inches Setting depth: From feet to 120 feet Type of completion (check all applicable):
☐ Gravel packed ☐ Underreamed ☐ Open hole ☐ Natural Development Other (describe): Top of lap pipe or reduction in casing:

If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A (4/13

		For Office Use On	ly:
County: Yazoo	Well#:	<u> </u>	
Permit #: GW-46639			
The sketch below only required for water wells	Description of formations encountered in and boreholes, unless specifically exemp		<u>ells</u>
If well telescopes, show depths on sketch.			
Ground level	Description of Formations Encountered	ed From (depth) T Ground level 2	o (depth)
	Clay Fine Sand	24 3	
	Fine Sand & Gravel	36 5	
	Medium Sand & Gravel		<u>.</u> 20
	modium dana a oravo.		
j			
1			
If more than one screen, show location of each on sketch			
Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property the 3) any roads, power lines, or other items that m 4) a north arrow	at may aid in locating the well		
		AECE	
		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Landowner Name: Payton Randolph		9 7 ()()	With
	7	Form: OLWR-SWR	R-1A (04/08)
I HEREBY CERTIFY that the well/borehole was drill requirements of the Mississippi Department of Envir	ed, constructed, and completed in accordance onmental Quality and the Mississippi Departme	with all applicable ent of Health regulations	٠,
if applicable, and state laws.		3711-	
Patrick Chism 0695	08/21/2013		
Print Name of Responsible Licensee and License N	lo. Date Sign	nature of Licensee	

Signature of Licensee Form: OLWR-SWR-1A (4/13)

County:	Yazoo	
Permit #:	GW-46639)
Driller:	Irrigation Eq	uipment
Date drill	ing completed:	08/05/2013

Copy information from block on Part 1

STATE WELL REPORT

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225-2309
(601) 961-5210
(601) 360-0535 (fax)

For	Office Use Only:
Well#:	<u> </u>
Aquifer:	

USGS quad, Mand-held GPS, Survey-grade GPS Ridgeland Ms 39157 State Zip code N; W %, Sec 14 T 9 N; R 5 W Telephone No. - Pump Type (check one) Submersible Turbine Air Lift Centrifugal Flowing Well Jet Piston Rotary Other (describe): Date Pump Installed 08/08/2013 Rated Pump Capacity: 2500+1- Gallons Per Minute Is This Pump (check one): New Repaired Replacement Power Type (check one) Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1 Date Well Tested: Duration of Pump Test (minimum 4 hours): Hours Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown (B) - (A): Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Type of Meter: Type of Meter: Type of Meter: Tris Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website.		Well Owner Information			rtment at the above address within 30 days of well completion. Well Location			
USGS quad, Hand-held GPS, Survey-grade GPS	Owner Name: Payton Ra	andolph		Latitude:	32 37' 47	7.5 N L	.ongitude:	90 41' 09.1 W
Ridgeland Ms 39157 SM	Mailing Address: 613 St	eed Road		Method of	Lat/Long	(check one):	☐ Conv	rentional Survey,
Telephone No. () -				□ usgs	quad, 🛭 I	-land-held G	PS, 🔲 Sur	vey-grade GPS
Telephone No. () -					,	4 <u>NW</u> ¼, Se	: <u>14</u> ⊤ <u>9 N</u>	R <u>5 W</u>
Pump Type (check one)) -	Zip code		Miles			
□ Submersible ❷ Turbine □ Air Lift □ Centrifugal □ Flowing Well □ Jet □ Piston □ Rotary □ Other (describe): □ Date Pump Installed				(Distan	ce)	(Direction)		(Nearest Town)
Date Pump Installed			Pump Ty	pe (check one)			
S This Pump (check one): New Repaired Replacement Power Type (check one) Clectric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1	☐ Submersible ☑ Turbine	☐ Air Lift ☐ Cent	rifugal 🛘 Flowing V	Vell ☐ Jet ☐	Piston	Rotary O	her <i>(descn</i>	be):
Power Type (check one)	Date Pump Installed08/	<i>1</i> 08/2013		Rated Pump	Capacity:	2500+/-		Gallons Per Minute
Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): Horse Power Rating of Motor: 60 Setting Depth: 70 feet Number of Stages: 1	ls This Pump (check one):	New □ Repair						
Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Hours Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): s This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. Patrick Chism 0695 08/21/2013			_	-				
Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Hours Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. Patrick Chism 0695 08/21/2013					=	_		
Date Well Tested:	Horse Power Rating of Mot	or: <u>60</u>	_ Setting Depth:	70		feet Numb	er of Stage	es: <u>1</u>
Date Well Tested:			Rump Toot Data	for Non Elau	ing Wall			
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Feet	Data Mall Tastadi				_		4 6	
Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Type of Meter: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. Patrick Chism 0695 08/21/2013								1 2 2 2 2
Method of measurement (check one): Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well Measured shut in head:								
Pump Test Data for Flowing Well Measured shut in head: Feet Well yielded GPM with a drawdown of feet after hours of pumping Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Type of Meter: Type of Meter: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): nstallation Date: Meter installed by: s This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013								_ Gallons Per Minute
Measured shut in head: Feet Mell yielded GPM with a drawdown of feet after hours of pumping	Method of measurement (c	heck one). Stee				(describe):		
Meter Installation Meter Manufacturer: None Installed Meter Serial Number: Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. Patrick Chism 0695 08/21/2013			Pump Test Dat	a for Flowin	g Well			
Meter Manufacturer: None Installed	Measured shut in head:	Fe	et					
Meter Manufacturer: None Installed Meter Serial Number: Meter Model Number/Name: Type of Meter:	Well yielded	GPM with a dra	wdown of		feet after		hou	urs of pumping
Meter Model Number/Name: Type of Meter: Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013			Meter I	nstallation				
Totalizer Register Unit and Multiplier Factor (AF x .001, gal x 1000, etc): Installation Date: Meter installed by: Is This Meter (check one): Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	Meter Manufacturer: No	ne installed		Meter S	Serial Num	ber:		
Installation Date: Meter installed by: Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	Meter Model Number/Name	a:		Туре	of Meter:			
Is This Meter (check one): New Repaired Replacement Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	Totalizer Register Unit and	Multiplier Factor (F	AF x .001, gal x 100	00, etc):				
Important: By submitting the above information you are certifying that this meter was installed to manufacturer standards. For agricultural wells, a list of approved meters is on the MDEQ website. HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	installation Date:	Met	er installed by:		<u> </u>			
HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	s This Meter (check one): [☐ New ☐ Repaire	ed 🗌 Replacement	t				
For agricultural wells, a list of approved meters is on the MDEQ website. HEREBY CERTIFY that the above statements are true to the best of my knowledge. Patrick Chism 0695 08/21/2013	Important: By submitt	ting the above info	rmation vou are ce	rtifying that th	his <i>meter</i> v	vas installed i	to manufac	turer standards.
Patrick Chism 0695 08/21/2013								
	HEREBY CERTIFY that t	he above statemer	nts are true to the b	est of my kno	wledge.	7		Her
	Detriels Chiese	ACAE		004	24/2042	\mathcal{L}		— /
			o (if applicable)	U8/			Signature o	Pump Installer
							Form. U	LWR-SWR-1B (4/13)