

FORM 9-1642  
(1-68)

U. S. DEPT. OF THE INTERIOR

# WELL SCHEDULE

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

Well No. 09 266 D9

## MASTER CARD

Record by JAC Source of data 01/26 Date 12-61 Map 1

State 31-33-46 County 28 (or town) 91-17-35 Sequential number: 2

Latitude: 30 deg, 42 min, 53 sec N Longitude: 089 deg, 51 min, 07 sec W

Lat-long accuracy: 5 T, 7 S, R 20 Sec 10 Other number: #2

Local well number: 0009 Owner or name: Johns-Manville Prod

Local use: 0009 Address: \_\_\_\_\_

Owner or name: JOHNS-MANVILLE (S) (W)

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist (N) (P) (R)

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R)

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (B) (C) (D) (G) (H) (J) (K) (L) (M) (N) (P) (R) (T) (U) (V) (W) (X) (Y) (Z)

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_ yes  no

Qual. water data; type: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes  no

Freq. sampling: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

## WELL-DESCRIPTION CARD

Log data: \_\_\_\_\_ Meas. 428 rept accuracy 12

SAME AS ON MASTER CARD Depth well: 383 ft Casing type: Steel ; Diam. 12x8 in

Depth cased: (first perf.) \_\_\_\_\_ ft

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) air percussion, (K) reverse trenching, (L) driven, (M) drive wash, (N) other

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (E) jetted, (F) air percussion, (G) reverse trenching, (H) driven, (I) drive wash, (J) other

Drilled: 11/1946 Date 946 Pump intake setting: \_\_\_\_\_

Driller: Lucyne Central Co. name (L) (M) (N) (P) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. \_\_\_\_\_

Trans. or meter no.

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Drawdown: \_\_\_\_\_ Accuracy: \_\_\_\_\_

QUALITY OF WATER DATA: Iron ppm \_\_\_\_\_ Sulfate ppm \_\_\_\_\_ Chloride ppm \_\_\_\_\_ Date sampled \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ Hard. ppm \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. DT

Latitude-longitude \_\_\_\_\_  
d m a S d m s

**LOGIC CARD**

ON MASTER CARD **Physiographic Province:**

D Drainage Basin:

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley flat  
(C) (E) (F) (H) (K) (L)  
(P) (S) (T) (U) (V)

1152 Section: 013  
Subbasin: \_\_\_\_\_

**Lithology:**

Length of well open to: 40

**MINOR AQUIFER:**

**Lithology:**

Length of well open to: \_\_\_\_\_

**Intervals Screened:**

Depth to consolidated rock: \_\_\_\_\_

Depth to basement: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

series TIM

Origin: S

Depth to top of: 40

series \_\_\_\_\_

Origin: \_\_\_\_\_

Depth to top of: \_\_\_\_\_

ft \_\_\_\_\_

ft \_\_\_\_\_

ft \_\_\_\_\_

ft \_\_\_\_\_

spd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

Aquifer Thickness: 3

ft 38.3

aquifer, formation, group \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft \_\_\_\_\_


Source of data: \_\_\_\_\_

Source of data: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

spm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

DT C-66