

No driller's log

APR 24 1975

FORM 9-1642 (1-68)

Well No. D11

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by JAC Source of data D. 19-109 Date 12/61 Map Washington  
 State 28 County 2116770  
 Latitude: 30 42 53 N Longitude: 08 9 51 07 Sequential number: 4  
 Local well number: D 0 Other well number: #4  
 Local use: \_\_\_\_\_ Owner or name: Johns Manville Prod  
 Owner or name: JOHNS MANVILLE Address: Schuller International  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N  
 Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_  
 Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed U  
 DATA AVAILABLE: Well data \_\_\_\_\_ Freq. W/L meas: \_\_\_\_\_ Field aquifer char: \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: D

Other wells permitted - Johns Manville Int., Inc.

ABAND AFTER 1961

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 42.9 Meas. rept accuracy 3  
 Depth cased: 38.5 Casing type: \_\_\_\_\_; Diam. 12 X 8 in 12  
 Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other G  
 Method: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive wash, other H  
 Date Drilled: 6/18/47 947 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Layne Central Co.  
 Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_  
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 50 1 Trans. or meter no. \_\_\_\_\_  
 Descrip. MP OK ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: 123.84 Accuracy: 1.24 (source) \_\_\_\_\_  
 Water Level 65.60 ft above below MP; Ft below LSD 66 Accuracy: \_\_\_\_\_  
 Date meas: 4-6-61 Yield: 461 gpm 300 Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No.

D11

Latitude-longitude \_\_\_\_\_

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD **Physiographic Province:** \_\_\_\_\_ **Section:** 03

**Drainage Basin:** D **Subbasin:** 152

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp  
(E) offshore, pediment, hillside, terrace, undulating, valley flat

**MAJOR AQUIFER:** system \_\_\_\_\_ series T.M. aquifer, formation, group M.2

**Lithology:** \_\_\_\_\_ **Origin:** 3 **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** 5.6 ft **Depth to top of:** 40 ft **Depth to top of:** 370 ft

**MINOR AQUIFER:** system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** \_\_\_\_\_

**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ **Coefficient Storage:** \_\_\_\_\_

**Perm:** \_\_\_\_\_ **Spec cap:** \_\_\_\_\_ **Number of geologic cards:** \_\_\_\_\_


Well No. D11