

**WELL SCHEDULE  
FOR  
THE OFFICE OF LAND AND WATER RESOURCES**

Fips: 001

Well: D81

Log No: \_\_\_\_\_

Recorded by: pPhillips Data Source: <sup>Permit</sup> GPS sheet Drillers log Date: 6/25/1998

County: Adams Permit No.: GW06029 DOH No.: 0010002-16

1/4: \_\_\_\_\_ 1/4: IR 1/4: IR 1/4: NE Sec.: 32 T: 7N R: 2W

Quad: Washington Elevation: 220

Plotted on quad?:  In field?  From drillers log? \_\_\_\_\_ From permit? \_\_\_\_\_

Latitude: 31° 35' 24.3" Longitude: 91° 19' 57.0" GPS?  From quad? \_\_\_\_\_

Primary Aquifer: MOCN Second Aquifer \_\_\_\_\_

Use: Municipal Well status: \_\_\_\_\_

Owner: City of Natchez (Natchez Water Works)

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_ Local Well Name: \_\_\_\_\_

Date completed: 9/1/1987 Driller: Griner Drilling Service

Well depth: \_\_\_\_\_ Hole depth: \_\_\_\_\_ Well diameter: \_\_\_\_\_ Pump type: \_\_\_\_\_

Power type: \_\_\_\_\_ Pump capacity: \_\_\_\_\_

Screen interval (msl): \_\_\_\_\_ (land surface): \_\_\_\_\_

Type of logs: \_\_\_\_\_ Log interval: \_\_\_\_\_

Initial water level(l/s): \_\_\_\_\_ Date: \_\_\_\_\_

Measuring point description: \_\_\_\_\_

---

Water Quality Data? \_\_\_\_\_ Source: \_\_\_\_\_ Reliability: \_\_\_\_\_

Water Level Data? \_\_\_\_\_ Source: \_\_\_\_\_ Reliability: \_\_\_\_\_

Pump Test Data? \_\_\_\_\_ Source: \_\_\_\_\_ Reliability: \_\_\_\_\_

Water Use Data? \_\_\_\_\_ Source: \_\_\_\_\_ Reliability: \_\_\_\_\_

---

Water level data

---

This area for location map and notes

ADAMS  
D 81  
6029

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES  
Bureau of Land and Water Resources  
Southport Mall  
P.O. Box 10631  
Jackson, Mississippi 39209  
WATER WELL DRILLERS LOG

CODED

6W 6029

Sept. 19 82 date well completed  
82 YARNER DR. SER. firm name  
ADAMS county well located

LANDOWNER:	description of formations encountered	from	to
CITY OF NATCHEZ - SITE NO. 3	TOP SOIL	0	2
(mailing address)	CLAY + ROCKS	2	76
	SAND	76	174
	CLAY	174	320
WELL LOCATION: North 1/2 of Section 33, T. 7N, R. 2E, Morgan Town Rd.	SAND + CLAY STREAKS	320	390
(distance) miles (direction) of (nearest town)	SAND	390	454
	CLAY	454	474
	SAND	474	542
	CLAY	542	757
WELL PURPOSE: (home, irrigation, municipal, industrial)	SAND	757	786
	CLAY	786	796
WELL COMPLETION DATA:	SAND	796	854
(1) diameter (inches) 18	CLAY	854	872
(2) total depth (feet) 858			
(3) static water level (feet) 15.12 below top of ground			
(4) casing STEEL 744 (material) (depth)			
18 (size) if telescope see back.			
(5) screen 80 ft. 767 (length) (depth to top)			
12 in. 304 S.S. (0.06) (size) (material)			
(6) pump 200 1000 (HP) (yield gpm)			
ELECT. (type power)			
(7) electric log YES (yes or no)			
G.I.S. (organization running log)			
(8) how well bottom plugged BACK			
WASH VALVE STAINLESS			
DRILLERS REMARKS: CONCRETE			

CODED

SCREEN - 768 - 788  
798 - 858

RECEIVED

SEP 08 1982

Department of Natural Resources  
Bureau of Land & Water Resources