

**WELL SCHEDULE
FOR
THE OFFICE OF LAND AND WATER RESOURCES**

Fips: 001

Well: E31

Log No: _____

Recorded by: PPhillips Data Source: ^{GPS Sheet} Drillers log Date: 6/25/1998

County: Adams Permit No.: GW12631 DOH No.: 0010009-04

1/4: _____ 1/4: Ir 1/4: Ir 1/4: SW Sec.: 39 T: 7N R: 1W

Quad: Washington Elevation: 403

Plotted on quad?: In field? From drillers log? _____ From permit? _____

Latitude: 31° 33' 32.5" Longitude: 91° 15' 28.6" GPS? From quad? _____

Primary Aquifer: MOCN Second Aquifer: _____

Use: WA Well status: _____

Owner: Adams Co. Water Association

Address: _____

Telephone: _____ Local Well Name: _____

Date completed: 2/1/1985 Driller: Griner Drilling Service

Well depth: 1188 Hole depth: 1223 Well diameter: 16" Pump type: Turbine

Power type: Electricity Pump capacity: 500 gpm

Screen interval (msl): -725 to -785 (land surface): 1128 to 1188

Type of logs: _____ Log interval: _____

Initial water level(s): _____ Date: _____

Measuring point description: _____

Water Quality Data? _____ Source: _____ Reliability: _____

Water Level Data? _____ Source: _____ Reliability: _____

Pump Test Data? _____ Source: _____ Reliability: _____

Water Use Data? _____ Source: _____ Reliability: _____

Water level data

This area for location map and notes

ADAMS CO.
E 31
2-00-1985

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES
Bureau of Land and Water Resources
Southport Mall
P.O. Box 10631
Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

CODED

Feb. 1985 GRINER DRILLING SERVICE ADAMS
date well completed firm name county well located

LANDOWNER:	description of formations encountered	from	to
ADAMS COUNTY	TOP SOIL	0	4
WATER ASSOC., FENWICK	SAND & SILT	4	55
WELL, WELL NO. 1	CLAY	55	65
(mailing address)	SAND	65	90
WELL LOCATION: E 1/2 NW 1/4 IRREGULAR SECTION	SAND + CLAY STREAKS	90	172
sec. 38 T 7 N S R E W	CLAY	172	310
(distance) miles (direction) of (nearest town)	SAND	310	514
WELL PURPOSE: RUNDL W.A.	CLAY	514	708
(home, irrigation, municipal, industrial)	SAND + CLAY STREAKS	708	872
WELL COMPLETION DATA:	CLAY	872	1020
(1) diameter (inches) 16"	SAND + CLAY STREAKS	1020	1068
(2) total depth (feet) 1188	CLAY	1068	1123
(3) static water level (feet) 349.7 below top of ground	SAND, COARSE	1123	1210
(4) casing steel 1118 ft. (material) (depth)	CLAY	1210	1223
16" (size) if telescope see back.			
(5) screen 60" 1128 (length) (depth to top)			
8" 304 S.S. (.016) G.P. (size) (material)			
(6) pump 100 500 (HP) (yield gpm)			
Elect (type power)			
(7) electric log Yes. (yes or no)			
Miss. Geol. Survey (organization running log)			
(8) how well bottom plugged BACK WASH VALVE + STY. STINGS			
DRILLERS REMARKS:			

RECEIVED

FEB 8 1985

Department of Natural Resources
Bureau of Land & Water Resources