

FORM 9-1642 (1-68)

ID 312715091254901

Well No. F26

WELL SCHEDULE  
GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

WU 5 1973

MASTER CARD  
Record by JAC

Source of data IP records Dris log Date 4/26/73 2-19-70 Map

Sequential number: 1

State 28 County (or town) 0912603

Latitude: 31 deg 27 min 2N sec Longitude: 091 degrees 26 min 03 sec

Lat-long accuracy: 3 T. 6 S. 3 E. Sec 30 SW, SW, NW Other number: #26

Local well number: F026CB3006N03W Owner or name: 064

Local use: INT PAPER CO Address: N

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Irr, Med, Ind, P S, Res, Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed

DATA AVAILABLE: Well data, Hyd. lab. data, Qual. water data, Freq. sampling, Aperture cards, Log data

WELL-DESCRIPTION CARD

Depth well: 250 ft; Casing Type: 250 ft; Diam. 4 3/4 in

Finish: porous concrete, gravel w. gravel w. (screen), horz. gallery, end, (H) open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other

Method Drilled: air bored, cable, dug, rot., (A) air, (B) cable, (C) dug, (D) rot., (H) hyd jetted, (J) air percussion, (P) rotary, (R) reverse trenching, (T) driven, (V) drive wash, (W) other

Date Drilled: 3/22/56 Pump intake setting: 956 ft

Driller: name LP (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other

Lift (type): air, bucket, cent, jet, (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 200 about 1/2 ft above LSD, Alt. MP 103.40

Alt. LSD: 102 ft above MP; Ft below LSD 102 Accuracy: 2000 Method determined

Water Level: 057 ft Date meas: 10/18 Yield: 54 gpm Pumping period: 54 hrs

Drawdown: 54 ft Accuracy: 54 Chloride ppm Date sampled: 54 Hard. ppm

QUALITY OF WATER DATA: Iron ppm, Sp. Conduct K x 10, Temp. °F, Taste, color, etc.

RECORDED and VERIFIED

Well No. 726

Well No. F26

**GEOLOGIC CARD**

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

AS ON MASTER CARD

Physiographic Province:

E Drainage Basin: \_\_\_\_\_

03 Section: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, (C) dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

14E Subbasin: \_\_\_\_\_

MAJOR AQUIFER:

Lithology: \_\_\_\_\_

100 Length of well open to: \_\_\_\_\_

US Origin: \_\_\_\_\_

aquifer, formation, group

MINOR AQUIFER:

46 Depth to top of: \_\_\_\_\_

3 Aquifer Thickness: \_\_\_\_\_

Lithology: \_\_\_\_\_

Length of well open to: \_\_\_\_\_

Origin: \_\_\_\_\_

aquifer, formation, group

Intervals Screened: \_\_\_\_\_

Depth to top of: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_


Coefficient Trans: \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No.

F26

