

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 28 1972

MASTER CARD

Record by G. J. Dalsin B. E. Ellison Source of data DRUMPER Date 11-19-61 Map Corinth

State 28 County (or town) Alcorn 02

Latitude: 34 59 07 N Longitude: 08 33 39 Sequential number: 1

Lat-long accuracy: 3 1 7 0 2 1 0 7 E 2 1 0 7 E SW/SE/NW SW/SE/NW

Local well number: C021CB2101S07E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner of name: \_\_\_\_\_

Owner or name: ORVILLE BIVENS Address: Winnesoga

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hvd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: 0 yes no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes 0

Log data: \_\_\_\_\_ 0

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 315 ft Meas. 6 accuracy 0

Depth cased; (first perf.) 60 ft Casing type: \_\_\_\_\_; Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other X

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 958 Pump intake setting: \_\_\_\_\_ ft

Driller: Norvell Drilling Co., Winnesoga

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb, other J Deep 0 Shallow 40

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind; H.P. 0 Trans. or meter no. 0

Descrip. MP 486' (10/89) above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 465 Accuracy: 5

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: 6

Date meas: 1958 Yield: 58 gpm Method determined 0

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 0 K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. good

Well No.

C21

Well No. C21

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**APPEAR ON MASTER CARD**

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

58 25 390

Drainage Basin: \_\_\_\_\_

162 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

K3

aquifer, formation, group \_\_\_\_\_

C5

Lithology: \_\_\_\_\_

U1

Origin: \_\_\_\_\_

6

Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

\_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

\_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_



Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

C21