

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 28 1972

MASTER CARD G.J. Dablin (Hitt)

Record by G.J. Dablin (Hitt) Source of data owner Date 10-2-56 Map Corinth

State 28 County (or town) Alcorn 02

Latitude: 34<sup>58</sup>54<sup>7</sup>42<sup>9</sup> N Longitude: 08<sup>17</sup>33<sup>13</sup>64<sup>18</sup> W Sequential number: 1

Lat-long accuracy: 30 T. 2 N. 6 W. Sec 13 SE NE SE NE

Local well number: F008DA1302506E Other number: B & M

Local use:      Owner of name:     

Owner or name: AUDIE HOLLEY Address: County RI

Ownership: (C) County, Fed Gov't, (F) City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instat, Unused, Recharge, Desal-P S, Desal-other, Other 17

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data      Freq. W/L meas.:      Field aquifer char.     

Hyd. lab. data:     

Qual. water data; type:     

Freq. sampling:      Pumpage inventory:      period:     

Aperture cards:      yes     

Log data:     

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 294 ft Meas. 6

Depth cased:      ft Casing type:     ; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), (screen), (galler), (open end), (horiz. gallery), (open perf.), (screen), (sd. pt.), (shored), (open bble), other X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other W

Date Drilled: 9:54 Pump intake setting:      ft

Driller:     

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep      Shallow     

Power (type): diesel, elec gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. 5

Descrip. MP OK (10/89) above      ft below LSD, Alt. MP     

Alt. LSD: 490 Accuracy:     

Water Level: 60 ft above MP; Ft below LSD Accuracy:     

Date meas: 10-2-56 Yield: 056 gpm Method determined:     

Drawdown:      ft Accuracy:      Pumping period:      hrs

QUALITY OF WATER DATA: Iron      ppm Sulfate      ppm Chloride      ppm Hard.      ppm

Sp. Conduct K x 10      Temp.      °F Date sampled:     

Taste, color, etc.     

Well No. F 8

Well No. F8

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S

**HYDROGEOLOGIC CARD**

Province: 03 Section: \_\_\_\_\_

Drainage Basin: 16L Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp  
(P) offshore, pediment, hillside, terrace, undulating, valley flat  
H

MAJOR AQUIFER: K3 aquifer, formation, group C5

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpa/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

F8