

location questionable

FORM 9-1642 (1-68)

Well No. F 15

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 28 1972

MASTER CARD

Record by G. J. Dalsin Source of data wife of owner Date 10-3-56 Map Kossuth S

State 28 County (or town) Alcorn 02

Latitude: 34<sup>deg</sup> 51<sup>min</sup> 46<sup>sec</sup> N Longitude: 08<sup>deg</sup> 39<sup>min</sup> 37<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 3 T 2 N 6 W Sec 34 t. SW t. NW t.

Local well number: F0158D3402S06E Other number: \_\_\_\_\_ B & H

Local use: 1/8 Owner or name: J C MILLS Address: Crinck R4

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (S) (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (R) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes  no  period:

Aperture cards:  yes  no

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 275± ft 27.5 Meas. rept accuracy 6

Depth cased; (first perf.) \_\_\_\_\_ ft \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. gallery, (I) open perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other X

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Faires

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot., (I) submerg, (J) turb., (K) other D Deep  Shallow

Power (type): diesel, elec nat gas, gasoline, hand, gas, wind; H.P. 1/2 J Trans. or meter no. \_\_\_\_\_

Descrip. MP 490 (10/89) ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 380 Accuracy: (source) 5

Water Level 100± ft above below MP; Ft below LSD 100 Accuracy: \_\_\_\_\_

Date meas: 10-3-56 Yield: 0.56 gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. Fe-hard, clear

Well No.

F15

Well No. F15

**RECORDED**

Latitude-longitude \_\_\_\_\_ N  
\_\_\_\_\_ S

**HYDROGEOLOGIC CARD**

NO. 350  
SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_ Section: 03

Drainage Basin: D Subbasin: 162

Top of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (M) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series U3 aquifer, formation, group CS

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ <sup>2</sup> gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Town of Harrods



Well No. F15