

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

**PUNCHED**  
WATER RESOURCES DIVISION  
**DEC 28 1972**

MASTER CARD

Record by G.J. Dalsin  
(B.E. Ellison) Source of data owner Date 9-15-61 Map Carlin

State 28 County Alcorn (or town) 02

Latitude: 34<sup>1</sup>5<sup>2</sup>6<sup>3</sup>3<sup>4</sup>1<sup>5</sup> N Longitude: 08<sup>12</sup>8<sup>15</sup>3<sup>18</sup>2<sup>21</sup>3<sup>24</sup>4<sup>27</sup> Sequential number: 1

Lat-long accuracy: 3 T 2 R 7 Sec 3 SW SE t. NE t.

Local well number: 6023DA0302S07E Other number: B & M

Local use: 118 Owner or name: A J BRADLEY

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other U

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no, period:

Aperture cards:  yes

Log data:

Log data:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 160 ft. Meas. 6 accuracy

Depth cased; (first perf.)  ft. Casing type: 4 in. Diam.

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (H) open perf., (P) screen, (S) sd. pt., (T) shored, (W) open, (X) other, (B) able.

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, (B) other.

Date Drilled: 1905 9:05 Pump intake setting:  ft.

Driller: Faires

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (M) multiple, (N) multiple, (P) none, (R) piston, (S) submerg, (T) turb, (W) other, (B) Deep, (S) Shallow.

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no.

Descrip. MP 483' (11/99).4 ft above/below LSD, Alt. MP

Alt. LSD: 480 Accuracy: 5

Water Level 67.65 ft above/below MP; Ft 66 above/below LSD Accuracy: 1

Date meas: 9-15-61 9:01 Yield:  gpm Method determined

Drawdown:  ft Accuracy:  Pumping period:  hrs

QUALITY OF WATER DATA: Iron  ppm Sulfate  ppm Chloride  ppm Hard.  ppm Sp. Conduct  K x 10<sup>6</sup> Temp.  °F Date sampled

Taste, color, etc. well plugged?

Well No. 623

Well No. 623

**PUNCHED**

Latitude-longitude \_\_\_\_\_  
d m s d m s

HYDROLOGIC REGION

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

Section: 03

Drainage Basin: D

Subbasin: 162

Topo. of well-site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (P) offshore, (S) pediment, (T) hillside, (U) terrace, (V) undulating, (W) valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series K3 aquifer, formation, group CS

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_



Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_