

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

**PUNCHED**  
JAN 4 1973  
WATER RESOURCES DIVISION

MASTER CARD

Record by BTD (BEE) Source of data \_\_\_\_\_ Date 2-13-62 Map Kendrick

State 28 County Alcorn (or town) 02

Latitude: 345609N Longitude: 088301W Sequential number: 7

Lat-long accuracy: 3 T. 2 S. R. 9 W. Sec 6 NW/NE, SW, SE

Local well number: H029CC0602S09E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: HARLEY MOSES Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 126 ft Meas. rept 6

Depth cased; (first perf.): 120 ft Casing type: \_\_\_\_\_; Diam. 6-2 in accuracy \_\_\_\_\_

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horis. gallery, end, (H) open hole, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) other, (B) other P

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air rot., (J) percussion, (P) air rot., (R) reverse, (T) trenching, (V) driven, (W) drive wash, (X) other 32

Date Drilled: 2, 1962 962 Pump intake setting: \_\_\_\_\_ ft 30

Driller: Norvell address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other P Deep  Shallow

Power (type): diesel, elec nat gas, gasoline, hand, gas, wind; H.P. 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP OK (11/89) ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 525 Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; F. 42 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 2, 1962 262 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

525  
42  
487

Well No.

H29

**HYDROGEOLOGIC CARD**

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_

SAME AS ON MASTER CARD  
 Physiographic Province: 03 Section: \_\_\_\_\_  
 Drainage Basin: D Subbasin: 164

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley flat  
 (P) (S) (T) (U) (V) S

MAJOR AQUIFER: system \_\_\_\_\_ series FT3 aquifer, formation, group C5  
 Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 120-124'; 6' of 2" p.a.f. pipe

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

