

WRD Exp. (GW)  
April 1966

Well No. K 60

WELL SCHEDULE

Elog # 27

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

*Yes*  
JAN 11 1974

Record by WTO Source of data Bowc MSCS Date 6/69 Map \_\_\_\_\_

State 28 County Alcorn (or town) \_\_\_\_\_

Latitude: 34 46 00 N Longitude: 08 31 45 Sequential number: 1

Lat-long accuracy: 2 T. A S. R. 7 W. Sec 2, 2400' S + 1700' W' of N.T. Cor.

Local well number: K060 A0204807E Other number: \_\_\_\_\_

Local use: 027027 Owner or name: \_\_\_\_\_

Owner or name: RIENZI WA Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) P S, (P) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other \_\_\_\_\_

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: 10' - 382' \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 370 ft Meas. 3

Depth cased: (first perf.) 320 ft Casing type: Steel; Diam. 10x6 in 1.0

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), hor. gallery, open end, hor. open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse trenching, (V) driven, (W) drive wash, other \_\_\_\_\_

Date Drilled: 5/68 9/68 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: JW Webb + Son

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 25 LP  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 440 Accuracy: (source) \_\_\_\_\_

Water Level: 6-22-73 86.08 ft above MP; Ft below LSD 86 Accuracy: \_\_\_\_\_

Date meas: 6-22-73 673 Yield: 132 gpm 150 Method determined A

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 300 K x 10<sup>6</sup> 2 Temp. 17.5 °F Date sampled 6/13/77 672

Taste, color, etc. \_\_\_\_\_

440  
186  
300  
354  
6-22-73  
SC 300  
Temp 17.5°  
PH 7.6  
Fo = .2

Well No. K 60

