

### WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

#### MASTER CARD

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Record by WTO Source of data Bowc Date 12/68 Map \_\_\_\_\_

State 28 County (or town) Amite 03

Latitude: 310929N Longitude: 0904947 Sequential number: 1

Lat-long accuracy: 5 T. 20 S, R 4 W, Sec 8

Local well number: N0150802N04E Other number: \_\_\_\_\_

Local use: 168 Owner or name: Mrs Clayton Whittington

Owner or name: C WHITTINGTON Address: LIBERTY

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other A

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes,  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: No log

#### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1107 Meas. 3

Depth cased: 1101 Casing type: \_\_\_\_\_; Diam. in 4

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. horiz. gallery, end, (phi) open perf., (P) screen, (S) sd. pt., (T) shored, (W) open hole, (X) other, (Z) \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percussion, (P) air rot., (R) reverse, (T) trenching, (V) driven, (W) drive wash, (X) other, (Z) \_\_\_\_\_ H

Date Drilled: 6/65 9/65 Pump intake setting: \_\_\_\_\_ ft 38

Driller: COUINGTON

Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other  Deep  Shallow 40

Power (type): nat, LP, Trans. or meter no.

Descrip. MP \_\_\_\_\_ ft above/below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above/below MP; \_\_\_\_\_ ft above/below LSD 50 Accuracy: \_\_\_\_\_ 52

Date meas: 6/65 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_ 79

Taste, color, etc. \_\_\_\_\_

Well No. 215

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 19 Physiographic Province: \_\_\_\_\_ Section: 03

D Drainage Basin: 146 Subbasin: \_\_\_\_\_ 26

Topo of well site: (D) (C) (E) (F) (H) (K) (L) \_\_\_\_\_  
(Q) (P) (S) (T) (U) (V) \_\_\_\_\_  
depression, stream channel, dunes, flat, hilltop, sink, swamp,  
offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP \_\_\_\_\_ aquifer, formation, group CI

Lithology: \_\_\_\_\_ Origin: 2 \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 101' - 107'


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



1 mile W of Liberty

Well No. 215