

PUNCHED

U.S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD #

Record by: Bew

Source of data: Obs

Date: 6-7-57

Map

State

County (or town): 28

Attala

Sequential number: 04

Latitude: 33 13 18 N

Longitude: 089 31 27

Lat-long accuracy: 4

16

8

30

SW

12/15/88

Local well number: C001CB3016N08E

Other number: B & H

Local use:

Owner or name:

Owner or name: Z A WASSON

Address:

46.0

8.63

37.37

BEW

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water, Dist

Use of: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Mad, Ind, P S, Rec, water

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed

DATA AVAILABLE: Well data, Freq. W/L meas., Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory; period:

Temperature cards:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 40 ft Meas. accuracy: 6

Depth cased: (first perf.) 28 ft Casing type: 38" concrete Tel; Diam. 28 in

Finish: porous concrete, gravel w. screen, gravel w. gallery, horiz. open perf., screen, sd. pt., shored, open hole, other

Method: air, bored, cable, dug, hyd jetted, air rot, percussion, rotary, reverse trenching, driven, drive wash, other

Date Drilled: 1870? Pump intake setting: 35 ft

Driller: name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other B Deep 30 Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 41 Trans. or meter no. 41

Descrip. MP 35.16 top of curb ft above LSD, Alt. MP 47

Alt. LSD: 435 Accuracy: (source) Bar

Water Level: 35.16 ft above below MP; Ft below LSD 35 Accuracy: A

Date meas: 657 Yield: 60 bpm Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period 64 hrs 65

QUALITY OF WATER DATA: Iron 66 ppm Sulfate 67 ppm Chloride 68 ppm Hard. 69 ppm

Sp. Conduct 70 K x 10 71 Temp. 72 °F Date sampled 73

Taste, color, etc.



