

F11 PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD #

Record by Brew Source of data Braswell Date 1-27-61 Map \_\_\_\_\_

State 28 County Attala Sequential number: 04

Latitude: 33° 10' 28" N Longitude: 08° 9' 41" W

Lat-long accuracy: 4 T 15 S, R 6 W. Sec 9, SW, NW

Local well number: F011CB0915NO6E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: R. W. NEVIL Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (U) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 168 ft Meas. accuracy 6

Depth cased; (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_ Diam. 3x14 in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other P

Method: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (H) jetted, (J) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 9-6-61 Pump intake setting: \_\_\_\_\_ ft

Driller: Braswell Hdy Co name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) 3/4 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 372 Accuracy: Bar

Water Level: 42 ft above MP; Ft below LSD 42 Accuracy: \_\_\_\_\_ Method determined A

Date meas: 1-6-61 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ hrs \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc.

Latitude-longitude \_\_\_\_\_

N  
S

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** **Physiographic Province:** \_\_\_\_\_ **Section:** 03

**Drainage Basin:** D **Subbasin:** ISK

**Topo of well site:** (D) depression, stream channel; (C) dunes, flat, hilltop, sink, swamp; (E) (F) (G) (H) (K) (L) (M) (N) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

**MAJOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** TE **aquifer, formation, group** Neshoba **Thickness:** W:N

**Lithology:** \_\_\_\_\_ **Origin:** 3 **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** \_\_\_\_\_ **aquifer, formation, group** \_\_\_\_\_ **Thickness:** \_\_\_\_\_ ft

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** \_\_\_\_\_


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surface material:** \_\_\_\_\_ **Exfiltration characteristic:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ **coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ **Spec cap:** \_\_\_\_\_ **gpm/ft; Number of geologic cards:** \_\_\_\_\_



Well No. \_\_\_\_\_