

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD #

Record by CJ Source of data Bowle Date 2-16-62 Map

State 28 County (or town) Attala 04

Latitude: 33° 03' 39" N Longitude: 089° 46' 29" W Sequential number: 1

Lat-long accuracy: 4 T 14 S, R 5 W, Sec 22, NE, NW

Local well number: K023AB2214N05E Other number: B & M

Local use: GLADYS HOLEMAN Owner or name: GLADYS HOLEMAN Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, (T) Instat, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Aperture cards:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 69 ft Meas. 6 rept accuracy

Depth cased: 63 ft Casing type: 2 in Diam. 5

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse, (G) trenching, (H) driven, (I) drive wash, (J) other H

Date Drilled: 2-8 962 Pump intake setting: 38 ft

Driller: Smith & Presley name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 39 Deep 40 Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 41 Trans. or meter no. 40

Descrip. MP 42 ft above below LSD, Alt. MP 47

Alt. LSD: 35 ft Accuracy: 35 (source) D

Water Level: 35 ft above below MP; Ft below LSD 35 Accuracy: 262 Method determined 61

Date meas: 262 Yield: 60 gpm Pumping period: 68 hrs

Drawdown: 62 ft Accuracy: 63

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72 ppm

Sp. Conduct 73 K x 10 74 Temp. 76 °F Date sampled 77

Taste, color, etc. 79

Well No.

Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: 20 21

D Drainage Basin: 15K Subbasin: 22 23

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (P) (S) (T) (U) (V) July 27

MAJOR AQUIFER: TE Aquifer Thickness: 55

Lithology: S Origin: 2 Length of well open to: 6 Depth to top of: 41 43

MINOR AQUIFER: system series aquifer, formation, group

Lithology: Origin: Thickness: ft Length of well open to: 54 56 Depth to top of: 57 59

Intervals Screened:


Depth to consolidated rock: ft 60 63 Source of data: 64

Depth to basement: ft 65 68 Source of data: 69

Surficial material: 70-71 Infiltration characteristics: 72

Coefficient Trans: gpd/Et 73-75 Coefficient Storage: 76 78

Coefficient Perm: 2 gpd/Et; Spec cap: gpm/ft; Number of geologic cards: 79



Well No.