

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J. Shell Source of data Bowc Date 1/69 Map \_\_\_\_\_

State 28 County Attala (or town) 04

Latitude: 33° 06' 08" N Longitude: 089° 33' 02" W Sequential number: 1

Lat-long accuracy: 5 T. 14 S, R. 7 W, Sec. 2, SW SW NE

Local well number: M 060 CA 0214 NO 7 E Other number: \_\_\_\_\_ B & M

Local use: 030 Owner or name: \_\_\_\_\_

Owner or name: LENORA MALETIT Address: RFD Kosciusko

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 136 ft Meas. rept \_\_\_\_\_ 3

Depth cased: 130 ft Casing type: galv. Diam. 2x1/4 in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. open end, (I) galv. (J) galv. (K) galv. (L) galv. (M) galv. (N) galv. (O) galv. (P) galv. (Q) galv. (R) galv. (S) galv. (T) galv. (U) galv. (V) galv. (W) galv. (X) galv. (Y) galv. (Z) galv. \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd, (F) jetted, (G) air rot., (H) air percussion, (I) air rotary, (J) air reverse, (K) air trenching, (L) air driven, (M) air drive wash, (N) air other, (O) air other, (P) air other, (Q) air other, (R) air other, (S) air other, (T) air other, (U) air other, (V) air other, (W) air other, (X) air other, (Y) air other, (Z) air other \_\_\_\_\_ H

Date Drilled: 968 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 38

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ 40 Shallow \_\_\_\_\_

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ 1/2 Trans. or meter no. \_\_\_\_\_ 5

Descrip. MP \_\_\_\_\_ ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_ 52 D

Date meas: N 68 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. M 60

Well No. M 60

Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

137 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (M) (N) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system \_\_\_\_\_ series TE aquifer, formation, group TA

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 33 ft

Length of well open to: \_\_\_\_\_ ft 6 Depth to top of: \_\_\_\_\_ ft 103

MINOR AQUIFER:

system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 1/4" SS.

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

4 mi N Kosciusko.



Well No.

M 60