GW00934
191B 040001-01

PUNCHED APR 30 1975 T

Well No.

Elog # 33

FORM 9-1642 (1-68)

corrected to T007 orientation

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

325822089303801 SINGLETON QUAD 1918

PUNCHED MAY 21 1975

PUNCHED and VERIFIED ROLLA COMPUTATION BRANCH

MASTER CARD

Record by: WTQ Source of data: MSGS Date: 10/70 Map: Singleton

State: Ms 28 County (or town): Attala 04

Latitude: 32 58 22 N Longitude: 089 30 38 Sequential number: 1

Lat-long accuracy: 2 T. 13 N, R. 8 E, Sec. 19, ~~NW~~ ¼ NE ¼ NE ¼ NE/NE/SW/NE B & M

Local well number: T007AA19 13N08E Other number:

Local use: 064033 Owner or name:

Owner or name: CONEHOMA W A Address:

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — P

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (S) Destroyed. — W

DATA AVAILABLE: Well data Freq. W/L meas.: 0 Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 3/72 — C

Freq. sampling: 0 Pumpage inventory: yes no period:

Aperture cards: yes

Log data: Elog 10'-1274 — D E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1258 ft Meas. rept accuracy 3

Depth cased (first perf.): 1178 ft Casing type: Steel; Diam. 6 X 10 in 10

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other — S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 9 70 Pump intake setting: ft

Driller: Layne Central (name), address S

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other — T Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 50 — V Trans. or meter no.

Descrip. MP: 545' ~~545~~ ft above below LSD, Alt. MP

Alt. LSD: ~~500~~ Accuracy: (source) T — 4

Water Level: 200 ft above below MP; Ft below LSD 200 Accuracy: Q 60# — D

Date meas: 070 Yield: 350 gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct 260 K x 10[6] 2 Temp. 245 °F Date sampled 372

Taste, color, etc. pH = 8.2

Water Level
11/16/82
WL = 207.85

pulled reg. pump now has submersible

~~Assessed 11/16/88 1221 1210 26 line 182.25~~

GDSG/BEW
12/6/88
220 - hold
9.14 - cut
1.7 - MP
209.16

11/20/79

T

Well No. T 17

WELL SCHEDULE

Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD | Physiographic Province: 03 | Section:

D | Drainage Basin: 1-3-T | Subbasin:

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, swamp, (Φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

MAJOR AQUIFER: system TE series WLCXL aquifer, formation, group TWLW

Lithology: U S Origin: 2 Aquifer Thickness: 90 ft

91 Length of well open to: ft 80 Depth to top of: 1179 ft A I B

MINOR AQUIFER: system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened: 6" S.S.

Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards:

Wade Simmons → 289-4450

1,600 gal. pressure storage tank



Well No. 17

GPO 937-142