



file

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**

**MASTER CARD**

Record by WASSON Source of data owner Date 3-2-57 Map                     

State 28 County (or town) BENTON 05

Latitude: 345652N Longitude: 0891905 Sequential number: 1

Lat-long accuracy: 3 T. 1 R. 1 Sec 32 SE SE

Local well number: A1001DD3201501W Other number:                     

Local use:                      Owner or name: WOODROE CURTIS

Owner or name: WOODROE CURTIS Address:                     

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Repressure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Aperture cards:

Log data:

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: 220 ft Meas. rept accuracy 6

Depth cased: (first perf.) 200 ft Casing type:                     ; Diam. 2 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) wash, (K) other H

Date Drilled: 949 Pump intake setting:                      ft

Driller: CARPENTER name address MT. PLEASANT

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other P Deep  Shallow

Power (type): diesel, elec nat gas, gasoline, hand, gas, wind; H.P. 5 Trans. or meter no.                     

Descrip. MP                      ft above below LSD, Alt. MP                     

Alt. LSD:                      Accuracy: (source)                     

Water Level:                      ft above below MP; Ft below LSD                      Accuracy:                     

Date meas:                      Yield:                      gpm Method determined 6

Drawdown:                      ft Accuracy:                      Pumping period                      hrs

QUALITY OF WATER DATA: Iron                      ppm Sulfate                      ppm Chloride                      ppm Hard.                      ppm

Sp. Conduct                      K x 10                      Temp. 66 °F Date sampled 857

Taste, color, etc. IRON

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province:

03

Section:

D

Drainage Basin:

16N

Subbasin:

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR

AQUIFER:

system

series

TE

aquifer, formation, group

M.W

Lithology:

S

Origin:

2

Aquifer

Thickness:

ft

Length of well open to:

ft

Depth to top of:

ft

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology:

Origin:

Aquifer

Thickness:

ft

Length of well open to:

ft

Depth to top of:

ft

Intervals

Screened:

Depth to consolidated rock:

ft

Source of data:

Depth to basement:

ft

Source of data:

Surficial material:

Infiltration characteristics:

Coefficient Trans:


gpd/ft

Coefficient Storage:

Coefficient Perm:

gpd/ft<sup>2</sup>; Spec cap:

gpm/ft; Number of geologic cards:



Well No.